

## 1. Product and Company Identification

<b>Product identifier</b>	<b>Nu-Blast, Aerosol (4290-75)</b>
<b>Other means of identification</b>	Not available
<b>Recommended use</b>	Coil Cleaner/Degreaser
<b>Recommended restrictions</b>	None known.
<b>Manufacturer information</b>	Nu-Calgon 2611 Schuetz Road St. Louis, MO 63043 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMTREC)
<b>Supplier</b>	See above.

## 2. Hazards Identification

<b>Physical hazards</b>	Gases under pressure	Liquefied gas
<b>Health hazards</b>	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 1
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
<b>Environmental hazards</b>	Not classified.	
<b>WHMIS 2015 defined hazards</b>	Not classified	
<b>Label elements</b>		



**Signal word** Danger

**Hazard statement** Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing genetic defects. May cause cancer.

**Precautionary statement**

**Prevention** Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing mist or vapor. Contaminated work clothing should not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

**Response** IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF exposed or concerned: Get medical advice/attention.

**Storage** Protect from sunlight. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)** None known

**WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)** None known

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

---

### 3. Composition/Information on Ingredients

---

**Mixture**

Chemical name	Common name and synonyms	CAS number	%
Ethene, trichloro-		79-01-6	95 - 98
Oils, orange, sweet		8008-57-9	7-10
Carbon dioxide		124-38-9	2 - 5

**Composition comments** US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

---

### 4. First Aid Measures

---

<b>Inhalation</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Skin contact</b>	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label).
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
<b>Most important symptoms/effects, acute and delayed</b>	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause an allergic skin reaction. Dermatitis. Rash. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause redness and pain.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Wear rubber gloves and chemical splash goggles. Keep out of reach of children. Wear rubber gloves and safety glasses with side shields.

---

### 5. Fire Fighting Measures

---

<b>Suitable extinguishing media</b>	Treat for surrounding material.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Contents under pressure. Firefighters should wear a self-contained breathing apparatus.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Fire-fighting equipment/instructions</b>	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon.

---

### 6. Accidental Release Measures

---

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

---

**Methods and materials for containment and cleaning up**

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

**Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and Storage

**Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only with adequate ventilation.  
 Avoid contact with eyes, skin and clothing. Avoid contact during pregnancy/while nursing.  
 Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wear personal protective equipment. When using, do not eat, drink or smoke.  
 Wash thoroughly after handling.  
 Keep container tightly closed.  
 Avoid breathing vapors or mists of this product.

**Conditions for safe storage, including any incompatibilities**

Store locked up. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

## 8. Exposure Controls/Personal Protection

**Occupational exposure limits****Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)**

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	54000 mg/m3 30000 ppm
	TWA	9000 mg/m3 5000 ppm
Ethene, trichloro- (CAS 79-01-6)	STEL	537 mg/m3 100 ppm
	TWA	269 mg/m3 50 ppm

**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	15000 ppm
	TWA	5000 ppm
Ethene, trichloro- (CAS 79-01-6)	STEL	25 ppm
	TWA	10 ppm

**Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)**

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	30000 ppm
	TWA	5000 ppm
Ethene, trichloro- (CAS 79-01-6)	STEL	25 ppm
	TWA	10 ppm

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	30000 ppm
	TWA	5000 ppm

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value
Ethene, trichloro- (CAS 79-01-6)	STEL	25 ppm
	TWA	10 ppm

**Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)**

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	54000 mg/m3 30000 ppm
	TWA	9000 mg/m3 5000 ppm
Ethene, trichloro- (CAS 79-01-6)	STEL	1070 mg/m3 200 ppm
	TWA	269 mg/m3 50 ppm

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	PEL	9000 mg/m3 5000 ppm

**US. OSHA Table Z-2 (29 CFR 1910.1000)**

Components	Type	Value
Ethene, trichloro- (CAS 79-01-6)	Ceiling	200 ppm
	TWA	100 ppm

**US. ACGIH Threshold Limit Values**

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	30000 ppm
	TWA	5000 ppm
Ethene, trichloro- (CAS 79-01-6)	STEL	25 ppm
	TWA	10 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	54000 mg/m3 30000 ppm
	TWA	9000 mg/m3 5000 ppm
Ethene, trichloro- (CAS 79-01-6)	TWA	25 ppm

**Biological limit values**

**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Ethene, trichloro- (CAS 79-01-6)	15 mg/L	Trichloroacetic acid	Urine	*
	0.5 mg/L	Trichloroethano I, without hydrolysis	Blood	*

\* - For sampling details, please see the source document.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear chemical goggles.

<b>Skin protection</b>	
<b>Hand protection</b>	Rubber gloves. Confirm with a reputable supplier first.
<b>Other</b>	Wear appropriate chemical resistant clothing. As required by employer code.
<b>Respiratory protection</b>	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Clear
<b>Physical state</b>	Gas.
<b>Form</b>	Spray
<b>Color</b>	Colorless
<b>Odor</b>	Solvent
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	1.46
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	50-85 psig @ 70°F
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	< 20.5 mm <sup>2</sup> /s
<b>Other information</b>	
<b>Flame projection</b>	< 18 in
<b>Flammability (flash back)</b>	No
<b>Heat of combustion</b>	6.95 kJ/g

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	This product may react with oxidizing agents.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Strong oxidizing agents. Soft metals.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Phosgene.



## Respiratory or skin sensitization

### ACGIH sensitization

Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl- (CAS 13466-78-9) Dermal sensitization

### Canada - British Columbia OELs: Respiratory or skin sensitiser

Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl- (CAS 13466-78-9) Capable of causing respiratory, dermal or conjunctival sensitization.

### Canada - Manitoba OELs Hazard: Dermal sensitization

Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl- (CAS 13466-78-9) Dermal sensitization

### Canada - Saskatchewan OELs Hazard Data: Sensitiser

Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl- (CAS 13466-78-9) Sensitizer.

**Respiratory sensitization** Not available.

**Skin sensitization** May cause an allergic skin reaction.

**Mutagenicity** Suspected of causing genetic defects.

**Carcinogenicity** May cause cancer.

### ACGIH Carcinogens

Ethene, trichloro- (CAS 79-01-6) A2 Suspected human carcinogen.

### Canada - Manitoba OELs: carcinogenicity

TRICHLOROETHYLENE (CAS 79-01-6) Suspected human carcinogen.  
TURPENTINE AND SELECTED MONOTERPENES (CAS 13466-78-9) Not classifiable as a human carcinogen.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Ethene, trichloro- (CAS 79-01-6) Volume 63, Volume 106 - 1 Carcinogenic to humans.

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethene, trichloro- (CAS 79-01-6)  
Myrcene (CAS 123-35-3)

### US NTP Report on Carcinogens: Anticipated carcinogen

Ethene, trichloro- (CAS 79-01-6) Reasonably Anticipated to be a Human Carcinogen.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Teratogenicity** Non-hazardous by WHMIS/OSHA criteria.

**Specific target organ toxicity - single exposure** Narcotic effects.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. Chronic exposure to trichloroethylene may cause liver, kidney, central nervous system and peripheral nervous system effects.

---

## 12. Ecological Information

---

**Ecotoxicity** See below

### Ecotoxicological data

#### Components

Ethene, trichloro- (CAS 79-01-6)

Species	Test Results
Crustacea	EC50 Daphnia 2.2 mg/L, 48 Hours

#### Aquatic

Fish	LC50 Flagfish (Jordanella floridae) 3.1 mg/L, 96 hours
------	--

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Mobility in general** Not available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

---

### 13. Disposal Considerations

---

<b>Disposal instructions</b>	Consult authorities before disposal. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

---

### 14. Transport Information

---

**Transport of Dangerous Goods (TDG) Proof of Classification** In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

**U.S. Department of Transportation (DOT)**

**Basic shipping requirements:**

**UN number** UN1950  
**Proper shipping name** Aerosols, poison, Packing Group III (each not exceeding 1 L capacity)  
**Hazard class** Limited Quantity - US

**Transportation of Dangerous Goods (TDG - Canada)**

**Basic shipping requirements:**

**UN number** UN1950  
**Proper shipping name** AEROSOLS, non-flammable, containing substances in Class 6.1, packing group III  
**Hazard class** Limited Quantity - Canada  
**Special provisions** 80

**IATA/ICAO (Air)**

**Basic shipping requirements:**

**UN number** UN1950  
**Proper shipping name** Aerosols, non-flammable, containing substances in Class 6.1, packing group III  
**Hazard class** Limited Quantity - IATA

**IMDG (Marine Transport)**

**Basic shipping requirements:**

**UN number** UN1950  
**Proper shipping name** AEROSOLS  
**Hazard class** Limited Quantity - US

**DOT; IMDG; TDG**



**IATA**





## 15. Regulatory Information

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (SOR/2015-17) and the SDS contains all the information required by the HPR.

**Canada CEPA Schedule I: Listed substance**

Carbon dioxide (CAS 124-38-9) Listed.  
Ethene, trichloro- (CAS 79-01-6) Listed.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Carbon dioxide (CAS 124-38-9)

**Precursor Control Regulations**

Not regulated.

**WHMIS 2015 Exemptions** Not applicable

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Ethene, trichloro- (CAS 79-01-6) 0.1 % One-Time Export Notification only.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Ethene, trichloro- (CAS 79-01-6) Listed.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - Yes  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Ethene, trichloro-	79-01-6	95 - 98

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Ethene, trichloro- (CAS 79-01-6)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**US state regulations**

**US - California Hazardous Substances (Director's): Listed substance**

Carbon dioxide (CAS 124-38-9) Listed.  
Ethene, trichloro- (CAS 79-01-6) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

Ethene, trichloro- (CAS 79-01-6)

**US - Louisiana Spill Reporting: Listed substance**

Ethene, trichloro- (CAS 79-01-6) Listed.

**US - Michigan Critical Materials Register: Parameter number**

Ethene, trichloro- (CAS 79-01-6) TRICHLOROETHYLENE

**US - Minnesota Haz Subs: Listed substance**

Carbon dioxide (CAS 124-38-9) Listed.  
Ethene, trichloro- (CAS 79-01-6) Listed.

**US - New Jersey RTK - Substances: Listed substance**

Carbon dioxide (CAS 124-38-9)  
Ethene, trichloro- (CAS 79-01-6)

**US - North Carolina Toxic Air Pollutants: Listed substance**

Ethene, trichloro- (CAS 79-01-6)

**US - Texas Effects Screening Levels Hazard Data: Simple asphyxiant**

Carbon dioxide (CAS 124-38-9)

**US - Texas Effects Screening Levels: Listed substance**

Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl- (CAS 13466-78-9) Listed.  
 Carbon dioxide (CAS 124-38-9) Listed.  
 Ethene, trichloro- (CAS 79-01-6) Listed.  
 Oils, orange, sweet (CAS 8008-57-9) Listed.

**US. Massachusetts RTK - Substance List**

Carbon dioxide (CAS 124-38-9)  
 Ethene, trichloro- (CAS 79-01-6)

**US. New Jersey Worker and Community Right-to-Know Act**

Ethene, trichloro- (CAS 79-01-6)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Carbon dioxide (CAS 124-38-9)  
 Ethene, trichloro- (CAS 79-01-6)

**US. Rhode Island RTK**

Ethene, trichloro- (CAS 79-01-6)

**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Ethene, trichloro- (CAS 79-01-6) Listed: April 1, 1988  
 Myrcene (CAS 123-35-3) Listed: March 27, 2015

**US - California Proposition 65 - CRT: Listed date/Developmental toxin**

Ethene, trichloro- (CAS 79-01-6) Listed: Jan 31, 2014

**US - California Proposition 65 - CRT: Listed date/Male reproductive toxin**

Ethene, trichloro- (CAS 79-01-6) Listed: Jan 31, 2014

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other Information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	* 2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

29-September-2016

**Version #**

01

**Effective date**

29-September-2016

**Prepared by**

Nu-Calgon Technical Service Phone: (314) 469-7000

**Other information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.