

| MANUFACTURER | PRODUCT | DESCRIPTION | LIST PRICE |
|--------------|-----------|---|------------|
| Acme | 3001 | 5/16 In Aluminum Hub; | 6.30 |
| Acme | 31005 | 10 In 40 Deg Aluminum Fan Blade CW; | 20.78 |
| Acme | 31015 | 10 In 40 Deg Aluminum Fan Blade CCW; | 20.78 |
| Acme | 3106 | 10 In 27 Deg Aluminum Fan Blade CW; | 17.70 |
| Acme | 3106-31 | 10 In 31 Deg Aluminum Fan Blade CW; | 17.70 |
| Acme | 3116 | 10 In 27 Deg Aluminum Fan Blade CCW; | 17.70 |
| Acme | 3116-31 | 10 In 31 Deg Aluminum Fan Blade CCW; | 17.70 |
| Acme | 3706-31 | 7 In 31 Deg Aluminum Fan Blade CW; | 12.30 |
| Acme | 3806 | 8 In 25 Deg Aluminum Fan Blade CW; | 12.78 |
| Acme | 3806-31 | 8 In 31 Deg Aluminum Fan Blade CW; | 12.78 |
| Acme | 3816 | 8 In 25 Deg Aluminum Fan Blade CCW; | 12.78 |
| Acme | 3816-31 | 8 In 31 Deg Aluminum Fan Blade CCW; | 12.78 |
| Acme | 3906-31 | 9 In 31 Deg Aluminum Fan Blade CW; | 15.12 |
| Acme | BB-700 | Revesible C Frame Ball Bearing Motor 115 Volt; | 72.94 |
| AO Smith | FEH1036SF | Cond Fan Motor 1/3 HP 460 Volt PSC 1075 RPM REV 5.6" Dia BB TEV;" | 657.02 |
| AO Smith | FEH1056S | Condenser Fan Motor 1/2 HP 460 Volt PSC 1050 RPM Ball Brg REV TE 5.6" Dia;" | 577.82 |
| AO Smith | GF2024D | Blower Motor 1/4 HP 115/230 Volt 1725 RPM REV 48/56 Frame w/Base 4680; | 690.30 |
| AO Smith | H1050AV1 | 1 HP 208-230/460 3PH 1140 1SP Rev 56H BB Inverter Duty; | 965.52 |
| AO Smith | H1051AV1 | 1-1/2 HP 208-230/460 3PH 1140 1SP Rev 56H BB Inverter Duty; | 1,131.26 |
| AO Smith | H1052AV1 | 2 HP 208-230/460 3PH 1140 1SP Rev 56H BB Inverter Duty; | 1,151.54 |
| AO Smith | VB2074V1 | Blower Motor 3/4 HP 115 Volt 1725 RPM 1 Speed CCW 56Z Frame Evap Cooler; | 401.36 |
| Appion | G5 TWIN | Recovery Machine G5 Twin R410a Rated; | 1,929.34 |
| Appion | KTGA00 | Replacement Gauges For G1 and G5 Recovery Machimes; | 70.06 |
| Appion | MGAVCR | 5/16" Valve Core Removal Tool for R410a Systems;" | 159.48 |
| Appion | MGAVCT | 1/4" Mega-Flow Vacuum-Rated Valve Core Removal Tool;" | 159.48 |
| Appion | TEZ8 | 8 CFM Vacuum Pump 1/4, 3/8 (X2) 1/2 inch Flare Inlet Port Fittings; | 2,269.82 |
| Appion | TZM1PK | Pre-Charged TEZOM Oil Cartridge For TEZ Vacuum Pump; | 23.16 |
| Bacharach | 0019-8038 | Informant 2 w/Case Leak Detector Dual Gas; | 884.64 |
| Bacharach | 582628P1 | Sleeve Oil; | 48.74 |
| BAPI | ZPS-ACC01 | Wall Static Pickup Stainless 2x4 Plate; | 18.28 |
| BAPI | ZPS-ACC07 | Duct Static Pressure Probe Assembly 6" Long;" | 28.46 |

| | | | |
|---------|------------|--|--------|
| BAPI | ZPS-ACC08 | Duct Static Pressure Pickup W/Gasket; | 13.20 |
| Baso | C161KKD-1C | 24 Volt Direct Spark Control Module Replaces JC G765BCA-12; | 277.50 |
| Baso | C610U-1C | Universal Intermittent Pilot Ignition Control Module 24V; | 290.32 |
| Baso | C670JGA-1C | Ignition Control Module Intermittent Pilot Replaces York RJD-10, 12, 13 & 14; | 300.82 |
| Beckett | CB201UL | Cond Pump 115V 20' Head 3/8 Outlet w/Check Vlv, Safety Switch, 6' Cord w/Plug; | 84.26 |
| Beckett | CB202UL | Cond Pump 230V 20' Head 3/8 Outlet w/Check Vlv, Safety Switch, 6' Cord w/Plug; | 116.32 |
| Beckett | CB251UL | Cond Pump 115V 25' Head 3/8 Outlet w/Check Vlv, Safety Switch; | 363.16 |
| Beckett | CB504ULHTS | Cond Pump 460V 50' Head Hi Temp 212 Deg 1/2 Outlet w/Check Vlv, Safety Switch; | 761.28 |
| Beckett | CU7 | 3/8 COMP X 3/8 COMP Check Valve; | 28.16 |
| Belimo | AFB24 | Spring Return Direct Coupled Actuator 180in-lb 24V On-Off; | 579.40 |
| Belimo | AFB24-MFT | Spring Return Direct Coupled Actuator 180in-lb 24V Modulating Configurable; | 793.68 |
| Belimo | AFB24-S | Spring Return Direct Coupled Actuator 180in-lb 24V & Ax Switches; | 689.56 |
| Belimo | AFB24-SR | Spring Return Direct Coupled Actuator 180in-lb 24V Modulation 2-10 VDC Input; | 720.50 |
| Belimo | AFBUP | Spring Return Direct Coupled Actuator 180in-lb 24-240V On-Off; | 645.82 |
| Belimo | AMB24-SR | Direct Coupled Actuator 180in-lb 24V Modulating 2-10 VDC Input; | 574.88 |
| Belimo | ARB24-3 | Valve Actuator ARB24-3 24V Floating Point Control Input 1 1/4" to 2" Valves;" | 429.28 |
| Belimo | ARB24-SR | Valve Actuator ARB24-SR 24V 2-10VDC Control Input 1 1/4" to 2" Valves;" | 627.70 |
| Belimo | AV6-20 | 6.7 Inch Damper Shaft Extension fits 1/4 to 3/4 Dia. Shafts; | 63.38 |
| Belimo | B208 | 1/2" 0.46 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 102.60 |
| Belimo | B209 | 1/2" 0.8 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 102.60 |
| Belimo | B210 | 1/2" 1.2 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 108.64 |
| Belimo | B211 | 1/2" 1.9 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 108.64 |
| Belimo | B212 | 1/2" 3.0 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 113.90 |
| Belimo | B213 | 1/2" 4.7 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 119.20 |
| Belimo | B215 | 1/2" 10 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 129.02 |
| Belimo | B218 | 3/4" 7.4 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 180.32 |
| Belimo | B219 | 3/4" 10 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 181.84 |
| Belimo | B221 | 3/4" 24 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 189.36 |
| Belimo | B222 | 1" 7.4 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 171.24 |
| Belimo | B225 | 1" 30 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 177.28 |
| Belimo | B230 | 1 1/4" 19 CV 2-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 165.22 |
| Belimo | B310 | 1/2" 1.2 CV 3-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 165.22 |
| Belimo | B311 | 1/2" 1.9 CV 3-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 165.22 |
| Belimo | B312 | 1/2" 3.0 CV 3-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 165.22 |
| Belimo | B313 | 1/2" 4.7 CV 3-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 181.84 |
| Belimo | B318 | 3/4" 7.4 CV 3-Way Ball Valve w/ Stainless Steel Ball and Stem;" | 249.74 |
| Belimo | FSLF120 | Fire and Smoke Spring Return Actuator 30in-lb 120V UL555; | 662.42 |

| | | | |
|----------|-----------|--|--------|
| Belimo | FSLF120-S | Fire and Smoke Spring Return Actuator 30in-lb 120V w/ Auxiliary Switch UL555; | 777.84 |
| Belimo | FSNF120 | Fire and Smoke Spring Return Actuator 70in-lb 120V UL555; | 793.68 |
| Belimo | KH-AFB | Crankarm for Shafts to 3/4 Inch; | 33.96 |
| Belimo | LF120 | Spring Return Direct Coupled Actuator 35in-lb 120V On-Off; | 417.20 |
| Belimo | LF120-S | Spring Return Direct Coupled Actuator 35in-lb 120V On-Off w/ Auxiliary Switch; | 483.62 |
| Belimo | LF24 | Spring Return Direct Coupled Actuator 35in-lb 24V On-Off; | 376.46 |
| Belimo | LF24-3 | Spring Return Direct Coupled Actuator 35in-lb 24V Floating Point Control Input | 457.20 |
| Belimo | LF24-S | Spring Return Direct Coupled Actuator 35in-lb 24V On-Off w/ Auxiliary Switch; | 442.10 |
| Belimo | LF24-SR | Spring Return Direct Coupled Actuator 35in-lb 24V 2-10VDC Control Input; | 513.76 |
| Belimo | LMB24-3 | Direct Coupled Actuator 45in-lb 24V On-Off / Floating 3 Wire Input; | 193.14 |
| Belimo | LMB24-3-T | Direct Coupled Actuator 45in-lb 24V On-Off / Floating Point Control Term Strip | 165.98 |
| Belimo | LMB24-MFT | Direct Coupled Actuator 45in-lb 24V Modulating 2-10 VDC Configurable; | 408.16 |
| Belimo | LMB24-SR | Direct Coupled Actuator 45in-lb 24V Modulating 2-10 VDC Input; | 309.34 |
| Belimo | LRB24-3 | Valve Actuator LRB24-3 24V Floating Point Control Use On 1/2" to 1 1/4" Valve | 233.14 |
| Belimo | LRB24-SR | Valve Actuator LRB24-SR 24V 2-10VDC Control Input Use On 1/2" to 1 1/4" Valve | 345.52 |
| Belimo | NFB24 | Spring Return Direct Coupled Actuator 90in-lb 24V On-Off; | 463.24 |
| Belimo | NFB24-SR | Spring Return Direct Coupled Actuator 90in-lb 24V 2-10VDC Control Input; | 619.40 |
| Belimo | NMB24-3 | Direct Coupled Actuator 90in-lb 24V On-Off / Floating 3 wire Input; | 279.14 |
| Belimo | NMB24-SR | Direct Coupled Actuator 90in-lb 24V Modulating 2-10 VDC Input; | 393.82 |
| Belimo | S1A | SPDT Aux. Switch Fits GMB,AMB,NMB,LMB Actuators; | 104.12 |
| Belimo | SGA24 | Manual Positioner 2 to 10vdc Output Nema 4; | 187.10 |
| Belimo | TFB24 | Spring Return Direct Coupled Actuator 22in-lb 24V On-Off; | 307.08 |
| Belimo | TFB24-SR | Spring Return Direct Coupled Actuator 22in-lb 24V 2-10VDC Control Input; | 436.82 |
| Belimo | TFRB24 | Spring Return Valve Actuator TFRB24 24V On-Off 1/2" and 3/4" Valves Only;" | 348.56 |
| Belimo | TFRB24-SR | Spring Return Valve Actuator TFRB24-SR 24V 2-10VDC 1/2" and 3/4" Valve Only;" | 482.84 |
| Belimo | TR24-3 | Valve Actuator TR24-3 24V Floating Pt 1/2" and 3/4" Valves Only;" | 165.98 |
| Belimo | TR24-3-T | Valve Actuator TR24-3-T 24V Floating Pt Term Strip 1/2" and 3/4" Valves Only | 152.40 |
| Belimo | TR24-SR | Valve Actuator TR24-SR 24V 2-10VDC Control Input 1/2" and 3/4" Valves Only;" | 283.66 |
| Belimo | WAF-4 | Valve Mounting Kit For "AFB" and "AFRB" Actuators only;" | 39.98 |
| Belimo | WLF | Valve Mounting Kit For "LF" Actuators;" | 32.44 |
| Belimo | ZG-AFB118 | Crankarm Adaptor Kit for New Style AFB/NFB Actuators; | 102.60 |
| Belimo | ZG-LF112 | Crankarm Adapter Kit for LF Actuators Includes ZG-112 & KH-LF; | 67.16 |
| Belimo | ZG-LMSA | Jackshaft Extension 1/2" Dia Shafts 3 1/8" long Fits LMB & LMX Actuators;" | 75.46 |
| Browning | 3L170 | FHP V-Belt 3L170; | 15.10 |
| Browning | 3L180 | FHP V-Belt 3L180; | 14.06 |
| Browning | 3L190 | FHP V-Belt 3L190; | 14.06 |
| Browning | 3L200 | FHP V-Belt 3L200; | 14.06 |

| | | | |
|----------|-------|-------------------|-------|
| Browning | 3L210 | FHP V-Belt 3L210; | 14.06 |
| Browning | 3L220 | FHP V-Belt 3L220; | 14.06 |
| Browning | 3L230 | FHP V-Belt 3L230; | 15.60 |
| Browning | 3L240 | FHP V-Belt 3L240; | 14.06 |
| Browning | 3L250 | FHP V-Belt 3L250; | 15.60 |
| Browning | 3L270 | FHP V-Belt 3L270; | 18.58 |
| Browning | 4L170 | FHP V-Belt 4L170; | 15.86 |
| Browning | 4L180 | FHP V-Belt 4L180; | 14.72 |
| Browning | 4L190 | FHP V-Belt 4L190; | 14.72 |
| Browning | 4L200 | FHP V-Belt 4L200; | 14.72 |
| Browning | 4L210 | FHP V-Belt 4L210; | 14.72 |
| Browning | 4L220 | FHP V-Belt 4L220; | 14.72 |
| Browning | 4L230 | FHP V-Belt 4L230; | 14.72 |
| Browning | 4L240 | FHP V-Belt 4L240; | 14.72 |
| Browning | 4L250 | FHP V-Belt 4L250; | 14.72 |
| Browning | 4L260 | FHP V-Belt 4L260; | 15.02 |
| Browning | 4L270 | FHP V-Belt 4L270; | 15.26 |
| Browning | 4L280 | FHP V-Belt 4L280; | 15.48 |
| Browning | 4L290 | FHP V-Belt 4L290; | 15.70 |
| Browning | 4L300 | FHP V-Belt 4L300; | 15.96 |
| Browning | 4L310 | FHP V-Belt 4L310; | 18.00 |
| Browning | 4L330 | FHP V-Belt 4L330; | 18.56 |
| Browning | 4L340 | FHP V-Belt 4L340; | 18.92 |
| Browning | 4L350 | FHP V-Belt 4L350; | 17.26 |
| Browning | 4L370 | FHP V-Belt 4L370; | 17.86 |
| Browning | 4L380 | FHP V-Belt 4L380; | 18.20 |
| Browning | 4L400 | FHP V-Belt 4L400; | 19.04 |
| Browning | 4L410 | FHP V-Belt 4L410; | 19.40 |
| Browning | 4L420 | FHP V-Belt 4L420; | 19.62 |
| Browning | 4L430 | FHP V-Belt 4L430; | 20.00 |
| Browning | 4L440 | FHP V-Belt 4L440; | 20.48 |
| Browning | 4L450 | FHP V-Belt 4L450; | 20.82 |
| Browning | 4L460 | FHP V-Belt 4L460; | 22.66 |
| Browning | 4L470 | FHP V-Belt 4L470; | 23.72 |
| Browning | 4L480 | FHP V-Belt 4L480; | 23.24 |
| Browning | 4L490 | FHP V-Belt 4L490; | 24.12 |
| Browning | 4L500 | FHP V-Belt 4L500; | 21.88 |

| | | | |
|----------|--------|--------------------------------------|--------|
| Browning | 4L510 | FHP V-Belt 4L510; | 24.64 |
| Browning | 4L520 | FHP V-Belt 4L520; | 24.90 |
| Browning | 4L530 | FHP V-Belt 4L530; | 25.14 |
| Browning | 4L550 | FHP V-Belt 4L550; | 29.58 |
| Browning | 4L560 | FHP V-Belt 4L560; | 30.04 |
| Browning | 4L570 | FHP V-Belt 4L570; | 30.34 |
| Browning | 4L580 | FHP V-Belt 4L580; | 30.62 |
| Browning | 4L590 | FHP V-Belt 4L590; | 31.38 |
| Browning | 5VX950 | Series "358" Gripnotch Belt 5VX950;" | 129.72 |
| Browning | A24 | Super Gripbelt A-24; | 14.68 |
| Browning | A25 | Super Gripbelt A-25; | 14.90 |
| Browning | A26 | Super Gripbelt A-26; | 15.16 |
| Browning | A27 | Super Gripbelt A-27; | 15.38 |
| Browning | A28 | Super Gripbelt A-28; | 15.64 |
| Browning | A29 | Super Gripbelt A-29; | 15.84 |
| Browning | A30 | Super Gripbelt A-30; | 16.08 |
| Browning | A31 | Super Gripbelt A-31; | 16.34 |
| Browning | A32 | Super Gripbelt A-32; | 16.68 |
| Browning | A33 | Super Gripbelt A-33; | 16.88 |
| Browning | A34 | Super Gripbelt A-34; | 17.24 |
| Browning | A35 | Super Gripbelt A-35; | 17.50 |
| Browning | A36 | Super Gripbelt A-36; | 17.82 |
| Browning | A37 | Super Gripbelt A-37; | 18.28 |
| Browning | A38 | Super Gripbelt A-38; | 18.64 |
| Browning | A39 | Super Gripbelt A-39; | 19.02 |
| Browning | A40 | Super Gripbelt A-40; | 19.22 |
| Browning | A41 | Super Gripbelt A-41; | 19.58 |
| Browning | A42 | Super Gripbelt A-42; | 20.06 |
| Browning | A43 | Super Gripbelt A-43; | 20.38 |
| Browning | A44 | Super Gripbelt A-44; | 20.66 |
| Browning | A45 | Super Gripbelt A-45; | 20.86 |
| Browning | A46 | Super Gripbelt A-46; | 21.00 |
| Browning | A47 | Super Gripbelt A-47; | 21.20 |
| Browning | A48 | Super Gripbelt A-48; | 21.46 |
| Browning | A49 | Super Gripbelt A-49; | 21.68 |
| Browning | A50 | Super Gripbelt A-50; | 21.90 |
| Browning | A51 | Super Gripbelt A-51; | 22.16 |

| | | | |
|----------|------|-----------------------|-------|
| Browning | A52 | Super Gripbelt A-52; | 22.40 |
| Browning | A53 | Super Gripbelt A-53; | 22.60 |
| Browning | A54 | Super Gripbelt A-54; | 22.98 |
| Browning | A55 | Super Gripbelt; | 23.18 |
| Browning | A56 | Super Gripbelt A-56; | 23.46 |
| Browning | A57 | Super Gripbelt A-57; | 23.66 |
| Browning | A58 | Super Gripbelt A-58; | 24.00 |
| Browning | A59 | Super Gripbelt A-59; | 24.24 |
| Browning | A60 | Super Gripbelt A-60; | 24.48 |
| Browning | A61 | Super Gripbelt A-61; | 24.86 |
| Browning | A62 | Super Gripbelt A-62; | 25.06 |
| Browning | A63 | Super Gripbelt A-63; | 25.40 |
| Browning | A64 | Super Gripbelt A-64; | 25.64 |
| Browning | A65 | Super Gripbelt A-65; | 25.90 |
| Browning | A66 | Super Gripbelt A-66; | 26.22 |
| Browning | A67 | Super Gripbelt A-67; | 26.58 |
| Browning | A68 | Super Gripbelt A-68; | 26.80 |
| Browning | A70 | Super Gripbelt A-70; | 27.98 |
| Browning | A74 | Super Gripbelt A-74; | 30.98 |
| Browning | A75 | Super Gripbelt A-75; | 29.14 |
| Browning | A76 | Super Gripbelt A-76; | 32.96 |
| Browning | A77 | Super Gripbelt A-77; | 33.48 |
| Browning | A90 | Super Gripbelt A-90; | 36.10 |
| Browning | A91 | Super Gripbelt A-91; | 40.74 |
| Browning | A94 | Super Gripbelt A-94; | 37.78 |
| Browning | A95 | Super Gripbelt A-95; | 42.40 |
| Browning | A96 | Super Gripbelt A-96; | 41.42 |
| Browning | AX20 | Gripnotch Belt AX-20; | 13.06 |
| Browning | AX21 | Gripnotch Belt AX-21; | 16.54 |
| Browning | AX22 | Gripnotch Belt AX-22; | 16.54 |
| Browning | AX23 | Gripnotch Belt AX-23; | 16.54 |
| Browning | AX24 | Gripnotch Belt AX-24; | 16.78 |
| Browning | AX25 | Gripnotch Belt AX-25; | 17.68 |
| Browning | AX26 | Gripnotch Belt AX-26; | 18.46 |
| Browning | AX27 | Gripnotch Belt AX-27; | 18.84 |
| Browning | AX28 | Gripnotch Belt AX-28; | 19.10 |
| Browning | AX29 | Gripnotch Belt AX-29; | 19.34 |

| | | | |
|----------|------|-----------------------|-------|
| Browning | AX30 | Gripnotch Belt AX-30; | 19.74 |
| Browning | AX31 | Gripnotch Belt AX-31; | 19.98 |
| Browning | AX32 | Gripnotch Belt AX-32; | 20.36 |
| Browning | AX33 | Gripnotch Belt AX-33; | 20.66 |
| Browning | AX34 | Gripnotch Belt AX-34; | 21.12 |
| Browning | AX35 | Gripnotch Belt AX-35; | 21.38 |
| Browning | AX36 | Gripnotch Belt AX-36; | 21.78 |
| Browning | AX37 | Gripnotch Belt AX-37; | 22.38 |
| Browning | AX38 | Gripnotch Belt AX-38; | 22.80 |
| Browning | AX39 | Gripnotch Belt AX-39; | 23.24 |
| Browning | AX40 | Gripnotch Belt AX-40; | 23.68 |
| Browning | AX41 | Gripnotch Belt AX-41; | 24.10 |
| Browning | AX42 | Gripnotch Belt AX-42; | 24.52 |
| Browning | AX43 | Gripnotch Belt AX-43; | 24.94 |
| Browning | AX44 | Gripnotch Belt AX-44; | 25.00 |
| Browning | AX45 | Gripnotch Belt AX-45; | 25.28 |
| Browning | AX46 | Gripnotch Belt AX-46; | 25.64 |
| Browning | AX47 | Gripnotch Belt AX-47; | 25.92 |
| Browning | AX48 | Gripnotch Belt AX-48; | 26.22 |
| Browning | AX49 | Gripnotch Belt AX-49; | 26.40 |
| Browning | AX50 | Gripnotch Belt AX-50; | 26.92 |
| Browning | AX51 | Gripnotch Belt AX-51; | 27.10 |
| Browning | AX52 | Gripnotch Belt AX-52; | 27.38 |
| Browning | AX53 | Gripnotch Belt AX-53; | 27.66 |
| Browning | AX54 | Gripnotch Belt AX-54; | 28.12 |
| Browning | AX55 | Gripnotch Belt AX-55; | 28.38 |
| Browning | AX56 | Gripnotch Belt AX-56; | 28.64 |
| Browning | AX58 | Gripnotch Belt AX-58; | 29.32 |
| Browning | AX60 | Gripnotch Belt AX-60; | 29.92 |
| Browning | AX61 | Gripnotch Belt AX-61; | 30.28 |
| Browning | AX62 | Gripnotch Belt AX-62; | 30.66 |
| Browning | AX71 | Gripnotch Belt AX-71; | 34.50 |
| Browning | AX72 | Gripnotch Belt AX-72; | 36.86 |
| Browning | AX80 | Gripnotch Belt AX-80; | 38.48 |
| Browning | AX81 | Gripnotch Belt AX-81; | 41.42 |
| Browning | AX92 | Gripnotch Belt AX-92; | 47.80 |
| Browning | B103 | Super Gripbelt B-103; | 55.80 |

| | | | |
|----------|------|-----------------------|-------|
| Browning | B112 | Super Gripbelt B-112; | 61.46 |
| Browning | B124 | Super Gripbelt B-124; | 67.18 |
| Browning | B128 | Super Gripbelt B-128; | 69.44 |
| Browning | B36 | Super Gripbelt B-36; | 23.48 |
| Browning | B38 | Super Gripbelt B-38; | 25.06 |
| Browning | B40 | Super Gripbelt B-40; | 26.20 |
| Browning | B41 | Super Gripbelt B-41; | 26.74 |
| Browning | B42 | Super Gripbelt B-42; | 27.36 |
| Browning | B43 | Super Gripbelt B-43; | 27.88 |
| Browning | B44 | Super Gripbelt B-44; | 28.46 |
| Browning | B45 | Super Gripbelt B-45; | 29.02 |
| Browning | B46 | Super Gripbelt B-46; | 29.60 |
| Browning | B47 | Super Gripbelt B-47; | 30.08 |
| Browning | B48 | Super Gripbelt B-48; | 30.50 |
| Browning | B49 | Super Gripbelt B-49; | 30.98 |
| Browning | B50 | Super Gripbelt B-50; | 31.44 |
| Browning | B51 | Super Gripbelt B-51; | 31.88 |
| Browning | B52 | Super Gripbelt B-52; | 32.22 |
| Browning | B53 | Super Gripbelt B-53; | 32.44 |
| Browning | B54 | Super Gripbelt B-54; | 32.78 |
| Browning | B55 | Super Gripbelt B-55; | 33.02 |
| Browning | B56 | Super Gripbelt B-56; | 33.28 |
| Browning | B57 | Super Gripbelt B-57; | 33.48 |
| Browning | B58 | Super Gripbelt B-58; | 33.68 |
| Browning | B59 | Super Gripbelt B-59; | 33.96 |
| Browning | B60 | Super Gripbelt B-60; | 34.18 |
| Browning | B61 | Super Gripbelt B-61; | 34.60 |
| Browning | B62 | Super Gripbelt B-62; | 35.06 |
| Browning | B63 | Super Gripbelt B-63; | 35.56 |
| Browning | B64 | Super Gripbelt B-64; | 36.00 |
| Browning | B65 | Super Gripbelt B-65; | 36.42 |
| Browning | B66 | Super Gripbelt B-66; | 36.90 |
| Browning | B67 | Super Gripbelt B-67; | 37.24 |
| Browning | B68 | Super Gripbelt B-68; | 37.56 |
| Browning | B69 | Super Gripbelt B-69; | 38.04 |
| Browning | B70 | Super Gripbelt B-70; | 38.58 |
| Browning | B71 | Super Gripbelt B-71; | 39.06 |

| | | | |
|----------|-------|------------------------|-------|
| Browning | B74 | Super Gripbelt B-74; | 40.54 |
| Browning | B75 | Super Gripbelt B-75; | 40.98 |
| Browning | B77 | Super Gripbelt B-77; | 42.14 |
| Browning | B78 | Super Gripbelt B-78; | 42.70 |
| Browning | B81 | Super Gripbelt B-81; | 44.40 |
| Browning | B83 | Super Gripbelt B-83; | 45.88 |
| Browning | B85 | Super Gripbelt B-85; | 46.66 |
| Browning | B90 | Super Gripbelt B-90; | 48.94 |
| Browning | B93 | Super Gripbelt B-93; | 51.24 |
| Browning | B95 | Super Gripbelt B-95; | 52.38 |
| Browning | B96 | Super Gripbelt B-96; | 52.94 |
| Browning | BX103 | Gripnotch Belt BX-103; | 69.82 |
| Browning | BX28 | Gripnotch Belt BX-28; | 24.86 |
| Browning | BX29 | Gripnotch Belt BX-29; | 25.34 |
| Browning | BX30 | Gripnotch Belt BX-30; | 25.90 |
| Browning | BX32 | Gripnotch Belt BX-32; | 26.92 |
| Browning | BX33 | Gripnotch Belt BX-33; | 27.42 |
| Browning | BX34 | Gripnotch Belt BX-34; | 27.92 |
| Browning | BX35 | Gripnotch Belt BX-35; | 28.50 |
| Browning | BX36 | Gripnotch Belt BX-36; | 29.98 |
| Browning | BX37 | Gripnotch Belt BX-37; | 30.72 |
| Browning | BX40 | Gripnotch Belt BX-40; | 32.52 |
| Browning | BX42 | Gripnotch Belt BX-42; | 34.22 |
| Browning | BX44 | Gripnotch Belt BX-44; | 35.38 |
| Browning | BX45 | Gripnotch Belt BX-45; | 36.38 |
| Browning | BX46 | Gripnotch Belt BX-46; | 37.04 |
| Browning | BX47 | Gripnotch Belt BX-47; | 37.68 |
| Browning | BX48 | Gripnotch Belt BX-48; | 38.18 |
| Browning | BX49 | Gripnotch Belt BX-49; | 38.82 |
| Browning | BX50 | Gripnotch Belt BX-50; | 39.34 |
| Browning | BX51 | Gripnotch Belt BX-51; | 39.88 |
| Browning | BX52 | Gripnotch Belt BX-52; | 40.34 |
| Browning | BX53 | Gripnotch Belt BX-53; | 40.64 |
| Browning | BX54 | Gripnotch Belt BX-54; | 41.04 |
| Browning | BX55 | Gripnotch Belt BX-55; | 41.36 |
| Browning | BX56 | Gripnotch Belt BX-56; | 41.62 |
| Browning | BX57 | Gripnotch Belt BX-57; | 41.92 |

| | | | |
|----------|-----------------|---|----------|
| Browning | BX58 | Gripnotch Belt BX-58; | 42.18 |
| Browning | BX59 | Gripnotch Belt BX-59; | 42.46 |
| Browning | BX60 | Gripnotch Belt BX-60; | 42.76 |
| Browning | BX61 | Gripnotch Belt BX-61; | 43.32 |
| Browning | BX62 | Gripnotch Belt BX-62; | 43.90 |
| Browning | BX63 | Gripnotch Belt BX-63; | 44.46 |
| Browning | BX64 | Gripnotch Belt BX-64; | 45.04 |
| Browning | BX65 | Gripnotch Belt BX-65; | 45.62 |
| Browning | BX66 | Gripnotch Belt BX-66; | 46.20 |
| Browning | BX67 | Gripnotch Belt BX-67; | 46.60 |
| Browning | BX68 | Gripnotch Belt BX-68; | 47.02 |
| Browning | BX70 | Gripnotch Belt BX-70; | 48.30 |
| Browning | BX71 | Gripnotch Belt BX-71; | 48.88 |
| Browning | BX72 | Gripnotch Belt BX-72; | 49.44 |
| Browning | BX73 | Gripnotch Belt BX-73; | 50.10 |
| Browning | BX75 | Gripnotch Belt BX-75; | 51.30 |
| Browning | BX76 | Gripnotch Belt BX-76; | 52.04 |
| Browning | BX77 | Gripnotch Belt BX-77; | 52.74 |
| Browning | BX78 | Gripnotch Belt BX-78; | 53.46 |
| Browning | BX79 | Gripnotch Belt BX-79; | 54.14 |
| Browning | BX81 | Gripnotch Belt BX-81; | 55.56 |
| Browning | BX82 | Gripnotch Belt BX-82; | 57.02 |
| Browning | BX83 | Gripnotch Belt BX-83; | 57.44 |
| Browning | BX85 | Gripnotch Belt BX-85; | 58.42 |
| Browning | BX86 | Gripnotch Belt BX-86; | 58.54 |
| Browning | BX90 | Gripnotch Belt BX-90; | 61.26 |
| Browning | BX93 | Gripnotch Belt BX-93; | 64.16 |
| Browning | BX96 | Gripnotch Belt BX-96; | 66.24 |
| Browning | BX97 | Gripnotch Belt BX-97; | 67.00 |
| Browning | TENSION CHECKER | 1302546 Belt Tension Checker; | 128.02 |
| Bohn | 25300701S | Motor 1/150 HP 3000 115V 3/16 CWSE; | 111.74 |
| Bohn | 25309501S | Motor 1/15 HP 1600 115V 5/16 PSC TEAO CWSE; | 367.12 |
| Bohn | 25309801S | Motor 1/15 HP 1650 208/230-1 PSC SP; | 202.72 |
| Bohn | 25316401 | Motor 1.5 HP 1140 RPM 208/230/460V 3PH 5/8 Shaft Rev; | 1,678.38 |
| Bohn | 25317701S | 1/20HP 208/230-1 1625 RPM CCW 1-Sp EC Motor for BEL Elec Def & ADT/LET Coils; | 660.02 |
| Bohn | 25317801S | 1/15hp 115V 1625 RPM CCW EC Motor for ADT Coils; | 660.02 |
| Bohn | 25317901S | 1/15HP 208/230-1 1525 RPM CCW EC Motor; | 573.82 |

| | | | |
|------|--------------------|---|-----------|
| Bohn | 25318001S | 1/15HP 115V 1525 RPM CCW EC Motor; | 566.64 |
| Bohn | 26925101 | 3/4" Drain Pan Fitting For ADT/LET Coils;" | 55.86 |
| Bohn | 28910104 | Quick Response Control Board For R22, R404A, R407 (A,C,F) R448A & R507; | 735.04 |
| Bohn | 28911201 | Quick Response Control and Beacon II Pressure Transducer; | 467.68 |
| Bohn | 29326201 | QRC Expansion Valve 3/8 X 3/8 E2V24BWAE0; | 1,007.98 |
| Bohn | 5020TS | Motor 1/4 HP 1075 208-230V 1/2 Shaft CCWLE; | 529.92 |
| Bohn | 5054D | Fan Guard 5.5" Plastic;" | 24.74 |
| Bohn | 5101B | Fan Blade 5.5" CCW 5 Blade;" | 8.78 |
| Bohn | 5110E | Fan Blade 12" 24 Deg 5 Blade;" | 71.82 |
| Bohn | 5117C | Fan Blade 5" 27 CW 5 Blade;" | 34.32 |
| Bohn | 5132C | Fan Blade 10" 40 Deg CW 5 Blade;" | 59.86 |
| Bohn | 5140C | Fan Blade 12" 23 Deg 5/16" 5 Blade;" | 101.36 |
| Bohn | 5708L | Heater Limit 2 Wire 75-40 Degree; | 113.32 |
| Bohn | 5709L | Fan & Defrost Termination 3 Wire Open 55 Close 35 Degree; | 164.40 |
| Bohn | 7071061 | Motor 1/13 HP 1550 230V 5/16 CCWSE Chandler; | 346.36 |
| Bohn | 7071208S | 1/3 HP 1075 RPM 208-230/1 1/2 Shaft CWSE; | 752.60 |
| Bohn | 7072102S | Motor 3/4hp 230/460-3 1140 RPM 5/8 Shaft CW/CCW; | 1,351.16 |
| Bohn | 7075819 | Defrost Termination / Fan Delay 3 Wire 3/8" Tube Mount;" | 114.12 |
| Bohn | 7174402 | Fan Blade 12" 22 CCW 5 Blade Chandler;" | 96.56 |
| Bohn | 8075821 | Defrost Termination / Fan Delay 3 Wire; | 249.00 |
| Bohn | 89904904 | Quick Response Control and Beacon II Sensor Kit; | 63.04 |
| Bohn | BCH0005MBACZC0284 | Scroll ODU 1/2HP MT R404A R407C R448A 208/230-1 w/LL Drier and Sight Glass; | 5,982.36 |
| Bohn | BCH0006LBACZC0311 | Scroll ODU 1/2HP LT R404A R407A R448A 208/230-1 w/Liquid Line Assy and Accum; | 7,345.00 |
| Bohn | BCH0009MBACZC0284 | Scroll ODU 3/4HP MT R404A R407A/C R448A 208/230-1 w/LL Drier & Sight Glass; | 6,807.92 |
| Bohn | BCH0010MCACZC0284 | Scroll ODU 1HP MT R404A R407A/C R448A 208/230-3 w/LL Drier & Sight Glass; | 7,198.38 |
| Bohn | BCH0015MBACZC0284 | Scroll ODU 1-1/2HP MT R404A R407A/C R448A 208/230-1 w/LL Drier & Sight Glass; | 8,401.12 |
| Bohn | BCH0015MCACZC0284 | Scroll ODU 1-1/2HP MT R404A R407A/C R448A 208/230-3 w/LL Drier & Sight Glass; | 8,263.52 |
| Bohn | BCH0025LCACZC0311 | Scroll ODU 2-1/2HP LT R404A R407A R448A 208/230-3 w/Liquid Line Assy & Accum; | 10,100.58 |
| Bohn | BCH0030MCACZC0284 | Scroll ODU 3HP MT R404A R407A/C R448A 208/230-3 w/LL Drier & Sight Glass; | 10,035.22 |
| Bohn | BCH0050MCACZC0284 | Scroll ODU 5HP MT R404A R407A/C R448A 208/230-3 w/LL Drier & Sight Glass; | 11,480.74 |
| Bohn | BEL0045AS6AMAB0000 | Low Profile Air Defrost Evap 115-1 2-Speed EC Motor; | 1,641.02 |
| Bohn | BEL0055AS6AMAB0000 | Low Profile Air Defrost Evap 115-1 2-Speed EC Motor; | 1,751.52 |
| Bohn | BEL0060AS6AMAB0000 | Low Profile Air Defrost Evap 115-1 2-Speed EC Motor; | 1,864.68 |
| Bohn | BEL0060AS6AMAB0300 | Low Profile QRC Air Defrost Evap R404A/R448A/R449A 115-1 2-Speed EC Motor; | 3,066.34 |
| Bohn | BEL0080BS6EEAB0300 | Low Profile QRC Elec Defrost Evap R404A/R448A/R449A 208/230-1 EC Motor; | 4,426.34 |
| Bohn | BEL0095AS6AMAB0000 | Low Profile Air Defrost Evap 115-1 2-Speed EC Motor; | 2,683.86 |
| Bohn | BEL0095AS6AMAB0300 | Low Profile QRC Air Defrost Evap R404A/R448A/R449A 115-1 2-Speed EC Motor; | 3,861.62 |

| | | | |
|--------------|--------------------|--|----------|
| Bohn | BEL0100BS6EEAB0000 | Low Profile Elec Defrost Evaporator 208/230-1 EC Motor; | 3,603.44 |
| Bohn | BEL0100BS6EEAB0300 | Low Profile QRC Elec Defrost Evap R404A/R448A/R449A 208/230-1 EC Motor; | 4,754.12 |
| Bohn | BEL0105AS6AMAB0000 | Low Profile Air Defrost Evaporator 115-1 2-Speed EC Motor; | 2,842.70 |
| Bohn | BEL0105AS6AMAB0300 | Low Profile QRC Air Defrost Evap R404A/R448A/R449A 115-1 2-Speed EC Motor; | 4,015.68 |
| Bohn | BEL0115AS6AMAB0000 | Low Profile Air Defrost Evap 115-1 2-Speed EC Motor; | 3,021.20 |
| Bohn | BEL0125AS6AMAB0000 | Low Profile Air Defrost Evaporator 115-1 2-Speed EC Motor; | 3,209.78 |
| Bohn | BEL0125AS6AMAB0300 | Low Profile QRC Air Defrost Evap R404A/R448A/R449A 115-1 2-Speed EC Motor; | 4,372.16 |
| Bohn | BEL0130BS6EEAB0000 | Low Profile Elec Defrost Evaporator 208/230-1 EC Motor; | 4,663.28 |
| Bohn | BEL0130BS6EEAB0300 | Low Profile QRC Elec Defrost Evap R404A/R448A/R449A 208/230-1 EC Motor; | 5,783.14 |
| Bohn | BEL0155AS6AMAB0000 | Low Profile Air Defrost Evaporator 115-1 2-Speed EC Motor; | 4,053.40 |
| Bohn | BEL0155AS6AMAB0300 | Low Profile QRC Air Defrost Evap R404A/R448A/R449A 115-1 2-Speed EC Motor; | 5,191.34 |
| Bohn | BEL0190AS6AMAB0000 | Low Profile Air Defrost Evaporator 115-1 2-Speed EC Motor; | 4,537.36 |
| Bohn | BEL0250AS6AMAB0000 | Low Profile Air Defrost Evaporator 115-1 2-Speed EC Motor; | 5,274.20 |
| Bohn | BEL0295AS6AMAB0000 | Low Profile Air Defrost Evaporator 115-1 2-Speed EC Motor; | 6,564.60 |
| Bohn | BTOK18AG | Twin Flow Reach-in Unit Cooler 1800 Btu 115V Air Defrost; | 1,064.08 |
| Bohn | CK17AG | Hi Profile Reach-in Unit Cooler 1700 Btu 115V Air Defrost; | 824.50 |
| Bohn | CK30AG | Hi Profile Reach-in Unit Cooler 3000 Btu 115V Air Defrost; | 1,314.30 |
| Bohn | R026215300 | Fan Blade 10" X 40 Deg Pitch 5/16 Hub Chandler;" | 78.22 |
| Bohn | RAMK17AG | Reverse Air Mullion Reach-in Unit Cooler 1700 Btu 115v Air Defrost; | 1,250.56 |
| Bohn | TAK10AG | Thin Profile Reach-in Unit Cooler Med Temp 1000 Btu 115V Air Defrost; | 655.56 |
| Bohn | TAK13AG | Thin Profile Reach-in Unit Cooler Med Temp 1300 Btu 115V Air Defrost; | 834.06 |
| Bohn | TAK17AG | Thin Profile Reach-in Unit Cooler Med Temp 1700 Btu 115V Air Defrost; | 949.86 |
| Bohn | TAK23AG | Thin Profile Reach-in Unit Cooler Med Temp 2300 Btu 115V Air Defrost; | 1,203.80 |
| Bohn | TAK30AG | Thin Profile Reach-in Unit Cooler Med Temp 3000 Btu 115V Air Defrost; | 1,469.42 |
| Bohn | TAK43AG | Thin Profile Reach-in Unit Cooler Med Temp 4300 Btu 115V Air Defrost; | 1,991.64 |
| Bohn | VAK08AG | V-Profile Reach-in Unit Cooler Med Temp 800 Btu 115V Air Defrost; | 577.46 |
| Bohn | VAK12AG | V-Profile Reach-in Unit Cooler Med Temp 1200 Btu 115V Air Defrost; | 744.80 |
| Bohn | VAK17AG | V-Profile Reach-in Unit Cooler Med Temp 1700 Btu 115V Air Defrost; | 834.06 |
| Parker Brass | 105C-4 | 1/4 Compression X 1/4 Compression Needle Valve NV105C-4; | 8.38 |
| Parker Brass | 105C-6 | 3/8 Compression X 3/8 Compression Needle Valve NV105C-6; | 12.96 |
| Parker Brass | 20-4 | 1/4 Barb Plug; | 0.66 |
| Parker Brass | 20-4-5/32 | Double Barb 5/32 and 1/4 Plug; | 1.36 |
| Parker Brass | 20-6 | 3/8 Barb Plug; | 1.00 |
| Parker Brass | 22-4 | 1/4 Barb Union Coupling; | 0.64 |
| Parker Brass | 22-4-5/32 | 1/4 Barb X 5/32 Barb Reducing Union Coupling; | 2.76 |
| Parker Brass | 22-4-6 | 1/4 Barb X 3/8 Barb Reducing Union Coupling; | 0.84 |
| Parker Brass | 22-5/32 | 5/32 Barb Union Coupling; | 0.72 |

| | | | |
|--------------|--------------|--|-------|
| Parker Brass | 22-6 | 3/8 Barb Union Coupling; | 0.96 |
| Parker Brass | 22-8 | 1/2 Barb Union Coupling; | 5.34 |
| Parker Brass | 220-4-2 | 1/4 Barb X 1/4 Barb X 1/8 FPT Reducing Tee w/2 Hole Flange Mount; | 12.12 |
| Parker Brass | 224-4 | 1/4 Barb X 1/4 Barb X 1/4 Barb Tee; | 1.92 |
| Parker Brass | 224-4-4-5/32 | 1/4 Barb X 1/4 Barb X 5/32 Barb Reducing Tee; | 2.76 |
| Parker Brass | 224-5/32 | 5/32 Barb X 5/32 Barb X 5/32 Barb Tee; | 6.42 |
| Parker Brass | 224-6 | 3/8 Barb X 3/8 Barb X 3/8 Barb Tee; | 2.22 |
| Parker Brass | 224-6-6-4 | 3/8 Barb X 3/8 Barb X 1/4 Barb Reducing Tee; | 2.38 |
| Parker Brass | 225-4-4 | 1/4 Barb X 1/4 Barb Union 90 Deg Elbow; | 1.72 |
| Parker Brass | 22BH-4-4 | 1/4 Barb X 1/4 Barb Bulkhead Union; | 3.18 |
| Parker Brass | 22CA-4-4 | 1/4 Compression X 1/4 Barb Union; | 1.90 |
| Parker Brass | 22CABH-4-4 | 1/4 Compression X 1/4 Barb Bulkhead Union; | 4.00 |
| Parker Brass | 26-4-2 | 1/4 Barb X 1/8 FPT Union; | 1.32 |
| Parker Brass | 28-4-2 | 1/4 Barb X 1/8 MPT Union; | 0.96 |
| Parker Brass | 28-4-4 | 1/4 Barb X 1/4 MPT Union; | 1.84 |
| Parker Brass | 28-6-2 | 3/8 Barb X 1/8 MPT Union; | 1.12 |
| Parker Brass | 28-6-4 | 3/8 Barb X 1/4 MPT Union; | 2.22 |
| Parker Brass | 60F 04 | 1/4 Compression Sleeve 60C-4; | 0.30 |
| Parker Brass | 60F 06 | 3/8 Compression Sleeve 60C-6; | 0.30 |
| Parker Brass | 60PT 04 | 1/4 Delbrin Plastic Sleeve 60PT-4; | 0.28 |
| Parker Brass | 61F 04 | 1/4 Compression Nut 61C-4; | 0.48 |
| Parker Brass | 62F 04 | 1/4 Compression X 1/4 Compression Union Coupling 62C-4; | 1.98 |
| Parker Brass | 62F 06 | 3/8 Compression X 3/8 Compression Union Coupling 62C-6; | 3.40 |
| Parker Brass | 62F 08 | 1/2 Compression X 1/2 Compression Union Coupling 62C-8; | 7.26 |
| Parker Brass | 62R 06X04 | 3/8 Compression X 1/4 Compression Reducing Union Coupling 62C-6-4; | 5.02 |
| Parker Brass | 63PT 04-40 | 1/4 Compression Brass Insert 63PT-4-40; | 0.36 |
| Parker Brass | 64F 04 | 1/4 Compression X 1/4 Compression X 1/4 Compression Tee 164C-4; | 5.74 |
| Parker Brass | 64F 06 | 3/8 Compression X 3/8 Compression X 3/8 Compression Tee 164C-6; | 6.42 |
| Parker Brass | 68F 04X02 | 1/4 Compression X 1/8 MPT Half Union 68C-4-2; | 1.44 |
| Parker Brass | 68F 04X04 | 1/4 Compression X 1/4 MPT Half Union 68C-4-4; | 1.98 |
| Parker Brass | 68F 04X06 | 1/4 Compression X 3/8 MPT Half Union 68C-4-6; | 2.92 |
| Parker Brass | 68F 06X04 | 3/8 Compression X 1/4 MPT Half Union 68C-6-4; | 2.22 |
| Parker Brass | 68F 06X06 | 3/8 Compression X 3/8 MPT Half Union 68C-6-6; | 3.16 |
| Parker Brass | 68F 06X08 | 3/8 Compression X 1/2 MPT Half Union 68C-6-8; | 9.00 |
| Parker Brass | 69F 04X02 | 1/4 Compression X 1/8 MPT Half Union 90 Deg Elbow 169C-4-2; | 4.36 |
| Parker Brass | 69F 04X04 | 1/4 Compression X 1/4 MPT Half Union 90 Deg Elbow 169C-4-4; | 4.68 |
| Parker Brass | B1 04 | 1/4 Copper Flare Seal Bonnet 3GF-4; | 2.08 |

| | | | |
|--------------|------------|---|-------|
| Parker Brass | B2 04 | 1/4 Copper Flare Gasket 2GF-4; | 2.56 |
| Parker Brass | B2 06 | 3/8 Copper Flare Gasket 2GF-6; | 2.64 |
| Parker Brass | B2 08 | 1/2 Copper Flare Gasket 2GF-8; | 2.88 |
| Parker Brass | B2 10 | 5/8 Copper Flare Gasket 2GF-10; | 3.18 |
| Parker Brass | E1 04A | 1/4 Male Flare X 1/8 MPT Half Union 90 Deg Elbow 149F-4-2; | 5.74 |
| Parker Brass | E1 04B | 1/4 Male Flare X 1/4 MPT Half Union 90 Deg Elbow 149F-4-4; | 4.36 |
| Parker Brass | E1 06B | 3/8 Male Flare X 1/4 MPT Half Union 90 Deg Elbow 149F-6-4; | 8.38 |
| Parker Brass | E1 06C | 3/8 Male Flare X 3/8 MPT Half Union 90 Deg Elbow 149F-6-6; | 10.32 |
| Parker Brass | E1 06D | 3/8 Male Flare X 1/2 MPT Half Union 90 Deg Elbow 149F-6-8; | 12.84 |
| Parker Brass | E2 06 | 3/8 Male Flare X 3/8 Male Flare 90 Deg Elbow 155F-6; | 10.86 |
| Parker Brass | E2 08 | 1/2 Male Flare X 1/2 Male Flare 90 Deg Elbow 155F-8; | 12.22 |
| Parker Brass | ES4 04X04 | 1/4 Male Flare X 1/4 Female Flare Swivel 90 Deg Elbow 166FSV-4-4; | 21.08 |
| Parker Brass | HNS4 04 | 1/4 Extra Heavy Duty Flare Nut; | 4.74 |
| Parker Brass | HNS4 06 | 3/8 Extra Heavy Duty Flare Nut; | 5.82 |
| Parker Brass | K1 1 | 3/4 FPT X 1/4 Male Flare Refrigerant Drum Adaptor; | 17.04 |
| Parker Brass | K1 8 | 1/2 FPT X 1/4 Male Flare CO/2 Tank Adaptor; | 26.08 |
| Parker Brass | K1 D | Gasket For 1/2 FPT Drum Adapter Fits K1 8; | 1.24 |
| Parker Brass | K1 E | Gasket For 3/4 FPT Drum Adapter Fits K1 1/K1 3/K1 5; | 1.54 |
| Parker Brass | N4 04 | 1/4 Brass Long Flare Nut 14FL-4; | 4.86 |
| Parker Brass | N4 06 | 3/8 Brass Long Flare Nut 14FL-6; | 4.12 |
| Parker Brass | N4 08 | 1/2 Brass Long Flare Nut 14FL-8; | 9.00 |
| Parker Brass | N5 04 | 1/4 Flare Seal Cap 640F-4; | 1.60 |
| Parker Brass | N5 06 | 3/8 Flare Seal Cap 640F-6; | 2.76 |
| Parker Brass | N5 08 | 1/2 Flare Seal Cap 640F-8; | 3.88 |
| Parker Brass | N5 10 | 5/8 Flare Seal Cap 640F-10; | 8.74 |
| Parker Brass | NRS4 06X04 | 3/8 X 1/4 Short Reducing Flare Nut 14FS-6-4; | 5.82 |
| Parker Brass | NRS4 08X06 | 1/2 X 3/8 Short Reducing Flare Nut 14FS-8-6; | 6.96 |
| Parker Brass | NS4 04 | 1/4 Short Flare Nut 14FSX-4; | 2.08 |
| Parker Brass | NS4 05 | 5/16 Short Flare Nut 14FSX-5; | 4.18 |
| Parker Brass | NS4 06 | 3/8 Short Flare Nut 14FSX-6; | 2.64 |
| Parker Brass | NS4 08 | 1/2 Short Flare Nut 14FSX-8; | 3.40 |
| Parker Brass | NS4 10 | 5/8 Short Flare Nut 14FSX-10; | 5.64 |
| Parker Brass | NS4 12 | 3/4 Short Flare Nut 14FSX-12; | 11.86 |
| Parker Brass | P2 04 | 1/4 Male Flare Plug 639F-4; | 3.42 |
| Parker Brass | P2 06 | 3/8 Male Flare Plug 639F-6; | 4.42 |
| Parker Brass | P2 10 | 5/8 Male Flare Plug 639F-10; | 9.88 |
| Parker Brass | P3 A | 1/8 Brass Pipe Plug 218P-2; | 2.32 |

| | | | |
|--------------|-----------|---|-------|
| Parker Brass | P3 B | 1/4 Brass Pipe Plug 218P-4; | 2.88 |
| Parker Brass | P3 C | 3/8 Brass Pipe Plug 218P-6; | 5.04 |
| Parker Brass | P3 D | 1/2 Brass Pipe Plug 218P-8; | 6.12 |
| Parker Brass | P3 E | 3/4 Brass Pipe Plug 211P-12; | 10.74 |
| Parker Brass | R1 BA | 1/4 MPT X 1/8 FPT Brass Bushing 209P-4-2; | 2.62 |
| Parker Brass | R1 CB | 3/8 MPT X 1/4 FPT Brass Bushing 209P-6-4; | 3.84 |
| Parker Brass | R1 DB | 1/2 MPT X 1/4 FPT Brass Bushing 209P-8-4; | 6.12 |
| Parker Brass | R1 DC | 1/2 MPT X 3/8 FPT Brass Bushing 209P-8-6; | 5.52 |
| Parker Brass | R1 EC | 3/4 MPT X 3/8 FPT Brass Bushing 209P-12-6; | 10.56 |
| Parker Brass | R1 ED | 3/4 MPT X 1/2 FPT Brass Bushing 209P-12-8; | 9.30 |
| Parker Brass | T2 04 | 1/4 Male Flare X 1/4 Male Flare X 1/4 Male Flare Tee 144F-4; | 9.36 |
| Parker Brass | T2 06 | 3/8 Male Flare X 3/8 Male Flare X 3/8 Male Flare Tee 144F-6; | 11.08 |
| Parker Brass | U1 04A | 1/4 Male Flare X 1/8 MPT Half Union 48F-4-2; | 2.26 |
| Parker Brass | U1 04B | 1/4 Male Flare X 1/4 MPT Half Union 48F-4-4; | 2.82 |
| Parker Brass | U1 04C | 1/4 Male Flare X 3/8 MPT Half Union 48F-4-6; | 5.08 |
| Parker Brass | U1 04D | 1/4 Male Flare X 1/2 MPT Half Union 48F-4-8; | 8.28 |
| Parker Brass | U1 06A | 3/8 Male Flare X 1/8 MPT Half Union 48F-6-2; | 6.00 |
| Parker Brass | U1 06B | 3/8 Male Flare X 1/4 MPT Half Union 48F-6-4; | 5.56 |
| Parker Brass | U1 06C | 3/8 Male Flare X 3/8 MPT Half Union 48F-6-6; | 5.14 |
| Parker Brass | U1 06D | 3/8 Male Flare X 1/2 MPT Half Union 48F-6-8; | 10.98 |
| Parker Brass | U1 08B | 1/2 Male Flare X 1/4 MPT Half Union 48F-8-4; | 8.32 |
| Parker Brass | U1 08C | 1/2 Male Flare X 3/8 MPT Half Union 48F-8-6; | 7.24 |
| Parker Brass | U1 08D | 1/2 Male Flare X 1/2 MPT Half Union 48F-8-8; | 7.14 |
| Parker Brass | U1 08E | 1/2 Male Flare X 3/4 MPT Half Union 48F-8-12; | 12.04 |
| Parker Brass | U2 04 | 1/4 Male Flare X 1/4 Male Flare Union 42F-4; | 2.34 |
| Parker Brass | U2 06 | 3/8 Male Flare X 3/8 Male Flare Union 42F-6; | 6.78 |
| Parker Brass | U2 08 | 1/2 Male Flare X 1/2 Male Flare Union 42F-8; | 8.88 |
| Parker Brass | U2 10 | 5/8 Male Flare X 5/8 Male Flare Union 42F-10; | 13.24 |
| Parker Brass | U3 04A | 1/4 Male Flare X 1/8 FPT Half Union 46F-4-2; | 3.60 |
| Parker Brass | U3 04B | 1/4 Male Flare X 1/4 FPT Half Union 46F-4-4; | 4.86 |
| Parker Brass | U3 04C | 1/4 Male Flare X 3/8 FPT Half Union 46F-4-6; | 9.00 |
| Parker Brass | U3 06B | 3/8 Male Flare X 1/4 FPT Half Union 46F-6-4; | 5.04 |
| Parker Brass | U4 04 | 1/4 Female Flare X 1/4 Female Flare Union 660FHD-4; | 10.96 |
| Parker Brass | U4 06 | 3/8 Female Flare X 3/8 Female Flare Union 660FHD-6; | 16.30 |
| Parker Brass | UR2 06X04 | 3/8 Male Flare X 1/4 Male Flare Reducing Union 42F-6-4; | 6.12 |
| Parker Brass | UR2 08X06 | 1/2 Male Flare X 3/8 Male Flare Reducing Union 42F-8-6; | 10.14 |
| Parker Brass | UR3 04X06 | 1/4 Female Flare X 3/8 Male Flare Int to Ext Reducing Union 661FHD-6-4; | 8.86 |

| | | | | |
|------------------------|---------------------|--|---------------|----------|
| Parker Brass | UR3 04X08 | 1/4 Female Flare X 1/2 Male Flare Int to Ext Reducing Union | 661FHD-8-4; | 29.20 |
| Parker Brass | UR3 06X04 | 3/8 Female Flare X 1/4 Male Flare Int to Ext Reducing Union | 661FHD-4-6; | 7.90 |
| Parker Brass | UR3 06X08 | 3/8 Female Flare X 1/2 Male Flare Int to Ext Reducing Union | 661FHD-8-6; | 17.04 |
| Parker Brass | UR3 08X04 | 1/2 Female Flare X 1/4 Male Flare Int to Ext Reducing Union | 661FHD-4-8; | 20.72 |
| Parker Brass | UR3 08X06 | 1/2 Female Flare X 3/8 Male Flare Int to Ext Reducing Union | 661FHD-6-8; | 13.48 |
| Parker Brass | UR3 08X10 | 1/2 Female Flare X 5/8 Male Flare Int to Ext Reducing Union | 661FHD-10-8; | 16.32 |
| Parker Brass | UR3 10X08 | 5/8 Female Flare X 1/2 Male Flare Int to Ext Reducing Union | 661FHD-8-10; | 30.04 |
| Parker Brass | UR3 10X12 | 5/8 Female Flare X 3/4 Male Flare Int to Ext Reducing Union | 661FHD-12-10; | 36.50 |
| Parker Brass | UR3 12X10 | 3/4 Female Flare X 5/8 Male Flare Int to Ext Reducing Union | 661FHD-10-12; | 38.40 |
| Parker Brass | US3 06X06 | 3/8 Male Flare X 3/8 ODS Half Union | 43F-6-6; | 5.32 |
| Parker Brass | US3 08X08 | 1/2 Male Flare X 1/2 ODS Half Union | 43F-8-8; | 14.34 |
| Parker Brass | US4 04 | 1/4 Female Flare X 1/4 Female Flare Swivel Union | 14FSV-4; | 9.36 |
| Parker Brass | US4 06 | 3/8 Female Flare X 3/8 Female Flare Swivel Union | 14FSV-6; | 10.24 |
| Parker Brass | US4 08 | 1/2 Female Flare X 1/2 Female Flare Swivel Union | 14FSV-8; | 14.08 |
| Parker Brass | US4 10 | 5/8 Female Flare X 5/8 Female Flare Swivel Union | 14FSV-10; | 16.54 |
| Parker Brass | US5 04X04 | 1/4 Female Flare Swivel X 1/4 ODS Extension Adapter; | | 6.00 |
| Parker Brass | US5 06X06 | 3/8 Female Flare Swivel X 3/8 ODS Extension Adapter; | | 5.92 |
| Parker Brass | US5 08X08 | 1/2 Female Flare Swivel X 1/2 ODS Extension Adapter; | | 8.28 |
| Mueller Streamline Co. | 1 1/8 ODS | Welded Ball Valve Full Port 1 1/8; | | 208.00 |
| Mueller Streamline Co. | 1 3/8 ODS | Welded Ball Valve Full Port 1 3/8; | | 303.08 |
| Mueller Streamline Co. | 1 5/8 ODS | Welded Ball Valve Full Port 1 5/8; | | 344.66 |
| Mueller Streamline Co. | 1/2 ODS | Welded Ball Valve Full Port 1/2; | | 101.04 |
| Mueller Streamline Co. | 1/4 ODS | Welded Ball Valve Full Port 1/4; | | 101.04 |
| Mueller Streamline Co. | 2 1/8 ODS | Welded Ball Valve Full Port 2 1/8; | | 534.86 |
| Mueller Streamline Co. | 2 5/8 FULL PORT ODS | Welded Ball Valve Full Port 2 5/8; | | 1,384.54 |
| Mueller Streamline Co. | 3/4 ODS | Welded Ball Valve Full Port 3/4; | | 142.62 |
| Mueller Streamline Co. | 3/8 ODS | Welded Ball Valve Full Port 3/8; | | 101.04 |
| Mueller Streamline Co. | 5/8 ODS | Welded Ball Valve Full Port 5/8; | | 101.04 |
| Mueller Streamline Co. | 7/8 ODS | Welded Ball Valve Full Port 7/8; | | 142.62 |
| Nu-Calgon | 4050-05 | Calgon EasySeal-SS Direct Inject treats Fractional to 2 Tons; | | 103.52 |
| Nu-Calgon | 4050-08 | Calgon EasySeal Direct Inject Treats 2-10 Tons; | | 134.34 |
| Nu-Calgon | 4082-03 | Aerosol Electrical Contact Cleaner 11 oz; | | 64.56 |
| Nu-Calgon | 4083-83 | Aerosol LV Degreasing Solvent 14 oz Low VOC; | | 42.48 |
| Nu-Calgon | 4084-03 | Aerosol Food Grade Silicone 11 oz; | | 55.32 |
| Nu-Calgon | 4086-03 | Aerosol V-Belt Dressing 11 oz; | | 51.46 |
| Nu-Calgon | 4087-03 | Aerosol Zinc Rich Cold Galvanizing 13oz; | | 46.06 |
| Nu-Calgon | 4120-08 | 1 Gal Alka-Brite Plus Foaming Alkaline Condenser Coil Cleaner; | | 53.84 |

| | | | |
|-----------|---------|--|----------|
| Nu-Calgon | 4127-75 | Aerosol Blackhawk 18 oz Evaporator and Condenser Coil Cleaner; | 20.26 |
| Nu-Calgon | 4133-08 | 1 Gal Cal-Brite Low PH Acid Coil Cleaner for Evap and Condenser Coils; | 68.88 |
| Nu-Calgon | 4143-08 | 1 Gal CalClean HD Alkaline Coil Cleaner for Evap and Condenser Coils; | 75.52 |
| Nu-Calgon | 4155-01 | Connect Injector Tool; | 55.52 |
| Nu-Calgon | 4166-08 | 1 Gal Evap-Fresh No Rinse Disinfectant Coil Cleaner Ready-to-Use; | 64.18 |
| Nu-Calgon | 4166-75 | Aerosol Evap-Fresh 18 oz No Rinse Disinfectant Coil Cleaner; | 27.54 |
| Nu-Calgon | 4167-08 | 1 Gal Eco-Lyme 100% Biodegradeable Scale Remover/Descaler w/ph Strips; | 52.04 |
| Nu-Calgon | 4168-08 | 1 Gal Evap Pow'r-C No Rinse Coil Cleaner Concentrate; | 48.84 |
| Nu-Calgon | 4171-75 | Aerosol Evap Foam No-Rinse 18 oz Alkaline Coil Cleaner; | 24.34 |
| Nu-Calgon | 4178-08 | 1 Gal Foam-Brite Foaming Alkaline Condenser Coil Cleaner; | 52.46 |
| Nu-Calgon | 4179-01 | Gallo Gun; | 90.38 |
| Nu-Calgon | 4179-16 | Gallo Gun Mag 16 (12 Cartridges per pack); | 59.42 |
| Nu-Calgon | 4180-53 | 6 oz Gas Leak Detector; | 17.90 |
| Nu-Calgon | 4182-08 | 1 Gal Cal-Blue Plus Gas Leak Detector; | 69.96 |
| Nu-Calgon | 4182-24 | 1 Qt Cal-Blue Plus Gas Leak Detector; | 24.02 |
| Nu-Calgon | 4182-35 | 7 Oz Cal-Blue Plus Gas Leak Detector Pressurized; | 16.74 |
| Nu-Calgon | 4183-08 | 1 Gal Cal-Blue LT Gas Leak Detector Low Temp; | 97.66 |
| Nu-Calgon | 4183-24 | 1 Qt Cal-Blue LT Gas Leak Detector Low Temp; | 35.72 |
| Nu-Calgon | 4184-24 | 1 Qt Gas Leak Detector Fluorescent; | 36.42 |
| Nu-Calgon | 4186-08 | 1 Gal Green Clean Cleaner Degreaser; | 58.52 |
| Nu-Calgon | 4186-24 | 1 Qt Green Clean Cleaner Degreaser; | 30.62 |
| Nu-Calgon | 4188-02 | 55 Gal Freez-Kontr'l Plastic Drum Propylene Glycol; | 2,323.20 |
| Nu-Calgon | 4188-05 | 5 Gal Freez-Kontr'l Propylene Glycol; | 234.60 |
| Nu-Calgon | 4188-07 | 1 Gal Freez-Kontr'l Propylene Glycol; | 63.44 |
| Nu-Calgon | 4190-08 | 1 Gal Cal-Green Non-Foaming Condenser Coil Cleaner Green Select; | 58.52 |
| Nu-Calgon | 4207-08 | 1 Gal Ice Machine Cleaner; | 221.02 |
| Nu-Calgon | 4207-47 | 8 oz Ice Machine Cleaner (13.2oz net wt); | 25.58 |
| Nu-Calgon | 4211-34 | 16 oz IMS-III Ice Machine Sanitizer Concentrate; | 22.20 |
| Nu-Calgon | 4216-27 | 3/8" x 25' Roll Sealing and Caulking Cord Insulation;" | 37.60 |
| Nu-Calgon | 4216-92 | 2 lb Insulation Slug Thumb-Tite; | 34.04 |
| Nu-Calgon | 4217-W3 | Cork Tape 2" x 1/8" x 30' Insulation;" | 62.28 |
| Nu-Calgon | 4218-W3 | Foam Tape Presst-O-Cel 2" x 1/8" x 30' Insulation;" | 52.10 |
| Nu-Calgon | 4287-08 | 1 Gal Nickel Safe Ice Machine Cleaner; | 172.42 |
| Nu-Calgon | 4287-34 | 16 oz Nickel Safe Ice Machine Cleaner; | 28.52 |
| Nu-Calgon | 4291-08 | 1 Gal Nu-Brite Foaming Coil Cleaner for Condenser Coils; | 51.36 |
| Nu-Calgon | 4291-18 | Aerosol Nu-Brite 18 oz Foaming Coil Cleaner for Condenser Coils; | 21.18 |
| Nu-Calgon | 4292-75 | Aerosol Nu-Kill II 13.5 oz Wasp & Hornet Killer; | 26.32 |

| | | | |
|-----------|---------|---|--------|
| Nu-Calgon | 4295-08 | 1 Gal Nu-Solve NR No-Rinse Condenser Coil Cleaner Ready-to-Use Non-Foaming; | 62.62 |
| Nu-Calgon | 4295-34 | Pan Pads-5 3/4 oz Treats up to 5 Ton; | 16.90 |
| Nu-Calgon | 4296-24 | Pan Pads-15 2 1/8 oz Treats up to 15 Ton; | 40.88 |
| Nu-Calgon | 4296-50 | Aerosol Pan-Spray White 16 oz; | 47.64 |
| Nu-Calgon | 4296-51 | Aerosol Pan-Spray Black 16 oz; | 47.64 |
| Nu-Calgon | 4296-60 | Pan-Treat Condensate Tablets; | 53.48 |
| Nu-Calgon | 4300-08 | Rx11 Flush Starter Kit; | 319.02 |
| Nu-Calgon | 4300-09 | Rx11 3-4 Tons AC/R System Flush 1 lb Canister; | 132.24 |
| Nu-Calgon | 4300-11 | Rx11 5-7 Tons AC/R System Flush 2 lb Canister; | 254.16 |
| Nu-Calgon | 4300-30 | Rx11 Liquid Flush 19.5 oz Unpressurized Can; | 132.24 |
| Nu-Calgon | 4300-38 | Rx11 Liquid Flush Starter Kit; | 331.74 |
| Nu-Calgon | 4300-50 | Rx11 Flush Line Set Tool; | 28.06 |
| Nu-Calgon | 4300-89 | Rx11 Flush Injection Valve Tool; | 68.78 |
| Nu-Calgon | 4301-02 | Rx-Acid Scavenger; | 56.16 |
| Nu-Calgon | 4301-06 | Rx-Acid Scavenger Connect Inject; | 100.46 |
| Nu-Calgon | 4303-07 | C-3s 1 Gal Refrigeration Oil 150 Vis Mineral; | 68.04 |
| Nu-Calgon | 4304-07 | C-4s 1 Gal Refrigeration Oil 300 Vis Mineral; | 68.04 |
| Nu-Calgon | 4308-07 | Zerol 200TD 1 Gal Refrigeration Oil 200 Vis Alkylbenzene; | 139.58 |
| Nu-Calgon | 4310-07 | Zerol 150 1 Gal Refrigeration Oil 150 Vis Alkylbenzene; | 153.46 |
| Nu-Calgon | 4311-07 | Zerol 300 1 Gal Refrigeration Oil 300 Vis Alkylbenzene; | 170.74 |
| Nu-Calgon | 4314-46 | RL32H 1 Gal Emkarate Refrigeration Oil POE 150 Vis Polyolester; | 287.58 |
| Nu-Calgon | 4314-64 | RL32-3MAF 1 Qt Emkarate Refrigeration Oil POE Polyolester Copeland Approved; | 87.36 |
| Nu-Calgon | 4314-66 | RL32-3MAF 1 Gal Emkarate Refrigeration Oil POE Polyolester Copeland Approved; | 276.34 |
| Nu-Calgon | 4316-46 | RL68H 1 Gal Emkarate Refrigeration Oil POE Polyolester; | 322.56 |
| Nu-Calgon | 4317-66 | RL100E 1 Gal Emkarate Refrigeration Oil POE Polyolester; | 340.16 |
| Nu-Calgon | 4318-66 | RL220H+ 1 Gal Emkarate Refrigeration Oil POE Polyolester; | 400.70 |
| Nu-Calgon | 4320-W8 | Phase III Acid Test Kit for POE, Mineral & Alkylbenzene Refrigeration Oils; | 39.54 |
| Nu-Calgon | 4330-08 | 1 Gal Liquid Scale Dissolver Acid; | 64.92 |
| Nu-Calgon | 4369-85 | Aerosol Spray-N-Bond LV 12oz Duct Liner & Insulation Adhesive Low VOC; | 17.90 |
| Nu-Calgon | 4371-36 | 11 oz Thermo-Trap Heat Absorbing Paste; | 30.26 |
| Nu-Calgon | 4383-07 | 1 Gal Vacuum Pump Oil Cal-Vac; | 99.94 |
| Nu-Calgon | 4383-24 | 1 Qt Vacuum Pump Oil Cal-Vac; | 36.04 |
| Nu-Calgon | 4383-34 | 1 Pt Vacuum Pump Oil Cal-Vac; | 23.10 |
| Nu-Calgon | 4612-W3 | Micro-Plus 4 In-Line Water Treatment Filter; | 106.52 |
| Nu-Calgon | 4714-24 | NP48DD NP Series Cartridge Filter Housing; | 173.04 |
| Nu-Calgon | 4768-W3 | Multi-Purpose Hand Sprayer; | 15.92 |
| Nu-Calgon | 4770-0 | 50P Poly Sprayer, 3 Pint Working Capacity; | 93.18 |

| | | | |
|-----------|------------------|--|--------|
| Nu-Calgon | 4771-20 | 200-P Poly Sprayer, 2 Gallon Capacity; | 196.88 |
| Nu-Calgon | 4772-0 | 300P Poly Sprayer, 3 Gallon Working Capacity; | 230.94 |
| Nu-Calgon | 4774-0 | Coil Gun Sprayer, 2 Quart Capacity, w/ Foam Wand; | 189.50 |
| Nu-Calgon | 4774-1 | Coil Gun Probe For Use With 4774-0 Coil Gun; | 173.74 |
| Nu-Calgon | 4996-0 | Total Lube Refrigeration Oil Test Kit; | 239.12 |
| Nu-Calgon | 61001 | 1/2 lb Semi-Solid Gel Tub Odor Neutralizer - Original Scent; | 17.34 |
| Nu-Calgon | 61003 | 1 lb Semi-Solid Gel Tub Odor Neutralizer - Original Scent; | 28.40 |
| Nu-Calgon | 61107 | Penetrate HD Aerosol 12 oz Low VOC Super Penetrating Lubricant; | 33.28 |
| Nu-Calgon | 61110 | Spray Nine Cleaner and Disinfectant Gallon; | 52.72 |
| Nu-Calgon | 61113 | Spray Nine Cleaner and Disinfectant 32 Oz; | 20.70 |
| Nu-Calgon | 61115 | Minus 20 Windshield Washer Fluid 1 Gal; | 10.80 |
| Nu-Calgon | 61116 | Grez-Off 1 Gallon Heavy Duty Degreaser; | 56.16 |
| Nu-Calgon | 61117 | Grez-Off 32oz Spray Bottle Heavy Duty Degreaser; | 20.94 |
| Nu-Calgon | 61308 | A/C Drain Sucker Kit Condensate Drain Clog Repair; | 90.92 |
| Nu-Calgon | 7537-05 | 5 Gal Ty-Ion B20 Closed System Treatment; | 502.28 |
| Nu-Calgon | 9534-20 | Nu-Plus EC-210 (20") PreFilter Cartridge 10 Micron Nominal Sediment Filter;" | 26.32 |
| Nu-Calgon | 9534-40 | Nu-Plus EC-110 (10") PreFilter Cartridge 10 Micron Nominal Sediment Filter;" | 13.32 |
| Nu-Calgon | 9612-27 | Nu-Plus Nu-I2000-2 Micromet Cartridge Filter E Series Everpure; | 238.88 |
| Nu-Calgon | 9612-37 | Nu-Plus Nu-I4000-2 Micromet Cartridge Filter E Series Everpure; | 269.82 |
| Nu-Calgon | 9612-55 | Nu-Plus MC-2 Cartridge Filter E Series Everpure; | 211.58 |
| Nu-Calgon | 9618-26 | Nu-Plus Nu-7CB5-S Carbon Cartridge; | 250.44 |
| Nu-Calgon | 9781-12 | Nu-Plus CU-S Cartridge Filter E Series Everpure; | 203.00 |
| Mars | 108-130 MFD 250V | 108-130 MFD 220/250 Volt Start Capacitor; | 12.92 |
| Mars | 108-130 MFD 330V | 108-130 MFD 330 Volt Start Capacitor; | 19.46 |
| Mars | 124-156 MFD 330V | 124-156 MFD 330 Volt Start Capacitor; | 22.22 |
| Mars | 130-156 MFD 330V | 130-156 MFD 330 Volt Start Capacitor; | 19.96 |
| Mars | 145-175 MFD 125V | 145-175 MFD 110/125 Volt Start Capacitor; | 6.94 |
| Mars | 145-175 MFD 250V | 145-175 MFD 220/250 Volt Start Capacitor; | 15.16 |
| Mars | 145-175 MFD 330V | 145-175 MFD 330 Volt Start Capacitor; | 20.10 |
| Mars | 161-193 MFD 165V | 161-193 MFD 165 Volt Start Capacitor; | 10.90 |
| Mars | 189-227 MFD 125V | 189-227 MFD 110/125 Volt Start Capacitor; | 7.30 |
| Mars | 189-227 MFD 165V | 189-227 MFD 165 Volt Start Capacitor; | 11.60 |
| Mars | 189-227 MFD 250V | 189-227 MFD 220/250 Volt Start Capacitor; | 18.76 |
| Mars | 189-227 MFD 330V | 189-227 MFD 330 Volt Start Capacitor; | 27.70 |
| Mars | 21-25 MFD 330V | 21-25 MFD 330 Volt Start Capacitor; | 8.84 |
| Mars | 216-259 MFD 250V | 216-259 MFD 220/250 Volt Start Capacitor; | 20.14 |
| Mars | 216-259 MFD 330V | 216-259 MFD 330 Volt Start Capacitor; | 30.12 |

| | | | |
|------|----------------------|--|-------|
| Mars | 233-292 MFD 125V | 233-292 MFD 110/125 Volt Start Capacitor; | 8.22 |
| Mars | 233-292 MFD 165V | 233-292 MFD 165 Volt Start Capacitor; | 11.94 |
| Mars | 270-324 MFD 125V | 270-324 MFD 110/125 Volt Start Capacitor; | 8.44 |
| Mars | 270-324 MFD 165V | 270-324 MFD 165 Volt Start Capacitor; | 12.44 |
| Mars | 270-324 MFD 250V | 270-324 MFD 220/250 Volt Start Capacitor; | 23.44 |
| Mars | 270-324 MFD 330V | 270-324 MFD 330 Volt Start Capacitor; | 35.48 |
| Mars | 378-440 MFD 125V | 378-440 MFD 110/125 Volt Start Capacitor; | 10.66 |
| Mars | 400-480 MFD 125V | 400-480 MFD 110/125 Volt Start Capacitor; | 10.88 |
| Mars | 540-648 MFD 125V | 540-648 MFD 110/125 Volt Start Capacitor; | 13.50 |
| Mars | 72-88 MFD 250V | 72-88 MFD 220/250 Volt Start Capacitor; | 11.46 |
| Mars | 72-88 MFD 330V | 72-88 MFD 330 Volt Start Capacitor; | 14.90 |
| Mars | 88-108 MFD 250V | 88-108 MFD 220/250 Volt Start Capacitor; | 11.78 |
| Mars | 88-108 MFD 330V | 88-108 MFD 330 Volt Start Capacitor; | 13.84 |
| Mars | RUN 10 X 370V OVAL | 10 MFD 370 Volt Run Capacitor Oval; | 8.98 |
| Mars | RUN 10 X 440V RND | 10 MFD 440 Volt Run Capacitor Round; | 12.28 |
| Mars | RUN 12.5 X 370V OVAL | 12.5 MFD 370 Volt Run Capacitor Oval; | 10.06 |
| Mars | RUN 12.5 X 440V OVAL | 12.5 MFD 440 Volt Run Capacitor Oval; | 13.08 |
| Mars | RUN 15 X 370V OVAL | 15 MFD 370 Volt Run Capacitor Oval; | 11.58 |
| Mars | RUN 15 X 440V RND | 15 MFD 440 Volt Run Capacitor Round; | 14.84 |
| Mars | RUN 20 X 370V OVAL | 20 MFD 370 Volt Run Capacitor Oval; | 14.54 |
| Mars | RUN 20 X 440V OVAL | 20 MFD 440 Volt Run Capacitor Oval; | 15.38 |
| Mars | RUN 20 X 440V RND | 20 MFD 440 Volt Run Capacitor Round; | 13.86 |
| Mars | RUN 25 X 370V RND | 25 MFD 370 Volt Run Capacitor Round; | 14.46 |
| Mars | RUN 25 X 440V RND | 25 MFD 440 Volt Run Capacitor Round; | 17.70 |
| Mars | RUN 25/5 X 370V RND | 25/5 MFD 370 Volt Dual Run Capacitor Round; | 22.18 |
| Mars | RUN 25/5 X 440V RND | 25/5 MFD 440 Volt Dual Run Capacitor Round; | 22.06 |
| Mars | RUN 3 X 370V OVAL | 3 MFD 370 Volt Run Capacitor Oval; | 6.24 |
| Mars | RUN 30 X 370V RND | 30 MFD 370 Volt Run Capacitor Round; | 15.38 |
| Mars | RUN 30 X 440V RND | 30 MFD 440 Volt Run Capacitor Round; | 20.60 |
| Mars | RUN 30/5 X 440V RND | 30/5 MFD 440 Volt Dual Run Capacitor Round; | 23.90 |
| Mars | RUN 35 X 370V RND | 35 MFD 370 Volt Run Capacitor Round; | 18.40 |
| Mars | RUN 35 X 440V RND | 35 MFD 440 Volt Run Capacitor Round; | 20.78 |
| Mars | RUN 35/5 X 370V RND | 35/5 MFD 370 Volt Dual Run Capacitor Round; | 24.16 |
| Mars | RUN 35/5 X 440V RND | 35/5 MFD 440 Volt Dual Run Capacitor Round PRCFD355; | 25.28 |
| Mars | RUN 35/7.5 X 440V RN | 35/7.5 MFD 440 Volt Dual Run Capacitor Round; | 27.14 |
| Mars | RUN 4 X 370V OVAL | 4 MFD 370 Volt Run Capacitor Oval; | 6.24 |
| Mars | RUN 40 X 370V RND | 40 MFD 370 Volt Run Capacitor Round; | 19.40 |

| | | | |
|------------|----------------------|---|--------|
| Mars | RUN 40 X 440V RND | 40 MFD 440 Volt Run Capacitor Round; | 21.78 |
| Mars | RUN 40/5 X 440V RND | 40/5 MFD 440 Volt Dual Run Capacitor Round; | 29.10 |
| Mars | RUN 40/7.5 X 440V RN | 40/7.5 MFD 440 Volt Dual Run Capacitor Round; | 27.82 |
| Mars | RUN 45 X 370V RND | 45 MFD 370 Volt Run Capacitor Round; | 22.06 |
| Mars | RUN 45 X 440V RND | 45 MFD 440 Volt Run Capacitor Round;12248 14248 | 23.96 |
| Mars | RUN 45/5 X 440V RND | 45/5 MFD 440 Volt Dual Run Capacitor Round PRCFD455; | 31.42 |
| Mars | RUN 45/7.5 X 440V RN | 45/7.5 MFD 440 Volt Dual Run Capacitor Round; | 31.62 |
| Mars | RUN 5 X 370V OVAL | 5 MFD 370 Volt Run Capacitor Oval; | 6.48 |
| Mars | RUN 5 X 440V OVAL | 5 MFD 440 Volt Run Capacitor Oval;12029 14029 | 9.18 |
| Mars | RUN 50 X 370V RND | 50 MFD 370 Volt Run Capacitor Round; | 24.22 |
| Mars | RUN 50 X 440V RND | 50 MFD 440 Volt Run Capacitor Round; | 31.96 |
| Mars | RUN 50/5 X 440V RND | 50/5 MFD 440 Volt Dual Run Capacitor Round; | 33.98 |
| Mars | RUN 50/7.5 X 440V RN | 50/7.5 MFD 440 Volt Dual Run Capacitor Round; | 33.88 |
| Mars | RUN 55 X 440V RND | 55 MFD 440 Volt Run Capacitor Round; | 33.98 |
| Mars | RUN 55/5 X 440V RND | 55/5 MFD 440 Volt Dual Run Capacitor Round; | 35.12 |
| Mars | RUN 55/7.5 X 440V RN | 55/7.5 MFD 440 Volt Dual Run Capacitor Round; | 36.44 |
| Mars | RUN 60 X 440V RND | 60 MFD 440 Volt Run Capacitor Round; | 42.64 |
| Mars | RUN 60/10 X 440V RND | 60/10 MFD 440 Volt Dual Run Capacitor Round; | 37.36 |
| Mars | RUN 60/5 X 440V RND | 60/5 MFD 440 Volt Dual Run Capacitor Round; | 36.96 |
| Mars | RUN 60/7.5 X 440V RN | 60/7.5 MFD 440 Volt Dual Run Capacitor Round; | 36.44 |
| Mars | RUN 7.5 X 370V OVAL | 7.5 MFD 370 Volt Run Capacitor Oval;12007 14007 | 7.54 |
| Mars | RUN 7.5 X 440V OVAL | 7.5 MFD 440 Volt Run Capacitor Oval; | 10.94 |
| Mars | RUN 70 X 440V RND | 70 MFD 440 Volt Run Capacitor Round; | 47.14 |
| Mars | RUN 70/5 X 440V RND | 70/5 MFD X 440 Volt Dual Run Capacitor Round; | 42.92 |
| Mars | RUN 70/7.5 X 440V R | 70/7.5 MFD X 440 Volt Dual Run Capacitor Round; | 42.66 |
| Mars | RUN 80 X 370V RND | 80 MFD 370 Volt Run Capacitor Round; | 29.22 |
| Mars | RUN 80 X 440V RND | 80 MFD 440 Volt Run Capacitor Round; | 43.08 |
| Mars | RUN 80/10 X 440 RND | 80/10 X 440 Volt Dual Run Capacitor Round; | 51.30 |
| Mars | RUN 80/5 X 370V RND | 80/5 MFD 370 Volt Dual Run Capacitor Round; | 36.96 |
| Mars | RUN 80/5 X 440V RND | 80/5 X 440 Volt Dual Run Capacitor Round; | 49.86 |
| Mars | RUN 80/7.5 X 440V RN | 80/7.5 X 440 Volt Dual Run Capacitor Round; | 59.80 |
| Case Parts | 1092-01 | Kason 1092 Series Hydraulic Door Closer Flush Mount; | 237.40 |
| Case Parts | 1092-02 | Kason 1092 Series Hydraulic Door Closer 1-1/8in Offset; | 268.70 |
| Case Parts | 1094-01 | Kason 1094 Series Hydraulic Door Closer Flush Mount; | 318.02 |
| Case Parts | 1094-02 | Kason 1094 Series Hydraulic Door Closer 1-1/8in Offset; | 330.30 |
| Case Parts | DF-100 | Delfield 115v 200w Condensate Heater with Limit Only; | 195.68 |
| Case Parts | DL-12 | Flexible Drain Line Heater 115v 15w 12in; | 31.96 |

| | | | |
|-------------------------|---------------------|---|--------|
| Case Parts | DL-12-2 | Flexible Drain Line Heater 230v 15w 12in; | 31.48 |
| Case Parts | DL-20 | Flexible Drain Line Heater 115v 25w 20in; | 36.08 |
| Case Parts | DL-6 | Flexible Drain Line Heater 115v 8w 6in; | 28.16 |
| Case Parts | VXS-100-B | Vapor Proof Light Fixture Base Only VXS Series 100w; | 60.28 |
| Case Parts | VXS-100-G | Vapor Proof Light Fixture Glass Globe Only 3-1/4in x 6-3/4in VXS Series 100w; | 26.14 |
| Case Parts | VXS-100-PG | Vapor Proof Light Fixture Plastic Globe Only 3-1/4in x 6in VXS Series 100w; | 23.20 |
| Case Parts | VXS-100-W | Vapor Proof Light Fixture Wire Guard Only VXS Series 100w; | 36.32 |
| C&D Valve Manufacturing | CD1808 | Oil Tap for Semi-Hermetic Compressor 1/8" MPT Threads;" | 21.86 |
| C&D Valve Manufacturing | CD3604 | 1/4 Male Flare X 1/4 Copper Tube Extension Access Valve w/Core Remover; | 5.86 |
| C&D Valve Manufacturing | CD5512 | 1/2 Braze On Self Piercing Saddle Valve; | 9.90 |
| C&D Valve Manufacturing | CD5514 | 1/4 Braze On Self Piercing Saddle Valve; | 8.74 |
| C&D Valve Manufacturing | CD5516 | 5/16 Braze On Self Piercing Saddle Valve; | 8.74 |
| C&D Valve Manufacturing | CD5534 | 3/4 Braze On Self Piercing Saddle Valve; | 13.62 |
| C&D Valve Manufacturing | CD5538 | 3/8 Braze On Self Piercing Saddle Valve; | 8.76 |
| C&D Valve Manufacturing | CD5558 | 5/8 Braze On Self Piercing Saddle Valve; | 10.90 |
| C&D Valve Manufacturing | CD5578 | 7/8 Braze On Self Piercing Saddle Valve; | 13.62 |
| Cooper B-Line | 884-1 | 8 X 8 X 4 Nema 1 Enclosure Hinged; | 276.72 |
| Cooper B-Line | N88P | Sub Panel for 8 X 8; | 22.48 |
| Wesanco | 1 1/8 ID X 1 WALL | 1 1/8 ID X 1 Wall Cush-A-Therm; | 25.18 |
| Wesanco | 1 1/8 ID X 1/2 WALL | 1 1/8 ID X 1/2 Insu Cush-A-Therm; | 13.18 |
| Wesanco | 1 1/8 ID X 3/4 WALL | 1 1/8 ID X 3/4 Insu Cush-A-Therm; | 19.58 |
| Wesanco | 1 3/8 ID X 1 WALL | 1 3/8 ID X 1 Wall Cush-A-Therm; | 25.84 |
| Wesanco | 1 3/8 ID X 1/2 WALL | 1 3/8 ID X 1/2 Insu Cush-A-Therm; | 17.86 |
| Wesanco | 1 3/8 ID X 3/4 WALL | 1 3/8 ID X 3/4 Insu Cush-A-Therm; | 20.32 |
| Wesanco | 1 5/8 ID X 1 WALL | 1 5/8 ID X 1 Wall Cush-A-Therm; | 33.50 |
| Wesanco | 1 5/8 ID X 1/2 WALL | 1 5/8 ID X 1/2 Insu Cush-A-Therm; | 19.58 |
| Wesanco | 1 5/8 ID X 3/4 WALL | 1 5/8 ID X 3/4 Insu Cush-A-Therm; | 25.18 |
| Wesanco | 1-1/8 OD CLAMP | 1 1/8 OD Cush-A-Nator; | 5.34 |
| Wesanco | 1-3/8 OD CLAMP | 1 3/8 OD Cush-A-Nator; | 6.10 |
| Wesanco | 1-5/8 OD CLAMP | 1 5/8 OD Cush-A-Nator; | 7.38 |
| Wesanco | 1/2 ID X 1 WALL | 1/2 ID X 1 Wall Cush-A-Therm; | 18.22 |
| Wesanco | 1/2 ID X 1/2 WALL | 1/2 ID X 1/2 Insu Cush-A-Therm; | 9.10 |
| Wesanco | 1/2 ID X 3/4 WALL | 1/2 ID X 3/4 Insu Cush-A-Therm; | 12.28 |
| Wesanco | 1/2 OD CLAMP | 1/2 OD Cush-A-Nator; | 3.40 |
| Wesanco | 1/4 ID X 1/2 WALL | 1/4 ID X 1/2 Wall Cush-A-Therm; | 8.14 |
| Wesanco | 1/4 OD CLAMP | 1/4 OD Cush-A-Nator; | 3.40 |
| Wesanco | 2 1/8 ID X 1 WALL | 2 1/8 ID X 1 Wall Cush-A-Therm; | 40.08 |

| | | | |
|---------|---------------------|--|-------|
| Wesanco | 2 1/8 ID X 1/2 WALL | 2 1/8 ID X 1/2 Insu Cush-A-Therm; | 25.18 |
| Wesanco | 2 1/8 ID X 3/4 WALL | 2 1/8 ID X 3/4 Insu Cush-A-Therm; | 33.50 |
| Wesanco | 2-1/8 OD CLAMP | 2 1/8 OD Cush-A-Nator; | 13.48 |
| Wesanco | 2-5/8 OD CLAMP | 2 5/8 OD Cush-A-Nator; | 15.18 |
| Wesanco | 3-1/8 OD CLAMP | 3 1/8 OD Cush-A-Nator; | 21.26 |
| Wesanco | 3/4 ID X 1 WALL | 3/4 ID X 1 Wall Cush-A-Therm; | 19.88 |
| Wesanco | 3/4 ID X 1/2 WALL | 3/4 ID X 1/2 Insu Cush-A-Therm; | 10.98 |
| Wesanco | 3/4 ID X 3/4 WALL | 3/4 ID X 3/4 Insu Cush-A-Therm; | 15.46 |
| Wesanco | 3/4 OD CLAMP | 3/4 OD Cush-A-Nator; | 3.82 |
| Wesanco | 3/8 ID X 1 WALL | 3/8 ID X 1 Wall Cush-A-Therm; | 17.38 |
| Wesanco | 3/8 ID X 1/2 WALL | 3/8 ID X 1/2 Insu Cush-A-Therm; | 8.40 |
| Wesanco | 3/8 ID X 3/4 WALL | 3/8 ID X 3/4 Insu Cush-A-Therm; | 11.46 |
| Wesanco | 3/8 OD CLAMP | 3/8 OD Cush-A-Nator; | 3.40 |
| Wesanco | 5/8 ID X 1 WALL | 5/8 ID X 1 Wall Cush-A-Therm; | 19.58 |
| Wesanco | 5/8 ID X 1/2 WALL | 5/8 ID X 1/2 Insu Cush-A-Therm; | 9.72 |
| Wesanco | 5/8 ID X 3/4 WALL | 5/8 ID X 3/4 Insu Cush-A-Therm; | 13.18 |
| Wesanco | 5/8 OD CLAMP | 5/8 OD Cush-A-Nator; | 3.54 |
| Wesanco | 7/8 ID X 1 WALL | 7/8 ID X 1 Wall Cush-A-Therm; | 20.32 |
| Wesanco | 7/8 ID X 1/2 WALL | 7/8 ID X 1/2 Insu Cush-A-Therm; | 11.46 |
| Wesanco | 7/8 ID X 3/4 WALL | 7/8 ID X 3/4 Insu Cush-A-Therm; | 17.88 |
| Wesanco | 7/8 OD CLAMP | 7/8 OD Cush-A-Nator; | 4.56 |
| Wesanco | CAC20 | Cush-A-Click 1-1/4 in ID Fits 1/4 ACR With 1/2 Wall Pipe Insulation; | 6.88 |
| Wesanco | CAC22 | Cush-A-Click 1-3/8 in ID Fits 3/8 ACR With 1/2 Wall Pipe Insulation; | 7.66 |
| Wesanco | CAC24 | Cush-A-Click 1-1/2 in ID Fits 1/2 And 5/8 ACR With 1/2 Wall Pipe Insulation; | 7.90 |
| Wesanco | CAC26 | Cush-A-Click 1-5/8 in ID Fits 3/4 ACR With 1/2 Wall Pipe Insulation; | 8.40 |
| Wesanco | CAC32 | Cush-A-Click 2 in ID Fits 7/8 ACR With 1/2 Wall Pipe Insulation; | 9.46 |
| Wesanco | CAC34 | Cush-A-Click 2-1/8 in ID Fits 1-1/8 ACR With 1/2 Wall Pipe Insulation; | 9.82 |
| Wesanco | CAGB06 | 3/8 OD Plastic Clamp - Black; | 0.96 |
| Wesanco | CAGB10 | 5/8 OD Plastic Clamp - Black; | 0.96 |
| Wesanco | CAGB14 | 7/8 OD Plastic Clamp - Black; | 1.08 |
| Wesanco | CAGB18 | 1 1/8 OD Plastic Clamp - Black; | 1.08 |
| Wesanco | CAGB26 | 1 5/8 OD Plastic Clamp - Black; | 1.38 |
| Wesanco | CAGB34 | 2 1/8 OD Plastic Clamp - Black; | 1.58 |
| Camco | 10 X 1 TEK | Hex Head Self Tapping Bit-Tip Screw 10 X 1 100 Pack; | 17.76 |
| Camco | EZ-2 | Plastic Anchor Kit w/ 6 X 1 Flat Head Sheet Metal Screw; | 37.44 |
| Camco | EZ-5 | Metal Anchor Kit w/ 8 X 1-1/4 Screws; | 41.60 |
| Camco | FA-1420 | Flanged Plastic Anchor Kit w/ 10 X 1 Screws 1/4 Masonry Drill Bit; | 24.86 |

| | | | |
|------------------------|------------|--|--------|
| Camco | FA-316 | Flanged Plastic Anchor Kit w/ 8 X 1 Screws and 3/16 Masonry Drill Bit; | 20.68 |
| Camco | JC-15 | Jiffy Chuck 5/16 X 2; | 8.86 |
| Camco | JC-2 | Jiffy Chuck 1/4 X 2; | 7.42 |
| Camco | JC-30 | Jiffy Chuck 3/8 X 1-3/4; | 10.78 |
| Camco | MK-1812 | Machinery Key Stock Assortment; | 41.60 |
| Camco | SBH-1420 | Hex Tap Bolt Kit 1/4-20 w/ Assorted Hex Nuts and Washers; | 41.60 |
| Camco | SBH-3816 | Hex Tap Bolt Kit 3/8-16 w/ Assorted Hex Nuts and Washers; | 41.60 |
| Camco | SS-500 | Set Screw Kit Sizes 3/16 thru 5/16 Lengths 1/4 thru 3/4; | 41.60 |
| Camco | TK-10 | Hex Head Self Tapping Bit-Tip Screw kit 10 X 3/4 thru 2in w/ Jiffy Chuck; | 41.60 |
| Camco | TK-14 | Hex Head Self Tapping Bit-Tip Screw kit 14 X 3/4 thru 2in w/ Jiffy Chuck; | 41.60 |
| Camco | W-100 | Washer Kit w/ Assorted Fender Flat and USS Washers for Bolt Size #6 thru 1/2; | 20.50 |
| Cooper | 25HP | Thermometer Refrigerator/Freezer -40F to 80F 2" Dia Hanging/Standing;" | 16.84 |
| Cooper | 6142-20 | Remote Vapor Front Flange Panel Thermometer 2" Dia -40F to 60F 48"" Capillary; | 70.90 |
| Cooper | 6812-01 | Remote Vapor Panel Thermometer Back Flange 2" Dia -40F to 60F 48"" Capillary;" | 100.26 |
| Cooper | DM120 | Remote Reading Panel Thermometer Electric Front Flange 2" Dia -40F to 120F 39" | 134.00 |
| Cooper | DPP400W | Digital Pocket Test Thermometer -40 to 392 deg Waterproof Pen Style; | 63.58 |
| Cooper | DPP800W | Digital EZ-Read Thermometer -40 to 450 Deg Waterproof; | 83.00 |
| Cooper | DT300 | Digital Pocket Thermometer Oval -40F to 302F; | 48.20 |
| Cooper | SP120 | Remote Reading Thermometer Solar Power w/Battery Back Up -58F to 158F 120";" | 106.28 |
| Mueller Streamline Co. | 1 1/8 ACR | Copper Tube 1 1/8 OD Type L Nitrogenized; | 16.62 |
| Mueller Streamline Co. | 1 1/8 SOFT | Soft Copper Tube Refrigeration Service 1 1/8 OD 50 Ft Roll; | 843.44 |
| Mueller Streamline Co. | 1 3/8 ACR | Copper Tube 1 3/8 OD Type L Nitrogenized; | 21.94 |
| Mueller Streamline Co. | 1 5/8 ACR | Copper Tube 1 5/8 OD Type L Nitrogenized; | 28.50 |
| Mueller Streamline Co. | 1 M | Copper Tube 1 ID Nominal Type M; | 11.52 |
| Mueller Streamline Co. | 1/2 ACR | Copper Tube 1/2 OD Type L Nitrogenized; | 5.62 |
| Mueller Streamline Co. | 1/2 SOFT | Soft Copper Tube Refrigeration Service 1/2 OD 50 Ft Roll; | 241.62 |
| Mueller Streamline Co. | 1/4 ACR | Copper Tube 1/4 OD .025 Wall TH54020; | 4.04 |
| Mueller Streamline Co. | 1/4 SOFT | Soft Copper Tube Refrigeration Service 1/4 OD 50 Ft Roll; | 120.14 |
| Mueller Streamline Co. | 1/8 SOFT | Soft Copper Tube Refrigeration Service 1/8 OD 50 Ft Roll; | 90.22 |
| Mueller Streamline Co. | 2 1/8 ACR | Copper Tube 2 1/8 OD Type L Nitrogenized; | 43.44 |
| Mueller Streamline Co. | 2 5/8 ACR | Copper Tube 2 5/8 OD Type L Nitrogenized; | 62.42 |
| Mueller Streamline Co. | 3 1/8 ACR | Copper Tube 3 1/8 OD Type L Nitrogenized; | 84.40 |
| Mueller Streamline Co. | 3/16 SOFT | Soft Copper Tube Refrigeration Service 3/16 OD 50 Ft Roll; | 105.46 |
| Mueller Streamline Co. | 3/4 ACR | Copper Tube 3/4 OD Type L Nitrogenized; | 9.74 |
| Mueller Streamline Co. | 3/4 M | Copper Tube 3/4 ID Nominal Type M; | 7.66 |
| Mueller Streamline Co. | 3/4 SOFT | Soft Copper Tube Refrigeration Service 3/4 OD 50 Ft Roll; | 385.82 |
| Mueller Streamline Co. | 3/8 ACR | Copper Tube 3/8 OD Type L Nitrogenized; | 3.72 |

| | | | |
|------------------------|-------------------|--|-----------|
| Mueller Streamline Co. | 3/8 SOFT | Soft Copper Tube Refrigeration Service 3/8 OD 50 Ft Roll; | 169.84 |
| Mueller Streamline Co. | 5/16 SOFT | Soft Copper Tube Refrigeration Service 5/16 OD 50 Ft Roll; | 162.88 |
| Mueller Streamline Co. | 5/8 ACR | Copper Tube 5/8 OD Type L Nitrogenized; | 7.24 |
| Mueller Streamline Co. | 5/8 SOFT | Soft Copper Tube Refrigeration Service 5/8 OD 50 Ft Roll; | 323.40 |
| Mueller Streamline Co. | 7/8 ACR | Copper Tube 7/8 OD Type L Nitrogenized; | 11.56 |
| Mueller Streamline Co. | 7/8 SOFT | Soft Copper Tube Refrigeration Service 7/8 OD 50 Ft Roll; | 572.68 |
| Copeland | 003-0055-02 | Shipping Plate 2-Bolt 2-3/4 Mnt Center; | 66.30 |
| Copeland | 020-0006-47 | Circular Gasket Suction 2-1/8 OD; | 9.06 |
| Copeland | 020-0028-00 | Teflon Seal 1 In Rotolock; | 1.68 |
| Copeland | 020-0028-02 | Teflon Seal 1-1/4 In Rotolock; | 2.64 |
| Copeland | 020-0028-03 | Teflon Seal 1-3/4 In Rotolock; | 9.06 |
| Copeland | 020-0489-00 | Service Valve Gasket 2-Bolt 2-3/4 Mnt Center Lrg; | 4.78 |
| Copeland | 020-0616-00 | Cylinder Head Gasket 4D 6D 8D; | 24.44 |
| Copeland | 020-0755-00 | Stator Cover Gasket 4D/R 6D/R; | 50.52 |
| Copeland | 020-0783-00 | Unloader Valve Gasket 3D 4D/R 6D/R; | 5.10 |
| Copeland | 020-0844-05 | Sight Glass Seal O-Ring; | 1.48 |
| Copeland | 020-1267-00 | Oil Pump Gasket 4, 6, & 8 Cyl Comp; | 11.74 |
| Copeland | 083-0103-03 | Condenser Fan Blade 14-31-CW-3 5/16 In Hub; | 60.84 |
| Copeland | 3DA3F28KE-TFC-800 | Discus Compressor LT R22 23K R404A 28K -25/105 HT R134A 72K 45/130 208/230-3; | 9,477.26 |
| Copeland | 3DB3F33KE-TFC-800 | Discus Compressor LT R22 29K R404A 33K -25/105 HT R134A 85K 45/130 208/230-3; | 10,090.56 |
| Copeland | 3DS3F46KE-TFD-800 | Discus Compressor LT R404A 46K R22 31K -25/105 HT R134A 11M 45/130 460-3; | 12,931.62 |
| Copeland | 3DS3R17ME-TFD-800 | Discus Compressor A/C R22 19M 45/130 MT R404A 99K 20/120 460-3; | 13,251.56 |
| Copeland | 4DK3R22ME-TSK-800 | Discus Compressor A/C R22 26M 45/130 MT R404A 16M 20/120 208/230/460-3 Unload; | 18,400.30 |
| Copeland | 4DL3F63KE-TSK-800 | Discus Compressor LT R404A 63K R22 53K -25/105 208/230/460-3; | 18,215.94 |
| Copeland | 4RE2-200A-TSK-800 | Semi Hermetic Compressor 20 HP HT R22 200K 45/130 208/230/460 -3 Unloader; | 12,370.62 |
| Copeland | 529-0060-04 | Power Cable Assy 3 Pin 130 & 830 BOM; | 104.90 |
| Copeland | 529-0060-24 | Power Cable Molded Plug For ZS Compressors; | 139.42 |
| Copeland | 585-1076-02 | Sentronic Oil Saftey Control W/Sensor; | 792.52 |
| Copeland | 910-0347-03 | Demand Cooling Valve Only 4D; | 481.32 |
| Copeland | 912-0001-12 | Aux Contact Kit 1 N.O./1 N.C.15-75A; | 79.18 |
| Copeland | 912-0001-21 | Aux Contact Kit 1 N.O./1 N.C. 120-360A; | 148.58 |
| Copeland | 912-3040-01 | 40A 3PL 120V Contactor; | 85.06 |
| Copeland | 912-3040-02 | 40A 3PL 230V Contactor; | 85.06 |
| Copeland | 912-3050-01 | 50A 3PL 120V Contactor; | 205.62 |
| Copeland | 912-3050-02 | 50A 3PL 230V Contactor; | 205.62 |
| Copeland | 912-3060-02 | 60A 3PL 230V Contactor; | 239.38 |
| Copeland | 912-3075-01 | 75A 3PL 120V Contactor; | 397.32 |

| | | | |
|----------|-------------|---|--------|
| Copeland | 912-3075-02 | 75A 3PL 230V Contactor; | 397.32 |
| Copeland | 912-3090-05 | 90A 3PL 120V Contactor; | 576.76 |
| Copeland | 912-3090-06 | 90A 3PL 230V Contactor; | 576.76 |
| Copeland | 912-3120-01 | 120A 3PL 120V Contactor; | 986.68 |
| Copeland | 914-0006-01 | Start Capacitor 130-156 MFD 330 Vac; | 85.00 |
| Copeland | 914-0006-03 | Start Capacitor 189-227 MFD 330 Vac; | 95.48 |
| Copeland | 914-0006-07 | Start Capacitor 145-175 MFD 250 Vac; | 98.18 |
| Copeland | 914-0008-49 | Start Capacitor 400-480 MFD 115 Vac; | 44.76 |
| Copeland | 914-0008-51 | Start Capacitor 145-175 MFD 220 Vac; | 60.64 |
| Copeland | 914-0008-52 | Start Capacitor 430-516 MFD 125 Vac; | 51.30 |
| Copeland | 914-0008-63 | Start Capacitor 540-648 MFD 115 Vac; | 50.40 |
| Copeland | 914-0008-70 | Start Capacitor 43-50 MFD 330 Vac; | 80.68 |
| Copeland | 914-0008-72 | Start Capacitor 64-77 MFD 250 Vac; | 85.18 |
| Copeland | 914-0008-74 | Start Capacitor 72-86 MFD 330 Vac; | 63.70 |
| Copeland | 914-0008-79 | Start Capacitor 270-324 MFD 165 Vac; | 50.72 |
| Copeland | 914-0037-04 | Run Capacitor 10 X 370; | 60.64 |
| Copeland | 914-0037-12 | Run Capacitor 40 X 370; | 116.58 |
| Copeland | 914-0037-14 | Run Capacitor 20 X 440; | 89.20 |
| Copeland | 914-0037-15 | Run Capacitor 25 X 440; | 102.06 |
| Copeland | 914-0037-16 | Run Capacitor 30 X 440; | 129.16 |
| Copeland | 914-0037-18 | Run Capacitor 40 X 440; | 112.14 |
| Copeland | 914-0037-23 | Run Capacitor 25 X 480; | 125.68 |
| Copeland | 914-0053-00 | Start Capacitor 145-175 MFD 165 Vac; | 45.32 |
| Copeland | 914-0053-04 | Start Capacitor 189-227 MFD 165 Vac; | 48.60 |
| Copeland | 918-0009-01 | Crankcase Heater 240v 65w Bolt On ALL Compressors except H & K Bodies; | 186.34 |
| Copeland | 918-0019-01 | Crankcase Heater 120v 70w Wrap Around BR; | 135.98 |
| Copeland | 918-0028-00 | Crankcase Heater 120v 100w Insertion-must be used W/well 2D,3D,4D/4R,6D/6R,9; | 278.62 |
| Copeland | 918-0028-01 | Crankcase Heater 240v 100w Insertion-must be used W/well 2D,3D,4D/4R,6D/6R,9; | 278.62 |
| Copeland | 918-0043-00 | Crankcase Heater 240v 70w Wrap Around ZF06K-ZF18K, ZP16K-ZP57K, ZR26K-ZR81K; | 129.04 |
| Copeland | 918-0043-01 | Crankcase Heater 480v 70w Wrap Around ZF06K-ZF18K, ZP16K-ZP57K, ZR26K-ZR81K; | 121.50 |
| Copeland | 918-0047-01 | Crankcase Heater 240v 90w Wrap Around ZB50K-ZB88K, ZR84K-ZR144K; | 148.40 |
| Copeland | 918-0047-02 | Crankcase Heater 480v 90w Wrap Around ZB50K-ZB88K, ZR84K-ZR144K; | 140.62 |
| Copeland | 918-0052-00 | 240V40Watt Crankcase Heater For ZR16-35K5, ZR16-24KA and ZP16-31K5; | 78.70 |
| Copeland | 929-0114-00 | Suction Pressure Transducer Kit w/Discharge Temp Sensor and Wiring; | 275.38 |
| Copeland | 940-0001-49 | Potential Relay 3ARR3KC3E5; | 92.28 |
| Copeland | 940-0001-50 | Potential Relay 3ARR3KC24E5; | 96.62 |
| Copeland | 940-0001-54 | Potential Relay 3ARR3KC10V5; | 151.88 |

| | | | |
|----------|-------------|--|----------|
| Copeland | 940-0001-55 | Potential Relay 3ARR3KC10S5; | 151.88 |
| Copeland | 940-0001-59 | Potential Relay 3ARR3KC6W5; | 130.66 |
| Copeland | 940-0001-60 | Potential Relay 3ARR3KC24S5; | 146.84 |
| Copeland | 940-0001-61 | Potential Relay 3ARR3KC6D5; | 158.96 |
| Copeland | 940-0001-62 | Potential Relay 3ARR3KC5M5; | 138.56 |
| Copeland | 940-0001-64 | Potential Relay 3ARR3KC6A5; | 159.42 |
| Copeland | 940-0001-68 | Potential Relay 3ARR3KC6V5; | 164.40 |
| Copeland | 940-0001-71 | Potential Relay 3ARR3KC10B5; | 119.62 |
| Copeland | 940-0001-79 | Potential Relay 3ARR3KC3P5; | 87.08 |
| Copeland | 940-0001-88 | Potential Relay 3ARR3KC6U5; | 191.54 |
| Copeland | 940-0088-03 | Current Relay 6409-26-176; | 150.00 |
| Copeland | 940-0088-04 | Current Relay 6409-26-935; | 81.74 |
| Copeland | 940-C411-82 | Current Relay 040-0150-01; | 40.58 |
| Copeland | 940-C411-89 | Current Relay 040-0150-11; | 49.76 |
| Copeland | 940-C411-91 | Current Relay 040-0150-12; | 50.90 |
| Copeland | 943-0153-00 | 230 Volt Electronic Unit Controller; | 145.46 |
| Copeland | 943-0291-00 | Universal XR Dixell Controller 120V; | 367.50 |
| Copeland | 943-0292-00 | Universal XR Dixell Controller 230V; | 367.50 |
| Copeland | 943-0293-00 | Universal XR Dixell Controller 12/24V; | 367.50 |
| Copeland | 950-0248-00 | Cond Fan Motor 1/2 230 1100 48 4.1amp; | 939.58 |
| Copeland | 950-0250-00 | Cond Fan Motor 1/4 230 1625 48 1.5amp Resilient Mount; | 681.62 |
| Copeland | 950-0259-00 | Cond Fan Motor; | 128.06 |
| Copeland | 950-0264-01 | Cond Fan Motor Kit 50 Watt 230v 1550 CCW 5/16 shft ESP-OL50EMJR21; | 371.18 |
| Copeland | 950-0265-00 | Cond Fan Motor 1/6 230 1550 48 1.1amp; | 401.26 |
| Copeland | 950-0266-04 | Cond Fan Motor 1/4 230 1625 48 1.5amp Stud Mount; | 418.68 |
| Copeland | 950-0344-00 | Cond Fan Motor w/ Fan Blade 50 Watt 230v 1550 CW 1/4-20 shft; | 344.76 |
| Copeland | 950-0344-01 | Cond Fan Motor w/ Fan Blade 50 Watt 115V 1550 CW 1/4-20 Shft; | 374.58 |
| Copeland | 950-0500-00 | Cond Fan Motor 1/6 230 1550 48 Shd Pole 2.6amp; | 578.26 |
| Copeland | 971-0092-39 | Motor Protector O/L CRA3787-18; | 68.76 |
| Copeland | 971-0554-22 | Motor Protector O/L 071-0561-16; | 71.68 |
| Copeland | 971-0554-30 | Motor Protector O/L 071-0561-07; | 77.18 |
| Copeland | 985-0110-01 | Demand Cooling Module Only 240v; | 1,756.30 |
| Copeland | 998-0002-02 | Sight Glass kit-Bolt on; | 202.40 |
| Copeland | 998-0002-04 | Sight Glass Kit-Threaded; | 44.52 |
| Copeland | 998-0008-33 | Oil Pump Kit 2,3,4,6,8,9,M,N; | 452.76 |
| Copeland | 998-0034-01 | Stub Tube to Male Rotolock Adapt 3/4 id X 1-1/4 In-12; | 77.18 |
| Copeland | 998-0034-02 | Stub Tube to Male Rotolock Adapt 7/8 id X 1-1/4 In-12; | 99.14 |

| | | | |
|----------|-------------------|--|----------|
| Copeland | 998-0034-04 | Stub Tube to Male Rotolock Adapt 1-3/8 id X 1-3/4 In-12; | 290.56 |
| Copeland | 998-0034-08 | Female Rotolock to Stub Tube Adapter 1-1/4 In-12 X 7/8 id; | 93.78 |
| Copeland | 998-0034-15 | Stub Tube to Male Rotolock Adapt 1/2 id X 1 In-14; | 91.86 |
| Copeland | 998-0034-18 | Female Rotolock to Stub Tube Adapter 1 In-14 X 1/2 ID Sweat; | 164.80 |
| Copeland | 998-0036-00 | Rotolock Adapt Kit 2 Bolt Flange X 1-3/4 In-12 W/gasket; | 125.32 |
| Copeland | 998-0105-01 | Sentronic Oil Saftey Control Module W/Cable (No Sensor); | 673.16 |
| Copeland | 998-0162-00 | Sentronic Oil Saftey Control Sensor Only; | 389.46 |
| Copeland | 998-0212-00 | Unloader Valve Less Coil 4/6; | 385.54 |
| Copeland | 998-0212-02 | Unloader Valve W/120v Coil 4/6; | 734.74 |
| Copeland | 998-0500-00 | DTC Valve ZF06 Thru ZF18 (Discharge Temperature Control Valve) 3/8 Sweat; | 567.82 |
| Copeland | 998-0510-02 | Rotolock Svc Vlv 1-1/8 id X 1-3/4 In-12; | 462.82 |
| Copeland | 998-0510-22 | 2 Bolt Service Vlv-1-5/8 Center 1/2 In Flare; | 129.22 |
| Copeland | 998-0510-24 | 2 Bolt Service Vlv-1-5/8 Center 1/2 In Flare; | 125.70 |
| Copeland | 998-0510-25 | 2 Bolt Service Vlv-1-5/8 Center 5/8 In Flare; | 135.86 |
| Copeland | 998-0510-26 | 2 Bolt Service Vlv-1-5/8 Center 3/8 In Flare; | 119.26 |
| Copeland | 998-0510-46 | Rotolock Svc Vlv 1-3/8 id X 1-3/4 In-12; | 411.68 |
| Copeland | 998-0510-90 | Rotolock Svc Vlv 7/8 id X 1-1/4 In-12; | 272.86 |
| Copeland | 998-0510-98 | Rotolock Svc Vlv 1/2 Swt X 1 In-14; | 161.66 |
| Copeland | 998-0511-00 | Rotolock Svc Vlv 5/8 id X 1 In-14; | 161.66 |
| Copeland | 998-0520-00 | Solid State Module 120/240V Scroll TW; | 355.94 |
| Copeland | 998-0520-04 | Solid State Module 24v Scroll TW; | 294.50 |
| Copeland | 998-0524-10 | Solid State Module 120/240v TS/FS; | 918.98 |
| Copeland | 998-0550-00 | Head Cooling Fan Kit Complete 240v less Brkt; | 1,342.42 |
| Copeland | 998-0550-04 | Head Cooling Fan 460v Motor & Bottom Guard; | 631.10 |
| Copeland | 998-0661-06 | Valve Plate Kit EA, ER; | 372.12 |
| Copeland | 998-0661-16 | Valve Plate Kit All K Bodies (except KAE/KAR); | 225.48 |
| Copeland | 998-1661-23 | Valve Plate Kit Laser Reed 2DA 7-1/2HP, 2DC, 2DD, 2DL 7-1/2HP; | 2,073.88 |
| Copeland | 998-1661-51 | Valve Plate Kit Laser Reed 3DA 7-1/2HP, 3DB 10HP, 3DS 15HP; | 2,133.04 |
| Copeland | 998-2661-43 | Valve Plate Kit Delta Reed 3DA 5-6HP, 3DB 5-7-1/2HP, 3DF, 3DS 7-1/2-10HP; | 2,515.96 |
| Copeland | 998-E022-01 | Polyol Ester Oil-Gallon; | 308.92 |
| Copeland | 9RS3-076A-TFC-800 | Semi Hermetic Comp 7 1/2 HP MT R12 55K 20/120 LT R502 36K -25/105 208/230-3; | 9,450.66 |
| Copeland | AFE11C4E-IAA-901 | Hermetic Compressor EXtended MT R404A 23C 20/120 LT 9C -10/120 115v Sweat Conn | 774.28 |
| Copeland | AFE12C4E-IAA-901 | Hermetic Compressor EXtended MT R134A 31C 20/120 LT 12C -10/120 115v Sweat Con | 785.02 |
| Copeland | AFE14C5E-IAA-901 | Hermetic Compressor EXtended MT R404A 32C 20/120 LT 14C -10/120 115v Sweat Con | 797.04 |
| Copeland | AFE17C4E-IAA-901 | Hermetic Compressor EXtended MT R404A 34C 20/120 LT 17C -10/120 115v Sweat Con | 837.78 |
| Copeland | ARE17C4E-IAA-901 | Hermetic Compressor HT R134A 17C 45/130 115v Sweat Conn; | 651.40 |
| Copeland | ARE25C5E-IAA-901 | Hermetic Compressor HT R134A 27C 45/130 115v Sweat Conn; | 662.80 |

| | | | |
|----------|-------------------|--|----------|
| Copeland | ARE35C5E-IAA-901 | Hermetic Compressor HT R134A 37C 45/130 115v Sweat Conn; | 685.06 |
| Copeland | ARE35C5E-IAA-959 | Hermetic Compressor HT R134A 37C 45/130 115v Suct Svc Vlv; | 770.44 |
| Copeland | ARE51C4E-CAA-901 | Hermetic Compressor HT R134A 51C 45/130 115v Sweat Conn; | 1,018.00 |
| Copeland | ARE51C4E-CAA-959 | Hermetic Compressor HT R134A 51C 45/130 115v Suct Svc Vlv ART51C1E-IAA; | 1,103.50 |
| Copeland | ASE12C4E-IAA-901 | Hermetic Compressor MT R404A 13C 20/120 115v Sweat Conn; | 666.30 |
| Copeland | ASE20C4E-IAA-901 | Hermetic Compressor MT R404A 19C 20/120 115v Sweat Conn; | 690.72 |
| Copeland | ASE24C5E-IAA-901 | Hermetic Compressor MT R404A 23C 20/120 115v Sweat Conn; | 700.36 |
| Copeland | ASE26C4-IAA-959 | Hermetic Compressor HT R22 48C 45/130 115v Suct Svc Vlv; | 820.12 |
| Copeland | ASE32C5E-CAA-901 | Hermetic Compressor MT R404A 32C 20/120 115v Sweat Conn; | 1,069.98 |
| Copeland | ASE35C4-CAA-901 | Hermetic Compressor HT R22 58C 45/130 115v Sweat Conn; | 1,077.74 |
| Copeland | CF06K6E-PFV-945 | Hermetic Compressor LT R404A 67C -10/120 208/230-1 Sweat Conn; | 4,077.46 |
| Copeland | CF06K6E-TF5-945 | Hermetic Compressor LT R404A 67C -10/120 208/230-3 Sweat Conn; | 4,335.88 |
| Copeland | CF09K6E-PFV-945 | Hermetic Compressor LT R404A 98C -10/120 208/230-1 Sweat Conn; | 4,574.52 |
| Copeland | CF09K6E-TF5-945 | Hermetic Compressor LT R404A 98C -10/120 208/230-3 Sweat Conn; | 4,762.54 |
| Copeland | CF12K6E-PFV-945 | Hermetic Compressor LT R404A 13K -10/120 208/230-1 Sweat Conn; | 4,670.90 |
| Copeland | CF12K6E-TF5-945 | Hermetic Compressor LT R404A 13K -10/120 208/230-3 Sweat Conn; | 4,838.06 |
| Copeland | CR47KQE-PFV-970 | Hermetic Compressor A/C R22 47K 45/130 MT R22 22K 20/120 208/230-1 Sweat Conn; | 2,545.80 |
| Copeland | CR47KQE-TF5-970 | Hermetic Comp A/C R407C/R22 47K 45/130 MT R22 22K 20/120 208/230-3 Sweat Conn; | 3,199.84 |
| Copeland | CR53KQE-PFV-970 | Hermetic Compressor A/C R22 53K 45/130 MT R22 29K 20/120 208/230-1 Sweat Conn; | 2,833.22 |
| Copeland | CR53KQE-TF5-970 | Hermetic Compressor A/C R22 53K 45/130 MT R22 29K 20/120 208/230-3 Sweat Conn; | 3,560.98 |
| Copeland | CR53KQE-TFD-970 | Hermetic Compressor A/C R22 53K 45/130 MT R22 29K 20/120 460-3 Sweat Conn; | 3,560.98 |
| Copeland | CRNQ-050E-PFV-970 | Hermetic Compressor A/C R22 61K 45/130 MT R22 33K 20/120 208/230-1 Sweat Conn; | 3,170.88 |
| Copeland | CRNQ-050E-TF5-970 | Hermetic Compressor A/C R22 61K 45/130 MT R22 33K 20/120 208/230-3 Sweat Conn; | 3,607.34 |
| Copeland | CS10K6E-PFV-945 | Hermetic Comp HT R134A 11K 45/130 MT R22/R404A 10K 20/120 208/230-1 Sweat; | 3,722.44 |
| Copeland | CS12K6E-PFV-945 | Hermetic Comp HT R134A 14K 45/130 MT R22/R404A 12K 20/120 208/230-1 Sweat; | 3,964.68 |
| Copeland | CS14K6E-PFV-945 | Hermetic Comp HT R134A 16K 45/130 MT R22/R404A 14K 20/120 208/230-1 Sweat; | 4,264.32 |
| Copeland | CS14K6E-TF5-945 | Hermetic Comp HT R134A 16K 45/130 MT R22/R404A 14K 20/120 208/230-3 Sweat; | 4,639.86 |
| Copeland | CS18K6E-TF5-945 | Hermetic Comp HT R134A 20K 45/130 MT R22/R404A 18K 20/120 208/230-3 Sweat; | 4,767.00 |
| Copeland | CS20K6E-TF5-945 | Hermetic Comp HT R134A 23K 45/130 MT R22/R404A 20K 20/120 208/230-3 Sweat; | 4,813.70 |
| Copeland | CS33K6E-TF5-956 | Hermetic Comp HT R134A 35K 45/130 MT R22/R404A 32K 20/120 208/230-3 Sweat; | 5,637.48 |
| Copeland | EADA-020E-TAC-800 | Semi Hermetic Compressor 2 HP LT R404A 6K LT R22 7K -25/105 208/230-3; | 5,807.62 |
| Copeland | EAVA-021E-TAC-800 | Semi Hermetic Comp 2 HP MT R134A 13K 20/1200 LT R22/R404A 7K -25/105 208/230-3 | 5,660.34 |
| Copeland | ERFA-031E-TAC-800 | Semi Hermetic Compressor 3 HP HT R22 35K 45/130 MT R404A 22K 20/120 208/230-3; | 6,171.64 |
| Copeland | FFAL-A40Z-CFV-075 | AWEF Compliant Scroll CU 4 HP LT R404A, R407A, R448A, R449A 208/230-1; | 9,021.20 |
| Copeland | FFAP-A15Z-CFV-075 | AWEF Compliant Scroll CU 1-1/2 HP MT R404A, R407A, R448A, R449A 208/230-1; | 4,932.32 |
| Copeland | FFAP-A17Z-CFV-075 | AWEF Compliant Scroll CU 1-3/4 HP MT R404A, R407A, R448A, R449A 208/230-1; | 4,962.64 |
| Copeland | FFAP-A20Z-CFV-075 | AWEF Compliant Scroll CU 2 HP MT R404A, R407A, R448A, R449A 208/230-1; | 6,284.36 |

| | | | |
|----------|-------------------|--|----------|
| Copeland | FFAP-A22Z-CFV-075 | AWEF Compliant Scroll CU 2-1/4 HP MT R404A, R407A, R448A, R449A 208/230-1; | 6,441.00 |
| Copeland | FFAP-A22Z-TFC-075 | AWEF Compliant Scroll CU 2-1/4 HP MT R404A, R407A, R448A, R449A 208/230-3; | 6,417.50 |
| Copeland | FFAP-A30Z-CFV-075 | AWEF Compliant Scroll CU 3 HP MT R404A, R407A, R448A, R449A 208/230-1; | 6,594.96 |
| Copeland | FFAP-A30Z-TFC-075 | AWEF Compliant Scroll CU 3 HP MT R404A, R407A, R448A, R449A 208/230-3; | 6,941.40 |
| Copeland | FFAP-A32Z-CFV-075 | AWEF Compliant Scroll CU 3-1/4 HP MT R404A, R407A, R448A, R449A 208/230-1; | 6,864.86 |
| Copeland | FFAP-A32Z-TFC-075 | AWEF Compliant Scroll CU 3-1/4 HP MT R404A, R407A, R448A, R449A 208/230-3; | 7,211.30 |
| Copeland | KAAB-007E-CAA-800 | Semi Hermetic Compressor 3/4 HP XL R404A 25C -40/105 115v; | 2,588.44 |
| Copeland | KAGA-010E-TAC-800 | Semi Hermetic Compressor 1 HP MT R404A 86C 20/120 208/230-3; | 3,251.66 |
| Copeland | KAJB-007E-IAA-800 | Semi Hermetic Compressor 3/4 HP XL R404A 21C -40/105 115v; | 2,349.88 |
| Copeland | KAJB-010E-CAV-800 | Semi Hermetic Comp 1 HP MT R134A 10K 20/120 LT R404A 4K -25/105 208/230-1; | 2,960.64 |
| Copeland | KAKB-011E-CAV-800 | Semi Hermetic Compressor 1 HP LT R404A 4K 208/230-1; | 2,807.08 |
| Copeland | KALA-015A-TAC-800 | Semi Hermetic Compressor 1-1/2 HP MT R12 9K 20/120 208/230-3; | 3,388.78 |
| Copeland | KALA-016E-TAC-800 | Semi Hermetic Compressor 1-1/2 HP LT R404A 6K 208/230-3; | 3,598.70 |
| Copeland | KALB-010E-CAV-800 | Semi Hermetic Compressor 1 HP XL R404A 3K -40/105 208/230-1; | 2,954.22 |
| Copeland | KALB-015E-CAV-800 | Semi Hermetic Compressor 1-1/2 HP LT R404A 6K 208/230-1; | 3,709.14 |
| Copeland | KAMB-007E-CAA-800 | Semi Hermetic Compressor 3/4 HP LT R404A 28C -25/105 115v; | 2,880.44 |
| Copeland | KAMB-007E-CAV-800 | Semi Hermetic Compressor 3/4 HP LT R404A 28C -25/105 208/230-1; | 2,560.88 |
| Copeland | KANB-005E-IAA-800 | Semi Hermetic Compressor 1/2 HP LT R404A 15C -25/105 115v; | 2,225.52 |
| Copeland | KANB-007E-CAV-800 | Semi Hermetic Compressor 3/4 HP HT R22 9K 45/130 MT R404A 5K 20/120 208/230-1; | 2,621.76 |
| Copeland | KARA-010E-TAC-800 | Semi Hermetic Compressor 1 HP HT R22 12K 45/130 MT R404A 73C 20/120 208/230-3; | 2,833.14 |
| Copeland | KATA-015E-TAC-800 | Semi Hermetic Compressor 1-1/2 HP LT R404A 67K LT R507 69K -25/105; | 3,414.52 |
| Copeland | KATB-015E-CAV-800 | Semi Hermetic Compressor 1-1/2 HP XL R404A 41C -40/105 208/230-1; | 3,725.10 |
| Copeland | LACA-032E-TAC-800 | Semi Hermetic Compressor 3 HP XL R404A 8K -40/105 208/230-3; | 6,829.54 |
| Copeland | LAHA-032E-TAC-800 | Semi Hermetic Compressor 3 HP LT R404A/R507 11K -25/105 208/230-3; | 7,262.08 |
| Copeland | M6GP-H064-CAA-177 | 0.64hp 115-1 Multi Temp R404A R448A R407C Hermetic Indoor Air Cooled Cond Unit | 2,692.88 |
| Copeland | M6GP-H064-CAV-177 | 0.64hp 208/230-1 Multi Temp R404A R448A R407C Herm Indoor Air Cooled Cond Unit | 2,727.86 |
| Copeland | M6JM-H023-IAA-177 | 0.23hp 115-1 Med Temp R404A R448A Hermetic Indoor Air Cooled Cond Unit; | 1,676.96 |
| Copeland | M6KP-0075-CAV-072 | 0.75hp 208/230-1 Multi Temp R404A R448A R407C Herm Indoor Air Cooled Cond Unit | 3,719.44 |
| Copeland | M6KP-0092-CAV-072 | 0.92hp 208/230-1 Multi Temp R404A R448A R407C Herm Indoor Air Cooled Cond Unit | 4,233.80 |
| Copeland | M6KP-0092-CFA-072 | 0.92hp 115-1 Multi Temp R404A R448A R407C Hermetic Indoor Air Cooled Cond Unit | 3,209.74 |
| Copeland | M6KP-0102-CAV-072 | 1.02hp 208/230-1 Multi Temp R404A R448A R407C Herm Indoor Air Cooled Cond Unit | 4,430.52 |
| Copeland | M6KP-0106-CFV-072 | 1.06hp 208/230-1 Multi Temp R404A R448A R407C Herm Indoor Air Cooled Cond Unit | 3,600.12 |
| Copeland | M6KP-0112-CFV-072 | 1.12hp 208/230-1 Multi Temp R404A R448A R407C Herm Indoor Air Cooled Cond Unit | 3,721.80 |
| Copeland | M6QM-H049-CAV-078 | 0.49hp 208/230-1 Med Temp R404A R448A Hermetic Indoor Air Cooled Cond Unit; | 2,280.00 |
| Copeland | M6QM-H049-IAA-272 | 0.49hp 115-1 Med Temp R404A R448A Hermetic Indoor Air Cooled Cond Unit; | 2,255.54 |
| Copeland | M6ZL-0042-IAA-177 | 0.42hp 115-1 Low Temp R404A R448A Hermetic Indoor Air Cooled Cond Unit; | 1,812.54 |
| Copeland | M6ZM-0032-IAA-177 | 0.32hp 115-1 Med Temp R404A R448A Hermetic Indoor Air Cooled Cond Unit; | 1,845.04 |

| | | | |
|----------|-------------------|--|----------|
| Copeland | M6ZP-0053-IAA-177 | 0.53hp 115-1 Multi Temp R404A R448A R407C Hermetic Indoor Cond Unit; | 2,385.04 |
| Copeland | M6ZP-0053-IAV-177 | 0.53hp 208/230-1 Multi Temp R404A R448A R407C Herm Indoor Air Cooled Cond Unit | 2,420.02 |
| Copeland | M7JH-0014-IAA-179 | 0.14hp 115-1 High Temp R134A Hermetic Indoor Air Cooled Conde; | 1,160.80 |
| Copeland | M7JH-0018-IAA-078 | 0.18hp 115-1 High Temp R134A Hermetic Indoor Air Cooled Condensing Unit; | 1,595.18 |
| Copeland | M7JH-H029-IAA-177 | 0.29hp 115-1 High Temp R134A Hermetic Indoor Air Cooled Condensing Unit; | 1,674.08 |
| Copeland | M7ZH-H046-IAA-272 | 0.46hp 115-1 High Temp R134A Hermetic Indoor Air Cooled Condensing Unit; | 2,217.92 |
| Copeland | M7ZH-H055-CAV-177 | 0.55hp 208/230-1 High Temp R134A Hermetic Indoor Air Cooled Condensing Unit; | 2,372.74 |
| Copeland | M7ZP-H062-CFA-177 | 0.62hp 115-1 Ext Med Temp R134A Hermetic Indoor Air Cooled Condensin; | 2,108.80 |
| Copeland | MRA2-050A-TFC-800 | Semi Hermetic Compressor 5 HP MT R12 29K 20/120 LT R502 18K -25/105 208/230-3; | 8,663.22 |
| Copeland | RFT22C1E-IAA-901 | Hermetic Compressor EXtended MT R404A 49C 20/120 LT 22C -10/120 115v Sweat Con | 1,309.64 |
| Copeland | RFT42C1E-PFV-959 | Hermetic Compressor LT R404A 41C -10/120 208/230-1 1/2 SWT Suc 3/8 SWT Disch; | 2,290.80 |
| Copeland | RRT10K1E-PFA-959 | Welded Comp Med Temp R134A 115V Stub Tube w/Suct Svc Vlv; | 1,937.88 |
| Copeland | RRT10K1E-PFV-959 | Welded Comp High Temp R134A 208/230-1 Stub Tube w/Suct Svc Vlv; | 1,959.90 |
| Copeland | RRT62C1E-IAA-901 | Hermetic Compressor HT R134A 64C 45/130 115v Sweat Conn; | 1,257.60 |
| Copeland | RRT81C1E-PFA-959 | Welded Comp High Temp R134A 115V Stub Tube w/Suct Svc Vlv; | 1,786.76 |
| Copeland | RRT81C1E-PFV-959 | Welded Comp High Temp R134A 208/230-1 Stub Tube w/Suct Svc Vlv; | 1,871.88 |
| Copeland | RST40C1E-IAA-901 | Herm Compressor EMT R404A/HT R407C 35C/34C 20/120 115V Sweat Conn; | 1,430.06 |
| Copeland | RST45C1E-CAV-901 | Welded Comp EMT R404A/HT R407C 208/230-1 Sweat Conn; | 1,723.50 |
| Copeland | RST45C1E-IAA-901 | Welded Comp EMT R404A/HT R407C 115V Sweat Conn; | 1,539.98 |
| Copeland | RST45C1E-IAA-959 | Welded Comp EMT R404A/HT R407C 115V Suct Rotolock; | 1,580.00 |
| Copeland | RST45C1E-IAV-959 | Welded Comp EMT R404A/HT R407C 208/230-1 Suct Rotolock; | 1,624.92 |
| Copeland | RST55C1E-CAV-959 | Welded Comp EMT R404A/HT R407C 208/230-1 Suct Rotolock; | 1,868.08 |
| Copeland | RST64C1E-CAV-901 | Welded Comp EMT R404A/HT R407C 208/230-1 Sweat Conn Repl RS64C2E-CAV-908; | 1,873.20 |
| Copeland | RST64C1E-CAV-959 | Welded Comp EMT R404A/HT R407C 208/230-1 Suct Rotolock RS64C2E-CAV-959; | 1,913.22 |
| Copeland | RST64C1E-CFA-901 | Welded Comp EMT R404A/HT R407C 115V Sweat Conn Repl RS64C2E-PAA-908; | 1,835.70 |
| Copeland | RST64C1E-CFA-959 | Welded Comp EMT R404A/HT R407C 115V Suct Rotolock RS64C2E-CAA-959; | 1,875.66 |
| Copeland | RST64C1E-IAV-959 | Welded Comp Ext Med Temp R404A 208/230-1 Suct Rotolock RS64C2E-IAV-959; | 1,704.52 |
| Copeland | RST70C1E-PFV-901 | Welded Comp EMT R404A/HT R407C 208/230-1 Sweat Conn Repl RS70C1E-PFV-909; | 2,034.60 |
| Copeland | RST70C1E-PFV-959 | Welded Comp EMT R404A/HT R407C 208/230-1 Stub Tube w/Suct Svc Vlv RS70C1E-PFV- | 2,072.74 |
| Copeland | RST70C1E-TA5-959 | Welded Comp EMT R404A/HT R407C 208/230-3 Stub Tube w/Suct Svc Vlv RS70C1E-TFC- | 1,993.28 |
| Copeland | RST80C1E-PFV-959 | Welded Comp EMT R404A/HT R407C 208/230-1 Stub Tube w/Suct Svc Vlv RS80C2E-CAV- | 2,135.96 |
| Copeland | RST97C1E-PFV-959 | Weld Comp Ext Med Temp R404A 208/230-1 Stub Tube w/Suct Svc Vlv RS97C2E-CAV-95 | 2,167.30 |
| Copeland | ZF09K4E-TF5-931 | Scroll Compressor LT/MT R22/R404A 9K -25/105 18K 20/120 208/230-3 Swt Liq Inj; | 4,743.92 |
| Copeland | ZF13K4E-TF5-961 | Scroll Comp LT/MT R22/R404A 13K -25/105 31K 20/120 208/230-3 Rotolock Liq Inj; | 5,146.44 |
| Copeland | ZF15K4E-TFD-961 | Scroll Compressor LT/MT R22/R404A 16K -25/105 37K 20/120 460-3 Rotolck Liq Inj | 5,238.52 |
| Copeland | ZP182KCE-TED-950 | Scroll Compressor A/C R410A 183K 45/130 460-3 Sweat Conn; | 6,151.52 |
| Copeland | ZP31K5E-PFV-800 | Scroll Compressor A/C R410A 32K 45/130 208/230-1 Sweat Conn; | 1,433.02 |

| | | | |
|---------------|-----------------|--|-----------|
| Copeland | ZP31K5E-TF5-800 | Scroll Compressor A/C R410A 32K 45/130 208/230-3 Sweat Conn; | 1,727.58 |
| Copeland | ZP34K5E-PFV-800 | Scroll Compressor A/C R410A 36K 45/130 208/230-1 Sweat Conn; | 1,529.02 |
| Copeland | ZP42K5E-PFV-800 | Scroll Compressor A/C R410A 41K 45/130 208/230-1 Sweat Conn; | 1,651.98 |
| Copeland | ZP54K5E-PFV-800 | Scroll Compressor A/C R410A 54K 45/130 208/230-1 Sweat Conn; | 2,032.56 |
| Copeland | ZR16M3E-TWD-961 | Scroll Compressor A/C R22 154K 45/130 R134A 105K 460-3 Rotolock Conn; | 11,686.80 |
| Copeland | ZR18K5E-PFV-800 | Scroll Compressor A/C R22 18K 45/130 208/230-1 Sweat Conn Molded Plug; | 1,676.52 |
| Copeland | ZR19M3E-TWD-961 | Scroll Compressor A/C R22 19M 45/130 R134A 126K 460-3 Rotolock Conn W/Swt Adpt | 13,321.06 |
| Copeland | ZR21K5E-PFV-800 | Scroll Compressor A/C R22 21K 45/130 208/230-1 Sweat Conn Molded Plug; | 1,610.52 |
| Copeland | ZR25K5E-PFV-800 | Scroll Compressor A/C R22 25K 45/130 208/230-1 Sweat Conn Molded Plug; | 1,678.00 |
| Copeland | ZR32K5E-PFV-800 | Scroll Compressor A/C R22 32K 45/130 208/230-1 Sweat Conn Molded Plug; | 1,644.70 |
| Copeland | ZR32K5E-TF5-800 | Scroll Compressor A/C R22 32K 45/130 208/230-3 Sweat Conn Molded Plug; | 2,174.48 |
| Copeland | ZR32K5E-TFD-800 | Scroll Compressor A/C R22 32K 45/130 460-3 Sweat Conn Molded Plug; | 2,174.48 |
| Copeland | ZR38K5E-PFV-800 | Scroll Compressor A/C R22 38K 45/130 208/230-1 Sweat Conn Molded Plug; | 1,872.52 |
| Copeland | ZR42K5E-PFV-800 | Scroll Compressor A/C R22 42K 45/130 208/230-1 Sweat Conn Molded Plug; | 2,060.94 |
| Copeland | ZR42K5E-TF5-800 | Scroll Compressor A/C R22 42K 45/130 208/230-3 Sweat Conn Molded Plug; | 2,308.64 |
| Copeland | ZR48K5E-PFV-800 | Scroll Compressor A/C R22 48K 45/130 208/230-1 Sweat Conn Molded Plug; | 2,199.68 |
| Copeland | ZR48K5E-TF5-800 | Scroll Compressor A/C R22 48K 45/130 208/230-3 Sweat Conn Molded Plug; | 2,655.38 |
| Copeland | ZR48K5E-TFD-800 | Scroll Compressor A/C R22 48K 45/130 460-3 Sweat Conn Molded Plug; | 2,737.52 |
| Copeland | ZR54K5E-PFV-800 | Scroll Compressor A/C R22 54K 45/130 208/230-1 Sweat Conn Molded Plug; | 2,454.56 |
| Copeland | ZR54K5E-TF5-800 | Scroll Compressor A/C R22 54K 45/130 208/230-3 Sweat Conn Molded Plug; | 2,877.66 |
| Copeland | ZR54K5E-TFD-800 | Scroll Compressor A/C R22 54K 45/130 460-3 Sweat Conn Molded Plug; | 2,877.66 |
| Copeland | ZR57K3E-PFV-930 | Scroll Compressor A/C R22 57K 45/130 208/230-1 Sweat Conn; | 2,636.54 |
| Copeland | ZR57K3E-TF5-930 | Scroll Compressor A/C R22 57K 45/130 208/230-3 Sweat Conn; | 2,768.92 |
| Copeland | ZR57K3E-TFD-930 | Scroll Compressor A/C R22 57K 45/130 460-3 Sweat Conn; | 2,768.92 |
| Copeland | ZR61K3E-PFV-930 | Scroll Compressor A/C R22 61K 45/130 208/230-1 Sweat Conn; | 2,703.74 |
| Copeland | ZR61K3E-TF5-930 | Scroll Compressor A/C R22 61K 45/130 208/230-3 Sweat Conn; | 2,990.24 |
| Copeland | ZR61K3E-TFD-930 | Scroll Compressor A/C R22 61K 45/130 460-3 Sweat Conn; | 2,915.84 |
| Copeland | ZR68KCE-TF5-930 | Scroll Compressor A/C R22 68K 45/130 208/230-3 Sweat Conn; | 2,721.68 |
| Copeland | ZR72KCE-TF5-950 | Scroll Compressor A/C R22 72K 45/130 208/230-3 Sweat Conn; | 2,820.66 |
| Copeland | ZR72KCE-TFD-950 | Scroll Compressor A/C R22 72K 45/130 460-3 Sweat Conn; | 2,820.66 |
| Copeland | ZS09KAE-PFV-818 | Scroll Comp 1.3hp 208/230-1 LT-R404A MT-R22, R134A, R404A, R407 A/C Sweat; | 2,506.64 |
| Copeland | ZS33KAE-TF5-818 | Scroll Comp 4.5Hp 208/230-3 LT-R404A MT-R22, R134A, R404A, R407 A/C Sweat; | 3,672.14 |
| Furon Dekoron | 1219-130T4 | 5/32 O.D. X 500 Ft. Black Twin Tube Flame Retardant Pneumatic Tubing; | 285.74 |
| Furon Dekoron | 1219-44003 | 1/4 O.D. X 250 Ft Black Single Tube Flame Retardant Pneumatic Tubing; | 90.22 |
| Furon Dekoron | 1219-440A3 | 1/4 O.D. X 250 Ft White Single Tube Flame Retardant Pneumatic Tubing; | 105.28 |
| Furon Dekoron | 1219-440B3 | 1/4 O.D. X 250 Ft Red Single Tube Flame Retardant Pneumatic Tubing; | 105.28 |
| Furon Dekoron | 1219-440D3 | 1/4 O.D. X 250 Ft Yellow Single Tube Flame Retardant Pneumatic Tubing; | 105.28 |

| | | | |
|-------------------|--------------|--|----------|
| Furon Dekoron | 1219-440E3 | 1/4 O.D. X 250 Ft Green Single Tube Flame Retardant Pneumatic Tubing; | 105.28 |
| Furon Dekoron | 1219-440F3 | 1/4 O.D. X 250 Ft Blue Single Tube Flame Retardant Pneumatic Tubing; | 105.28 |
| Furon Dekoron | 1219-440G3 | 1/4 O.D. X 250 Ft Violet Single Tube Flame Retardant Pneumatic Tubing; | 105.28 |
| Furon Dekoron | 1219-66203 | 3/8 O.D. X 250 Ft Black Single Tube Flame Retardant Pneumatic Tubing; | 180.46 |
| Dial | 1016 | Cooler Pump Up to 8,500 CFM 115 Volt DCS-1; | 48.56 |
| Dial | 1023 | Cooler Pump 8,500 to 15,000 CFM 115 Volt DCS-2; | 88.40 |
| Dial | 1400 | Cooler Pump 15,000 to 25,000 CFM 115 Volt DCS-3; | 127.28 |
| Dial | 3080 | Dura-Cool Roll High Efficiency Foamed Polyester Pad 36 X 240 Cut To Fit; | 182.62 |
| Dial | 4159 | Float Valve 1/4 Compression Heavy Duty Bronze Brass Arm and Stem Green); | 24.44 |
| Dial | 5255 | Fresh Air Cake Controls Odors From Algae And Bacteria Can Be Divided Four Ways | 5.72 |
| Dial | 9225 | Drain Fitting Brass With 1/2 FPT For Overflow Pipe Male Hose Thread Outlet; | 7.52 |
| Dial | 9244 | Drain Kit Nylon 1/2 FPT X 3/4 Male Hose With 1/2 MPT Overflow Pipe; | 4.22 |
| Diversitech | 6-3060L | Secondary Drain Pan 30 X 60; | 112.68 |
| Diversitech | IQP-120T | Condensate Pump Clear Vue 120 Volt Variable Lift w/20' 3/8" Poly Tubing;" | 201.58 |
| American Sealants | 10101G | Duct Sealant Water Based Indoor / Outdoor Smooth Gray 1 Gallon; | 39.70 |
| American Sealants | 10201G | Duct Sealant Fiber Reinforced Water Based Gray 1 Gallon; | 39.70 |
| Inficon | 703-020-G1 | TEK-Mate Replacement Sensor Tip; | 114.76 |
| Inficon | 705-202-G1 | TEK-Mate Refrigerant Leak Detector Requires 2 D Batteries; | 514.32 |
| Inficon | 713-202-G1 | WEY-TEK Refrigerant Charging Scale; | 532.36 |
| Inficon | 721-202-G1 | Refrigerant Leak Detector D-Tek 3; | 1,227.12 |
| Inficon | 724-202-G1 | Stratus Refrigerant Leak Detector/ Portable Monitor; | 2,436.18 |
| Dwyer | A-301 | Static Pressure Tip For 1/4 Metal Tubing Connection; | 30.72 |
| Dwyer | A-302 | Static Pressure Tip For 3/16 And 1/8 Rubber Or Plastic Tubing Connection; | 29.02 |
| Dwyer | A-345 | Flange With Gasket And Sheet Metal Screws To Mount A-301 A-302 A-307 A-308; | 26.04 |
| Rectorseal | 83000 | 1/4" X 50' Roll Nokink Reinforced PCV Tubing For Mini-Split Pumps;" | 53.16 |
| Rectorseal | 97705 | Mini-Split Support Tool 100lb Capacity Mighty Bracket; | 350.26 |
| Rectorseal | ASP-MA-UNI | Mini Aqua Pump 115/230 Volt for Mini-Split up to 30K BTU 83809; | 366.00 |
| Rectorseal | ASP-MAXO-UNI | Maxi Orange Pump 115/230 Volt for Mini-Split 24K-60K BTU 83919; | 508.34 |
| Rectorseal | ASP-MW-UNI | Mini White Pump 115/230v Mini-Split Up To 54K Surface Mnt Under Evap; | 390.78 |
| Rectorseal | DH-16S | 5/8" (16mm) x 20' Coil Condensate Drain Hose for Mini-Splits;" | 36.10 |
| Rectorseal | EZT-626 | Clear Trap and Overflow Switch Combo Kit for Drain Pan; | 71.48 |
| Rectorseal | EZT-SS2 | Condensate Overflow Safe-T-Switch; | 51.84 |
| Rectorseal | NFP-75 | Telescoping Wall Sleeve 3" OD X 5in to 7-3/4in;" | 20.96 |
| Rectorseal | NV-MULTI KEY | Universal Multi Key Fits All Novent Caps; | 30.54 |
| Rectorseal | WBB-300 | Wall Condenser Bracket 300 lb Capacity; | 159.44 |
| Fasco | 9721 | Evap Coil Motor 1/12-1/20 HP PSC 115/230 Volt 1550 RPM CW/REV 3.3" Dia Boh;" | 193.34 |
| Fasco | B22507 | Transflo Blower 115 CFM 115 Volt Omni Temp Repl; | 442.88 |

| | | | |
|------------|--------------------|--|----------|
| Fasco | B22513 | Transflo Blower 215 CFM 115 Volt Omni Temp Repl; | 471.76 |
| Fasco | D1101 | Evap Coil Motor 1/20 HP 115 Volt 1500 RPM CCW 3.3" Dia Larkin Oem;" | 193.76 |
| Fasco | D1103 | Evap Coil Motor 1/20 HP 230 Volt 1500 RPM CCW 3.3" Dia Larkin Oem;" | 200.72 |
| Fasco | D1124 | Evap Coil Motor 1/20 HP SP 115V 1550 RPM CWSE 3.3" Dia Bohn Oem;BOHN 5008SS 57 | 202.44 |
| Fasco | D1125 | Evap Coil Motor 1/12 HP PSC 208-230v 1550 RPM CCWSE 3.3" Dia Bohn Oem;" | 230.10 |
| Fasco | D1126 | Evap Coil Motor 1/15 HP SP 208-230V 1550 RPM CWSE 3.3" Dia Bohn OEM;" | 210.14 |
| Fasco | D1129 | Evap Coil Motor 1/20 HP 115/230 Volt BB 1550 CW Krack Oem 5/16 Shaft; | 433.10 |
| Fasco | D132 | Evap Coil Motor 1/20 HP 115 Volt 1500 RPM CW 3.3" Dia;" | 152.14 |
| Fasco | D133 | Evap Coil Motor 1/20 HP 115 Volt 1500 RPM CCW 3.3" Dia;" | 152.14 |
| Fasco | D150 | Blower Motor 1/4 HP PSC 115 Volt 1050 RPM 3 Spd Rev 5" Dia;" | 491.08 |
| Fasco | D188 | Evap Coil Motor 1/20 HP 230 Volt 1500 RPM CW 3.3" Dia;" | 172.58 |
| Fasco | D189 | Evap Coil Motor 1/20 HP 230 Volt 1500 RPM CCW 3.3" Dia;" | 178.48 |
| Fasco | D471 | Condenser Fan Motor 1/20 HP 208-230 Volt 1550 RPM CCWSE 3.3" Dia;" | 379.62 |
| Fasco | KIT6001 | CAPACITOR MOUNTING KIT; | 15.86 |
| Fasco | NO55L | Wire Band Mounting Kit for 5.5" Dia Motor Long Lug;" | 57.46 |
| Fieldpiece | ADK7 | Test Lead; | 86.68 |
| Fieldpiece | ADLS2 | Deluxe Silicon Leads; | 66.82 |
| Fieldpiece | ASLS2 | Silicon Leads SC66; | 50.58 |
| Fieldpiece | ATB1 | K-Thermocouple Wire Type; | 39.70 |
| Fieldpiece | JL3KR4 | Job Link Charge Kit; | 949.56 |
| Fieldpiece | PRH2 | Pocket Digital Psychrometer; | 182.34 |
| Fieldpiece | RCT2 | Extended Reach Probe Tip Set; | 28.88 |
| Fieldpiece | RLR44 | Battery for SPK1 2 Pack; | 18.04 |
| Fieldpiece | SC260 | Compact Clamp Meter W/True RMS/Magnet; | 303.28 |
| Fieldpiece | SC440 | Essential Clamp Meter TRMS Strap; | 444.10 |
| Fieldpiece | SC640 | Loaded Clamp Meter W/Swivel Head and True RMS; | 550.58 |
| Fieldpiece | SM480V | SMAN Manifold w/Micron Gauge 4 Port; | 1,550.64 |
| Fieldpiece | SPK1 | Digital Pocket Thermometer; | 70.42 |
| Fieldpiece | SRS3 | Wireless Refrigerant Scale, Use w/ Wireless Remote or Smart Device;Water Resis | 709.00 |
| Fieldpiece | ST4 | Dual Temp Thermometer; | 231.10 |
| Fieldpiece | SVG3 | Vacuum Guage W/Alarm; | 375.50 |
| Fieldpiece | TC48 | Large Pipe Clamp Thermocouple 3/4"- 4 1/8""; | 214.82 |
| Glasfloss | 10X10X1PLE | Pleated Filter;10X10X1PLE | 8.38 |
| Glasfloss | 10X20X1PLE | Pleated Filter;10X20X1PLE | 9.36 |
| Glasfloss | 10X20X2PLE | Pleated Filter;10X20X2PLE | 10.82 |
| Glasfloss | 10X24X1PLE | Pleated Filter;10X24X1PLE | 12.58 |
| Glasfloss | 10X25X1PLE MERV 13 | Pleated Filter MERV 13 10x25x1PLE; | 23.02 |

| | | | |
|-----------|------------|---------------------------|-------|
| Glasfloss | 12X12X1PLE | Pleated Filter;12X12X1PLE | 8.66 |
| Glasfloss | 12X20X1PLE | Pleated Filter;12X20X1PLE | 9.26 |
| Glasfloss | 12X20X2PLE | Pleated Filter;12X20X2PLE | 9.62 |
| Glasfloss | 12X24X1PLE | Pleated Filter;12X24X1PLE | 8.48 |
| Glasfloss | 12X24X2PLE | Pleated Filter;12X24X2PLE | 9.08 |
| Glasfloss | 12X24X4PLE | Pleated Filter;12X24X4PLE | 18.92 |
| Glasfloss | 12X25X1PLE | Pleated Filter;12X25X1PLE | 11.58 |
| Glasfloss | 12X25X2PLE | Pleated Filter;12X25X2PLE | 21.16 |
| Glasfloss | 12X30X1PLE | Pleated Filter;12X30X1PLE | 14.28 |
| Glasfloss | 14X14X1PLE | Pleated Filter;14X14X1PLE | 8.72 |
| Glasfloss | 14X20X1PLE | Pleated Filter;14X20X1PLE | 10.12 |
| Glasfloss | 14X20X2PLE | Pleated Filter;14X20X2PLE | 10.42 |
| Glasfloss | 14X24X1PLE | Pleated Filter;14X24X1PLE | 9.84 |
| Glasfloss | 14X24X2PLE | Pleated Filter;14X24X2PLE | 22.32 |
| Glasfloss | 14X25X1PLE | Pleated Filter;14X25X1PLE | 10.20 |
| Glasfloss | 14X25X2PLE | Pleated Filter;14X25X2PLE | 11.66 |
| Glasfloss | 14X30X1PLE | Pleated Filter;14X30X1PLE | 11.44 |
| Glasfloss | 15X20X1PLE | Pleated Filter;15X20X1PLE | 9.98 |
| Glasfloss | 15X20X2PLE | Pleated Filter;15X20X2PLE | 10.42 |
| Glasfloss | 15X25X1PLE | Pleated Filter;15X25X1PLE | 15.38 |
| Glasfloss | 15X30X1PLE | Pleated Filter;15X30X1PLE | 19.82 |
| Glasfloss | 16X16X1PLE | Pleated Filter;16X16X1PLE | 9.04 |
| Glasfloss | 16X16X2PLE | Pleated Filter;16X16X2PLE | 10.52 |
| Glasfloss | 16X20X1PLE | Pleated Filter;16X20X1PLE | 9.82 |
| Glasfloss | 16X20X2PLE | Pleated Filter;16X20X2PLE | 9.62 |
| Glasfloss | 16X20X4PLE | Pleated Filter;16X20X4PLE | 16.72 |
| Glasfloss | 16X22X1PLE | Pleated Filter;16X22X1PLE | 20.38 |
| Glasfloss | 16X24X1PLE | Pleated Filter;16X24X1PLE | 9.78 |
| Glasfloss | 16X24X2PLE | Pleated Filter;16X24X2PLE | 10.46 |
| Glasfloss | 16X25X1PLE | Pleated Filter;16X25X1PLE | 10.10 |
| Glasfloss | 16X25X2PLE | Pleated Filter;16X25X2PLE | 9.40 |
| Glasfloss | 16X25X4PLE | Pleated Filter;16X25X4PLE | 18.82 |
| Glasfloss | 16X30X1PLE | Pleated Filter;16X30X1PLE | 11.44 |
| Glasfloss | 18X18X1PLE | Pleated Filter;18X18X1PLE | 11.02 |
| Glasfloss | 18X18X2PLE | Pleated Filter;18X18X2PLE | 19.60 |
| Glasfloss | 18X20X1PLE | Pleated Filter;18X20X1PLE | 11.04 |
| Glasfloss | 18X20X2PLE | Pleated Filter;18X20X2PLE | 11.26 |

| | | | |
|----------------|--------------|---|--------|
| Glasfloss | 18X24X1PLE | Pleated Filter;18X24X1PLE | 11.44 |
| Glasfloss | 18X24X2PLE | Pleated Filter;18X24X2PLE | 10.46 |
| Glasfloss | 18X25X1PLE | Pleated Filter;18X25X1PLE | 10.52 |
| Glasfloss | 18X25X2PLE | Pleated Filter;18X25X2PLE | 12.52 |
| Glasfloss | 20X20X1PLE | Pleated Filter;20X20X1PLE | 8.80 |
| Glasfloss | 20X20X2PLE | Pleated Filter;20X20X2PLE | 11.30 |
| Glasfloss | 20X20X4PLE | Pleated Filter;20X20X4PLE | 18.76 |
| Glasfloss | 20X22X1PLE | Pleated Filter;20X22X1PLE | 14.60 |
| Glasfloss | 20X24X1PLE | Pleated Filter;20X24X1PLE | 11.54 |
| Glasfloss | 20X24X2PLE | Pleated Filter;20X24X2PLE | 11.58 |
| Glasfloss | 20X24X4PLE | Pleated Filter;20X24X4PLE | 24.44 |
| Glasfloss | 20X25X1PLE | Pleated Filter;20X25X1PLE | 10.52 |
| Glasfloss | 20X25X2PLE | Pleated Filter;20X25X2PLE | 12.06 |
| Glasfloss | 20X25X4PLE | Pleated Filter;20X25X4PLE | 21.70 |
| Glasfloss | 20X30X1PLE | Pleated Filter;20X30X1PLE | 10.68 |
| Glasfloss | 20X30X2PLE | Pleated Filter;20X30X2PLE | 16.10 |
| Glasfloss | 22X22X1PLE | Pleated Filter;22X22X1PLE | 16.64 |
| Glasfloss | 24X24X1PLE | Pleated Filter;24X24X1PLE | 11.58 |
| Glasfloss | 24X24X2PLE | Pleated Filter;24X24X2PLE | 12.74 |
| Glasfloss | 24X24X4PLE | Pleated Filter;24X24X4PLE | 25.00 |
| Glasfloss | 25X25X1PLE | Pleated Filter;25X25X1PLE | 13.08 |
| Glasfloss | 25X25X2PLE | Pleated Filter;25X25X2PLE | 15.52 |
| Glasfloss | HR36 | Fiberglass Filter Roll 36" x 20' x 1";" | 75.60 |
| Glasfloss | HRP24 | Polyester Filter Roll 24" x 20' x 1";" | 46.84 |
| Glasfloss | HRP30 | Polyester Filter Roll 30" x 20' x 1";" | 64.64 |
| Glasfloss | HRP36 | Polyester Filter Roll 36" x 20' x 1";" | 74.20 |
| Flippen | 11 | 10 Inch Float Stem 1/4-20 X 1/4-20; | 47.96 |
| Flippen | PX | 4 X 5 Inch Plastic Float Requires 1/4 Stem; | 61.16 |
| Flow (Emerson) | 100RB2F3 | 3/8 SAE Liquid Line Solenoid Valve; | 92.40 |
| Flow (Emerson) | 100RB2S2 | 1/4 ODF Liquid Line Solenoid Valve; | 87.34 |
| Flow (Emerson) | 100RB2S3 | 3/8 ODF Liquid Line Solenoid Valve; | 87.34 |
| Flow (Emerson) | 200RB2T2VLC | 1/4 ODF R410A Rated Liquid Line Solenoid Valve; | 100.16 |
| Flow (Emerson) | 200RB2T3VLC | 3/8 ODF R410A Rated Liquid Line Solenoid Valve; | 100.16 |
| Flow (Emerson) | 200RB3T3MVLC | 3/8 ODF R410A Rated Liquid Line Solenoid Valve Manual Stem; | 163.42 |
| Flow (Emerson) | 200RB3T3VLC | 3/8 ODF R410A Rated Liquid Line Solenoid Valve; | 119.38 |
| Flow (Emerson) | 200RB3T4MVLC | 1/2 ODF R410A Rated Liquid Line Solenoid Valve Manual Stem; | 163.42 |
| Flow (Emerson) | 200RB3T4VLC | 1/2 ODF R410A Rated liquid Line Solenoid Valve; | 119.38 |

| | | | |
|----------------|-------------------|---|--------|
| Flow (Emerson) | 200RB4T4MVLC | 1/2 ODF R410A Rated Liquid Line Solenoid Valve Manual Stem; | 193.44 |
| Flow (Emerson) | 200RB5T4MVLC | 1/2 ODF R410A Rated Liquid Line Solenoid Valve Manual Stem; | 225.30 |
| Flow (Emerson) | 200RB5T4VLC | 1/2 ODF R410A Rated Liquid Line Solenoid Valve; | 190.14 |
| Flow (Emerson) | 200RB5T5MVLC | 5/8 ODF R410A Rated Liquid Line Solenoid Valve Manual Stem; | 236.56 |
| Flow (Emerson) | 200RB5T5VLC | 5/8 ODF R410A Rated Liquid Line Solenoid Valve; | 190.14 |
| Flow (Emerson) | 200RB6T4MVLC | 1/2 ODF R410A Rated Liquid Line Solenoid Valve Manual Stem; | 232.16 |
| Flow (Emerson) | 200RB6T5MVLC | 5/8 ODF R410A Rated Liquid Line Solenoid Valve Manual Stem; | 232.16 |
| Flow (Emerson) | 200RB7T5MVLC | 5/8 ODF R410A Rated Liquid Line Solenoid Valve; | 239.12 |
| Flow (Emerson) | 200RB7T7MVLC | 7/8 ODF R410A Rated Liquid Line Solenoid Valve; | 250.96 |
| Flow (Emerson) | 200RB9T7MVLC | 7/8 ODF R410A Rated Liquid Line Solenoid Valve; | 330.28 |
| Flow (Emerson) | 200RB9T9MVLC | 1-1/8 ODF R410A Rated Liquid Line Solenoid Valve; | 330.28 |
| Flow (Emerson) | 240RA16T9M | 1 1/8 ODF Liquid Line Solenoid Valve Manual Stem; | 635.50 |
| Flow (Emerson) | A2-F | BTAS-2 Filter Cartridge 66 Sq in Filter Area; | 58.18 |
| Flow (Emerson) | A3-F | BTAS-3 Filter Cartridge 115 Sq in Filter Area; | 84.88 |
| Flow (Emerson) | A3-F-D | BTAS-3 Filter Drier Cartridge 13.3 Cu in; | 123.00 |
| Flow (Emerson) | A4-F | BTAS-4 Filter Cartridge 189 Sq in Filter Area; | 122.68 |
| Flow (Emerson) | AA 1/2 SC | 1/2 Ton 1/4 X 1/2 ODF Straight Thru R404a/R507 Int Equ Med Temp 30 in Cap; | 129.76 |
| Flow (Emerson) | AA 1/4 HC | 1/4 Ton TEV R22 Medium Temp 1/4 x 3/8 ODF Straight Thru; | 129.76 |
| Flow (Emerson) | AA 1/4 SC | 1/4 Ton 1/4 X 1/2 ODF Straight Thru R404a/R507 int Equ Med Temp 30 in Cap; | 129.76 |
| Flow (Emerson) | AA 1/4 SZ | 1/4 Ton 1/4 X 3/8 ODF Straight Thru R404a/R507 int Equ Low Tem 30 in Cap; | 129.76 |
| Flow (Emerson) | AAE 1/2 HC | 1/2 Ton 3/8 X 1/2 ODF Straight Thru R22 Ext Equ Med Temp 5 ft Cap; | 142.52 |
| Flow (Emerson) | AAE 1/2 SC | 1/2 Ton 3/8 X 1/2 ODF Straight Thru R404a/R507 Ext Equ Med Temp 5 FT Cap; | 142.52 |
| Flow (Emerson) | AAE 1/2 SZ | 1/2 Ton TEV 3/8 X 1/2 ODF Straight Thru R404/507 Ext Equ Low Temp 5 Ft Cap; | 142.52 |
| Flow (Emerson) | AMG 120-240/50-60 | 120-240 Dual Voltage Solenoid Coil; | 108.30 |
| Flow (Emerson) | AMG 120/50-60 | 120 Volt Solenoid Coil; | 84.50 |
| Flow (Emerson) | AMG 208-240/50-60 | 208-240 Volt Solenoid Coil; | 84.50 |
| Flow (Emerson) | AMG 24/50-60 | 24 Volt Solenoid Coil; | 84.50 |
| Flow (Emerson) | AMG 480/50-60 | 480 Volt Solenoid Coil; | 108.30 |
| Flow (Emerson) | AOF303 | 3/8 SAE High Efficiency Oil Filter; | 252.56 |
| Flow (Emerson) | AOFD553 | Oil Filter-Drier For POE Oil 3/8 SAE w/Schreader Ports; | 192.36 |
| Flow (Emerson) | ASD28S4VV | 1/2 ODF 28 Cu in Premium Suction Line Filter Drier Dual Access Valves; | 106.74 |
| Flow (Emerson) | ASD35S5VV | 5/8 ODF 35 Cu in Premium Suction Line Filter Drier Dual Access Valves; | 133.04 |
| Flow (Emerson) | ASD45S6VV | 3/4 ODF 45 Cu in Premium Suction Line Filter Drier Dual Access Valves; | 152.06 |
| Flow (Emerson) | ASD45S7VV | 7/8 ODF 45 Cu in Premium Suction Line Filter Drier Dual Access Valves; | 152.06 |
| Flow (Emerson) | ASD50S9VV | 1 1/8 ODF 50 Cu in Premium Suction Line Filter Drier Dual Access Valves; | 180.94 |
| Flow (Emerson) | ASD75S11VV | 1 3/8 ODF 75 Cu in Premium Suction Line Filter Drier Dual Access Valves; | 250.44 |
| Flow (Emerson) | ASK165SVVHH | 5/8 ODF 16 Cu In Solid Core Suction Line Filter-Drier; | 78.06 |

| | | | |
|----------------|-------------|---|--------|
| Flow (Emerson) | ASK167SVVHH | 7/8 ODF 16 Cu In Solid Core Suction Line Filter-Drier; | 83.98 |
| Flow (Emerson) | ASK307SVVHH | 7/8 ODF 30 Cu In Solid Core Suction Line Filter-Drier; | 125.22 |
| Flow (Emerson) | BFK083S | 3/8 ODF 8 Cu in Bi-Flow Heat Pump Drier; | 59.58 |
| Flow (Emerson) | BFK084S | 1/2 ODF 8 Cu in Bi-Flow Heat Pump Drier; | 61.42 |
| Flow (Emerson) | BFK163S | 3/8 ODF 16 Cu in Bi-Flow Heat Pump Drier; | 87.66 |
| Flow (Emerson) | BFK164S | 1/2 ODF 16 Cu in Bi-Flow Heat Pump Drier; | 89.98 |
| Flow (Emerson) | BFK165S | 5/8 ODF 16 Cu in Bi-Flow Heat Pump Drier; | 92.08 |
| Flow (Emerson) | BFK305S | 5/8 ODF 30 Cu in Bi-Flow Heat Pump Drier; | 119.64 |
| Flow (Emerson) | BFK307S STD | 7/8 ODF 30 Cu in Bi-Flow Heat Pump Drier; | 124.04 |
| Flow (Emerson) | BTAS-317S-V | 2 1/8 ODF Brass Suction Line Shell; | 591.22 |
| Flow (Emerson) | EK032 | 1/4 SAE 3 Cu in Liquid Line Drier; | 23.14 |
| Flow (Emerson) | EK032FM | 1/4 SAE 3 Cu in Female X Male Liquid Line Drier; | 23.14 |
| Flow (Emerson) | EK032MF | 1/4 SAE 3 Cu in Male X Female Liquid Line Drier; | 23.14 |
| Flow (Emerson) | EK032S | 1/4 ODF 3 Cu in Liquid Line Drier; | 23.14 |
| Flow (Emerson) | EK032SVCAP | 1/4 ODF X Cap Tube 3 Cu in Liquid Line Drier w/Press Tap; | 37.96 |
| Flow (Emerson) | EK033 | 3/8 SAE 3 Cu in Liquid Line Drier; | 24.84 |
| Flow (Emerson) | EK033S | 3/8 ODF 3 Cu In Liquid Line Drier; | 24.84 |
| Flow (Emerson) | EK052 | 1/4 SAE 5 Cu in Liquid Line Drier; | 28.34 |
| Flow (Emerson) | EK052S | 1/4 ODF 5 Cu in Liquid Line Drier; | 28.34 |
| Flow (Emerson) | EK053 | 3/8 SAE 5 Cu in Liquid Line Drier; | 28.34 |
| Flow (Emerson) | EK053S | 3/8 ODF 5 Cu in Liquid Line Drier; | 28.34 |
| Flow (Emerson) | EK082 | 1/4 SAE 8 Cu in Liquid Line Drier; | 35.24 |
| Flow (Emerson) | EK082S | 1/4 ODF 8 Cu in Liquid Line Drier; | 35.24 |
| Flow (Emerson) | EK083 | 3/8 SAE 8 Cu in Liquid Line Drier; | 35.24 |
| Flow (Emerson) | EK083S | 3/8 ODF 8 Cu in Liquid Line Drier; | 35.24 |
| Flow (Emerson) | EK084 | 1/2 SAE 8 Cu in Liquid Line Drier; | 36.88 |
| Flow (Emerson) | EK084S | 1/2 ODF 8 Cu in Liquid Line Drier; | 36.88 |
| Flow (Emerson) | EK162 | 1/4 SAE 16 Cu in Liquid Line Drier; | 45.20 |
| Flow (Emerson) | EK162S | 1/4 ODF 16 Cu In Liquid Line Drier; | 45.20 |
| Flow (Emerson) | EK163 | 3/8 SAE 16 Cu in Liquid Line Drier; | 45.20 |
| Flow (Emerson) | EK163S | 3/8 ODF 16 Cu in Liquid Line Drier; | 45.20 |
| Flow (Emerson) | EK164 | 1/2 SAE 16 Cu in Liquid Line Drier; | 48.36 |
| Flow (Emerson) | EK164S | 1/2 ODF 16 Cu in Liquid Line Drier; | 48.36 |
| Flow (Emerson) | EK165 | 5/8 SAE 16 Cu in Liquid Line Drier; | 51.18 |
| Flow (Emerson) | EK165S | 5/8 ODF 16 Cu in Liquid Line Drier; | 51.18 |
| Flow (Emerson) | EK303 | 3/8 SAE 30 Cu in Liquid Line Drier; | 81.30 |
| Flow (Emerson) | EK303S | 3/8 ODF 30 Cu in Liquid Line Drier; | 81.30 |

| | | | |
|----------------|------------------|--|--------|
| Flow (Emerson) | EK304 | 1/2 SAE 30 Cu in Liquid Line Drier; | 81.30 |
| Flow (Emerson) | EK304S | 1/2 ODF 30 Cu in Liquid Line Drier; | 81.30 |
| Flow (Emerson) | EK305 | 5/8 SAE 30 Cu in Liquid Line Drier; | 81.30 |
| Flow (Emerson) | EK305S | 5/8 ODF 30 Cu in Liquid Line Drier; | 81.30 |
| Flow (Emerson) | EK307S | 7/8 ODF 30 Cu in Liquid Line Drier; | 88.78 |
| Flow (Emerson) | EK415 | 5/8 SAE 41 Cu in Liquid Line Drier; | 115.76 |
| Flow (Emerson) | EK415S | 5/8 ODF 41 Cu in Liquid Line Drier; | 115.76 |
| Flow (Emerson) | EK417S | 7/8 ODF 41 Cu in Liquid Line Drier; | 115.76 |
| Flow (Emerson) | F48R | 48 Cu in Felt Core Suction Line Only Reverse Flow; | 57.94 |
| Flow (Emerson) | H100 | 100 Cu in Desiccant Core High Water Capacity; | 140.48 |
| Flow (Emerson) | H48 | 48 Cu in Desiccant Core High Acid and Water Removal; | 43.94 |
| Flow (Emerson) | HFESC 1 HC | 1 Ton TEV R22 Med Temp Ext Equalized 3/8 X 1/2 ODF Angle w/Inlet Strainer; | 225.80 |
| Flow (Emerson) | HFESC 1 SC | 1 Ton 3/8 X 1/2 ODF Angle R404a/ R507 Ext Equ Med Temp 5 Ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 1 SZ | 1 Ton 3/8 X 1/2 ODF Angle R404a/R507 Ext Equ Low Temp 5 Ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 1-1/2 HC | 1-1/2 Ton TEV R22 Med Temp Ext Equalized 3/8 X 1/2 ODF Angle w/Inlet Strainer; | 225.80 |
| Flow (Emerson) | HFESC 1-1/2 SC | 1-1/2 Ton 3/8 X 1/2 ODF Angle R404a/R507 Ext Equ Med Temp 5ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 1-1/2 SZ | 1-1/2 Ton 3/8 X 1/2 ODF Angle R404a/R507 Ext Equ Low Temp 5 Ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 1-1/2BA-01 | 1-1/2 Ton 3X4 ODF Angle w/Strainer R448a Med/Low Temp 5ft Cap; | 232.90 |
| Flow (Emerson) | HFESC 1/2 HC | 1/2 Ton 3/8 X 1/2 ODF Angle R22 Ext Equ Med Temp 5 Ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 1/2 SC | 1/2 Ton 3/8 X 1/2 ODF Angle R404a/R507 Ext Equ Med Temp 5 Ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 1/2 SZ | 1/2 Ton 3/8 X 1/2 ODF Angle R404a/R507 Ext Equ Low Temp 5 ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 1/2BA-02 | 1/2 Ton 3X4 ODF Angle w/Strainer R448a Med/Low Temp 5ft Cap; | 232.90 |
| Flow (Emerson) | HFESC 1/4BA-01 | 1/4 Ton 2X4 ODF Angle w/Strainer R448a Med/Low Temp 5ft Cap; | 232.90 |
| Flow (Emerson) | HFESC 1BA-01 | 1 Ton 3X4 ODF Angle w/Strainer R448a Med/Low Temp 5ft Cap; | 232.90 |
| Flow (Emerson) | HFESC 2 HC | 2 Ton 3/8 X 1/2 ODF Angle R22 Ext Equ Med Temp 5 Ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 2 SC | 2 Ton 3/8 X 1/2 ODF Angle R404a/R507 Ext Equ Med Temp 5 ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 2 SZ | 2 Ton 3/8 X 1/2 ODF Angle R404a/R507 Ext Equ Low Temp 5 Ft Cap; | 225.80 |
| Flow (Emerson) | HFESC 2BA-01 | 2 Ton 2X4 ODF Angle w/Strainer R448a Med/Low Temp 5ft Cap; | 232.90 |
| Flow (Emerson) | HFESC 3-1/2 SC | 3-1/2 Ton 3/8 X 1/2 ODF Angle R404a/R507 Ext Equ Med Temp 5 Ft Cap; | 225.80 |
| Flow (Emerson) | HFK KT20298-1 | TEV Body Int Eq 1/4 X 1/2 SAE Angle Balanced Port; | 88.60 |
| Flow (Emerson) | HFK KT20298-11 | TEV Body Ext Eq 3/8 X 1/2 ODF Straight Through Balanced Port; | 83.98 |
| Flow (Emerson) | HFK KT20298-14 | TEV Body Ext Eq 1/2 X 7/8 ODF Straight Through Balanced Port; | 83.98 |
| Flow (Emerson) | HFK KT20298-2 | TEV Body Int Eq 3/8 X 1/2 SAE Angle Inlet Balanced Port; | 88.60 |
| Flow (Emerson) | HFK KT20298-6 | TEV Body Ext Eq 3/8 X 1/2 ODF Angle Inlet Strainer Balanced Port; | 120.82 |
| Flow (Emerson) | HFK KT20298-7 | TEV Body Int Eq 3/8 X 1/2 ODF Straight Through Balanced Port; | 66.90 |
| Flow (Emerson) | HFK KT20299-0 | 0 Cage Kit HFK 1/8 Ton R12/404/507 1/4 Ton R22/134A/407C; | 39.54 |
| Flow (Emerson) | HFK KT20299-1 | 1 Cage Kit HFK 1/4 Ton R12/404/507 1/2 Ton R22/134A/407C; | 39.54 |

| | | | |
|----------------|---------------|--|----------|
| Flow (Emerson) | HFK KT20299-2 | 2 Cage Kit HFK 1/2 Ton R12/404/507 3/4 Ton R134A 1 Ton R22/407C; | 38.02 |
| Flow (Emerson) | HFK KT20299-4 | 4 Cage Kit HFK 1 1/4 Ton R12/404/507 1 1/2 Ton 134A 2 Ton R22/407C; | 39.54 |
| Flow (Emerson) | HFK KT20299-6 | 6 Cage Kit HFK 2 Ton R12/404/507 2 1/2 Ton 134A 3 Ton R22/407C; | 39.54 |
| Flow (Emerson) | HFK KT20299-7 | 7 Cage Kit HFK 3 1/2 Ton R12/404/507 4 Ton 134A 5 1/2 Ton R22/407C; | 39.54 |
| Flow (Emerson) | HMI-1FM2 | 1/4 SAE Female X Male Sight Glass; | 39.28 |
| Flow (Emerson) | HMI-1FM3 | 3/8 SAE Female X Male Sight Glass; | 41.90 |
| Flow (Emerson) | HMI-1FM4 | 1/2 SAE Female X Male Sight Glass; | 50.50 |
| Flow (Emerson) | HMI-1TT2 | 1/4 ODF Extended End Sight Glass; | 39.28 |
| Flow (Emerson) | HMI-1TT3 | 3/8 ODF Extended End Sight Glass; | 40.04 |
| Flow (Emerson) | HMI-1TT4 | 1/2 ODF Extended End Sight Glass; | 48.16 |
| Flow (Emerson) | HMI-1TT5 | 5/8 ODF Extended End Sight Glass; | 49.84 |
| Flow (Emerson) | HMI-1TT7 | 7/8 ODF Extended End Sight Glass; | 73.58 |
| Flow (Emerson) | HMI-1TT9 | 1 1/8 ODF Extended End Sight Glass; | 79.58 |
| Flow (Emerson) | HX-48 | 48 Cu in Desiccant Core HighEST Acid and Water Removal; | 71.38 |
| Flow (Emerson) | KS30321 | 240RA8 Solenoid Valve Repair Kit; | 166.78 |
| Flow (Emerson) | KS30322 | 240RA9 Solenoid Valve Repair Kit; | 169.30 |
| Flow (Emerson) | KS30324 | 240RA16 Solenoid Valve Repair Kit; | 173.58 |
| Flow (Emerson) | KS30386 | 200RD2 Thru 200RD6 Solenoid Valve Repair Kit; | 138.58 |
| Flow (Emerson) | KS30387 | Bi-Flow Conversion Kit For 200RD Solenoid Valves R410A; | 82.20 |
| Flow (Emerson) | MAG TOOL | Magnetic Multi-Purpose Solenoid Tool 066019; | 201.00 |
| Flow (Emerson) | OMB-JB1 | Crankcase Oil Level Protection Control 24 Volt For ZF ZB ZR ZS w/Junction Box; | 1,005.08 |
| Flow (Emerson) | STAS-485-T | 5/8 ODF 48 Cu in Replaceable Single Core Drier Shell; | 434.22 |
| Flow (Emerson) | STAS-487-T | 7/8 ODF 48 Cu in Replaceable Single Core Drier Shell; | 434.22 |
| Flow (Emerson) | STAS-489-T | 1 1/8 ODF 48 Cu in Replaceable Single Core Drier Shell; | 434.22 |
| Flow (Emerson) | STAS-967-T | 7/8 ODF Replaceable 2-core Filter-Drier Shell; | 505.30 |
| Flow (Emerson) | STAS-969-T | 1 1/8 ODF 96 Cu in Replaceable Two Core Drier Shell; | 505.30 |
| Flow (Emerson) | TFES16ZAA | 16 Ton R410A A/C 5/8 X 7/8 ODF St Thru Ext Equ; | 273.84 |
| Flow (Emerson) | TFES20ZAA | 20 Ton R410A A/C 7/8 X 1-1/8 ODF St Thru Ext Equ; | 297.48 |
| Flow (Emerson) | UK48 | 48 Cu in Dessicant Core Universal Replacement and High Water Removal RCW-48; | 66.94 |
| Flow (Emerson) | W48 HH | 48 Cu in Desiccant Core High Acid Capacity Activated Carbon Sporlan RC-4864HH; | 74.26 |
| Flow (Emerson) | X12978-1 | AMI Replacement Sight Glass Lens; | 37.16 |
| Flow (Emerson) | X26300FC-1 | HF Power Head Assembly R12 Medium Temp; | 81.94 |
| Flow (Emerson) | X26300HC-1 | HF Power Head Assembly R22 Medium Temp; | 81.94 |
| Flow (Emerson) | X26300SC-1 | HF Power Head Assembly R404A Medium Temp; | 81.94 |
| Flow (Emerson) | X26300SZ-1 | HF Power Head Assembly R404A Low Temp; | 81.94 |
| Flow (Emerson) | XB1019HC-1B | TCL/TCLE/TJLE/TJR Power Assembly R22 -20 to +50 External Equalized; | 263.08 |
| Fluke | 116 | HVAC Multimeter with Temperature and Microamps; | 567.22 |

| | | | |
|----------|-------------|--|----------|
| Fluke | 116/323 KIT | 116 HVAC Multimeter and 323 True RMS Clamp Meter w/Test Leads and Soft Case; | 886.94 |
| Fluke | 1AC-A1-II | VoltAlert Line Voltage Detector; | 85.04 |
| Fluke | 324 | True-RMS AC Clamp Meter 400A; | 644.22 |
| Fluke | 373 | True-RMS AC Clamp Meter 600A; | 719.40 |
| Fluke | 52-2 | Dual Input Thermometer; | 1,148.92 |
| Fluke | 561 | Infrared and Contact Thermometer; | 629.12 |
| Fluke | 62MAX | Mini Infrared Thermometer; | 288.76 |
| Fluke | 80AK-A | Thermocouple Adapter; | 105.22 |
| Fluke | 80PK-1 | Bead Probe; | 135.28 |
| Fluke | 80PK-11 | Type-K Velcro Thermocouple Temperature Probe; | 148.18 |
| Fluke | 80PK-25 | SureGrip Piercing Temperature Probe; | 360.78 |
| Fluke | 80PK-3A | Type K Surface Probe; | 472.42 |
| Fluke | 80PK-8 | Pipe Clamp Temperature Probe; | 515.36 |
| Fluke | 902FC | True RMS HVAC Clamp Meter; | 837.50 |
| Fluke | AC175 | Threaded Alligator Clip Set; | 103.08 |
| Fluke | C25 | Large Soft Case for DMMs; | 118.10 |
| Fluke | RLD2 | Combination Flashlight-UV Leak Detector-Laser Pointer; | 198.02 |
| Fluke | T5-600 | Voltage, Continuity and Current Tester; | 357.14 |
| Fluke | TL220 | SureGrip Industrial Test Lead Set; | 236.20 |
| Fluke | TL71 | Premium Test Lead Set; | 94.48 |
| Fluke | TL75 | Hard Point Test Lead Set; | 79.44 |
| Fluke | TPAK | ToolPak Meter Hanging Kit with Magnetic Strap; | 118.10 |
| Fortress | LAC150W | 6 In 90 Deg Inside Vertical Elbow White Fortress; | 67.02 |
| Fortress | LACM150W | 6 In 120 Deg Adj Vertical 90; | 92.60 |
| Fortress | LAD150W | 6 In Ducting White (48 in x 6 in x 4 in) Fortress; | 108.98 |
| Fortress | LAE150W | 6 In End Fitting White Fortress; | 29.48 |
| Fortress | LAJ150W | 6 In Coupler White Fortress; | 22.18 |
| Fortress | LAK150W | 6 In 90 Deg Flat Elbow White Fortress; | 61.68 |
| Fortress | LAKM150W | 6 In 120 Deg Adj Flat Elbow; | 74.48 |
| Fortress | LATK150W | 6 In Tee White Fortress; | 129.96 |
| Fortress | LAW150W | 6 In Wall Inlet White; | 79.14 |
| Fortress | LCFI122W | 4 1/2 45 Deg Inside Vertical ELL; | 50.00 |
| Fortress | LCFO122W | 4 1/2 45 Deg Outside Vertical ELL; | 50.00 |
| Fortress | LCI122W | 4 1/2 90 Deg Inside Vertical ELL; | 50.00 |
| Fortress | LCO122W | 4 1/2 90 Deg Outside Vertical ELL; | 50.00 |
| Fortress | LCO92W | 3 1/2 In 90 deg Outside Vertical Elbow White Fortress; | 38.44 |
| Fortress | LD122W | 4 1/2 in Ducting White (96 in x 4 5/8 in x 3 1/4 in) Fortress; | 93.08 |

| | | | |
|--------------------|---------------------|---|--------|
| Fortress | LD92I | 3 1/2 in Ducting Ivory (96 in x 3 5/8 in x 2 5/8 in) Fortress; | 71.72 |
| Fortress | LD92W | 3 1/2 in Ducting White (96 in x 3 5/8 in x 2 5/8 in) Fortress; | 71.72 |
| Fortress | LDK122I | 12' Lineset Wall Duct Kit Ivory 4 1/2 in Fortress; | 245.02 |
| Fortress | LEN92I | 3 1/2 in End Fitting Ivory Fortress; | 15.28 |
| Fortress | LEN92W | 3 1/2 in End Fitting White Fortress; | 15.28 |
| Fortress | LF122W | 4 1/2 Flexible ELL; | 78.72 |
| Fortress | LFJ122W | 4 1/2 Flexible Adaptor; | 23.48 |
| Fortress | LHJK150W | 6 In Soffit Inlet White Fortress; | 38.38 |
| Fortress | LJ122W | 4 1/2 Coupler; | 14.12 |
| Fortress | LJ92I | 3 1/2 in Coupler Ivory Fortress; | 13.46 |
| Fortress | LJ92W | 3 1/2 in Coupler White Fortress; | 13.46 |
| Fortress | LK122I | 4 1/2 in 90 Deg Flat Elbow Ivory Fortress; | 36.62 |
| Fortress | LK122W | 4 1/2 in 90 Deg Flat Elbow White Fortress; | 36.62 |
| Fortress | LK92I | 3 1/2 in 90 Deg Flat Elbow Ivory Fortress; | 28.14 |
| Fortress | LK92W | 3 1/2 in 90 Deg Flat Elbow White Fortress; | 28.14 |
| Fortress | LKF122W | 45 Deg Flat ELL; | 44.36 |
| Fortress | LKS122W | 4 1/2 90 Deg Sweep ELL; | 46.40 |
| Fortress | LP122W | 4 1/2 Soffit Inlet; | 41.82 |
| Fortress | LP92W | 3 1/2 in Soffit Inlet White Fortress; | 32.10 |
| Fortress | LT122W | 4 1/2 Tee; | 66.00 |
| Fortress | LW122W | 4 1/2 Wall Inlet; | 36.50 |
| Fortress | LW92I | 3 1/2 in Wall Inlet Ivory Fortress; | 28.06 |
| Fortress | LW92W | 3 1/2 in Wall Inlet White Fortress; | 28.06 |
| Fortress | LWF122W | 4 1/2 Wall Flange; | 38.44 |
| Functional Devices | RIB2401B | SPDT 24 Volt AC/DC/120 Volt Coil 20 Amp Enclosed Power Relay; | 53.14 |
| Functional Devices | RIB24P | DPDT 24 Volt AC/DC Coil 20 Amp Enclosed Power Relay; | 109.82 |
| Functional Devices | RIBH1C | Enclosed Relay 10 Amp SPDT With 10-30Vac/DC/208/277 Vac Coil; | 40.34 |
| Functional Devices | RIBU1C | Enclosed Relay 10 Amp SPDT with 10-30Vac/dc/120 Vac Coil; | 33.54 |
| Functional Devices | RIBU2C | 2 SPDT 10/30 Volt AC/DC/120 Volt Coil 10 Amp Pilot Control Relay; | 68.74 |
| Functional Devices | RIBXGTF | SPST Split Core Current Sensor 30 Volt AC/DC; | 58.36 |
| Functional Devices | RIBXKTF | SPST Solid Core Current Sensor 30 Volt AC/DC; | 41.16 |
| Fuses | CCMR 1 | 1 Amp 600V Time Delay Fuse; | 16.46 |
| Fuses | CCMR 10 | 10 Amp 600V Time Delay Fuse; | 16.46 |
| Fuses | CCMR 15 | 15 Amp 600V Time Delay Fuse; | 16.46 |
| Fuses | CCMR 30 | 30 Amp 600V Time Delay Fuse; | 16.46 |
| Fuses | CCMR 5 | 5 Amp 600V Time Delay Fuse; | 16.46 |
| Welding Gases | 20 LB CO/2 ALUM DEP | 20 Lb CO/2 Aluminum Tank Deposit; | 536.24 |

| | | | |
|---------------|-------------------|---|--------|
| Welding Gases | 20 LB CO/2 CONT | 20 Lb CO/2 Content; | 46.02 |
| Welding Gases | B ACETYLENE CONT | B 35 Cu Ft Acetylene Content; | 69.44 |
| Welding Gases | G40 NITROGEN CONT | G40 Cu Ft Nitrogen Content; | 36.92 |
| Welding Gases | G40 NITROGEN DEP | G40 Cu Ft Nitrogen Tank Deposit; | 395.30 |
| Welding Gases | MC ACETYLENE CONT | MC 8 Cu Ft Acetylene Content; | 48.74 |
| Welding Gases | MC ACETYLENE DEP | MC 8 Cu Ft Acetylene Tank Deposit; | 234.68 |
| Welding Gases | Q NITROGEN CONT | Q 80 Cu Ft Nitrogen Content; | 48.24 |
| Welding Gases | Q NITROGEN DEP | Q 80 Cu Ft Nitrogen Tank Deposit; | 478.14 |
| Welding Gases | R OXYGEN CONT | R 20 Cu Ft Oxygen Content; | 28.18 |
| Welding Gases | R OXYGEN DEP | R 20 Cu Ft Oxygen Tank Deposit; | 258.60 |
| GE | 5472 | Refrigeration Fan Motor ECM 36 Watt 115 Volt 1650 RPM CW; | 191.98 |
| Intermatic | DTAV40 | Defrost Time Clock 120/240V; | 255.68 |
| Intermatic | ET2715C | 7 Day SPDT 120-277v Nema 1 LED USB Electronic Time Clock; | 621.50 |
| Intermatic | FM/1 STUZ 120V | Electromechanical Timer 1 Channel 120V / 24 Hour; | 108.96 |
| Intermatic | FM/1 STUZ 240V | Electromechanical Timer 1 Channel 240V / 24 Hour; | 111.42 |
| Intermatic | FM/1 STUZ 24V | Electromechanical Timer 1 Channel 24V / 24 Hour; | 111.42 |
| Intermatic | FM1D20A-120 | PROGRAMABLE TIME CLOCK; | 386.40 |
| Intermatic | FM1D20A-24 | PROGRAMABLE TIME CLOCK; | 390.12 |
| Intermatic | GM40AV | 24HR 40amp 120-277V DPDT Timer; | 187.26 |
| Intermatic | MIL 72A-STUZ 120V | Electromechanical Timer 1 Channel 120V / 24 Hour; | 140.12 |
| Henry | 9298 | Positive Oil Exchange Valve; | 162.38 |
| Henry Mastic | 208004 | 208 Wet Roof Cement 11Oz.; | 8.38 |
| Henry Mastic | 208042 | 208 Wet Roof Cement 1 Gallon; | 38.90 |
| Dawson Co. | 79 | Water Air Vent (401488) 1/2"F X 3/4"M NPT;" | 350.62 |
| Honeywell | 107408 | Compound Heat Conductive 4 oz.; | 50.50 |
| Honeywell | 121371A | Well Assembly Brass Immersion 1/2" NPT for 3/8" Bulb;" | 87.70 |
| Honeywell | 121371B | Well Assembly Brass Immersion 3/4" NPT for 3/8" Bulb;" | 99.88 |
| Honeywell | 191990A | Keys Replacement for All TG510,511,512 and Obsolete TG500 Series (2pk); | 22.32 |
| Honeywell | 394800-30 | Cable Ignition 30" with 1/4" QC and 90 Degree Insulated Boot;" | 130.32 |
| Honeywell | 50001137-001 | Wallplate for TH3 4 5 and 6 Series Thermostat Small and Med Plates; | 36.26 |
| Honeywell | 50002883-001 | Wallplate for TH3 4 5 and 6 Series Thermostat Med and Large Plates; | 33.80 |
| Honeywell | 50021579-001 | Sensor Encapsulated Platinum for T775 New Series Controllers; | 126.50 |
| Honeywell | 50053060-001 | Duct Mounting Kit For 2000 Series Enthalpy & Humidity Sensors (5pk);(5pk) | 69.34 |
| Honeywell | C7046A1004 | Sensor Duct Temperature 3K OHM 8" Insertion;" | 92.68 |
| Honeywell | C7089R1013/U | Wireless Outdoor Sensor RedLINK; | 166.54 |
| Honeywell | C7089U1006 | Sensor Outdoor Temperature for VisionPro TH7000 & TH8000 Series Stats; | 76.38 |
| Honeywell | C7150B1004 | Sensor Mixed or Discharge Air Temperature 3K OHM for Economizer; | 78.70 |

| | | | |
|-----------|--------------|---|----------|
| Honeywell | C7189R1004 | Wireless Redlink 2.0 Indoor Sensor Temp/Humidity; | 126.04 |
| Honeywell | C7189U1005 | Sensor Indoor Temperature Wall Mount for TH7000 and TH8000 Thermostats; | 88.24 |
| Honeywell | C7232B1006 | Sensor CO2 Duct Mount with Display One Modulating and One Relay Output; | 751.60 |
| Honeywell | C7250A1001/U | 20K Temp Sensor Return/Discharge -40 To 150 Use With W7220; | 54.36 |
| Honeywell | C7400A2001 | Sensor Enthalpy Solid State Duct Mount; | 244.44 |
| Honeywell | C7400S1000 | Enthalpy SYLK Bus Sensor; | 191.54 |
| Honeywell | C7660A1000 | Sensor Duct Temperature Can Use In Place Of C7400 for Dry Bulb only; | 125.78 |
| Honeywell | ERM5220R1018 | RedLink Equipment Remote Module; | 330.86 |
| Honeywell | HZ322K | Panel Kit 3 Zone 2 heat 2 Cool Truezone; | 575.96 |
| Honeywell | HZ432K | Panel Kit 4 Zone 3 heat 2 Cool Truezone; | 1,027.90 |
| Honeywell | L4006E1067 | Aquastat 130/270F Open on Rise Manual Reset Horz or Vert Mtg; | 501.26 |
| Honeywell | L4008A1015 | Aquastat 100/240F Open on Rise Adj. Diff. 66" Capillary;" | 367.70 |
| Honeywell | L4008E1156 | Aquastat 130/270F Open on Rise Manual Reset 66" Capillary;" | 455.50 |
| Honeywell | L6006A1145 | Aquastat 100/240F SPDT Opens on Rise Adj. Diff. Direct Mount; | 361.22 |
| Honeywell | M7215A1008 | Actuator Economizer 2/10vdc Spring Ret. 24V W72XX Series Control; | 747.04 |
| Honeywell | M7415A1006 | Actuator Economizer 25Lb-In CCW 90 Deg Stroke 24V Spring Return W7459; | 900.12 |
| Honeywell | M847D-ZONE | Repl 24V 2-Position Actuator Motor ARD and ZD Zone Dampers; | 248.46 |
| Honeywell | MS4104F1010 | Actuator Fire/Smoke DCA 2-Pos. Spring Return CW/CCW 120V UL555S; | 551.64 |
| Honeywell | Q313A1139 | Thermopile 750mv 35in Open Spade Terminal and Push in Clip; | 141.56 |
| Honeywell | Q313A1170 | Thermopile 750mv 35in Open Spade Terminal and PG9 Adaptor; | 151.76 |
| Honeywell | Q3200U1004 | Glowfly Universal Hot Surface Ignitor; | 89.70 |
| Honeywell | Q3400A1024 | Ignitor Hot Surface w/Flame Rod Assembly 30 Inch Lead used W/Smart Valves; | 180.92 |
| Honeywell | Q340A1066 | Thermocouple Universal 30mv 18" Long;" | 23.26 |
| Honeywell | Q340A1074 | Thermocouple Universal 30mv 24" Long;" | 24.26 |
| Honeywell | Q340A1082 | Thermocouple Universal 30mv 30" Long;" | 25.64 |
| Honeywell | Q340A1090 | Thermocouple Universal 30mv 36" Long;" | 26.60 |
| Honeywell | Q340A1108 | Thermocouple Universal 30mv 48" Long;" | 29.42 |
| Honeywell | Q345U1005 | Universal Pilot For Intermittent Pilot Applications; | 154.22 |
| Honeywell | Q7230A1005 | Module Interface Adj Zero & Span 2-10 Vdc or 4-20ma for M91XX Motors; | 423.80 |
| Honeywell | R8222B1067 | Relay SPDT 12amp 24V Coil; | 49.20 |
| Honeywell | R8222D1014 | Relay DPDT 12amp 24V Coil; | 52.68 |
| Honeywell | S7800A1001 | Keyboard Display Module for RM7800 Series Controllers; | 1,166.42 |
| Honeywell | S8610U3009 | Module Universal Intermittent Pilot Field Selectable Sequence; | 314.56 |
| Honeywell | S8910U3000 | Module Universal Hot Surface Ign 1.5 Sec FFRT 4 or 7 Sec. 32 sec. Prepurge; | 403.20 |
| Honeywell | SPC | Static Pressure Control 0.1 to 4.0 In wc W/Fixed Differential; | 698.08 |
| Honeywell | T651A3018 | Thermostat Medium Duty 9.8amp at 120V 120-277V 44-86F SPDT Outlet Box Mtg; | 349.64 |
| Honeywell | T7350B1002 | Thermostat Commercial Programmable 24V 2HT/2CL Remote Sensing Conv/Ht Pump; | 846.94 |

| | | | |
|----------------|------------------|---|----------|
| Honeywell | T775B2040 | Temperature Control Remote Electronic -40/220F 4 SPDT Relay 2/Float W/1 Sensor | 815.24 |
| Honeywell | T775M2048 | Temp Control Remote Electronic -40/220F 2-Analog & 2-SPDT Output w/1 Sensor; | 730.54 |
| Honeywell | T812A1002 | Thermostat Wall Bi-Metal Mercury Free 50/90F Htg. Only .White 24V; | 44.74 |
| Honeywell | T822K1000 | Thermostat Wall Mercury Free 50/90F Htg. Only Vertical Mtg . 24V; | 91.90 |
| Honeywell | TG510A1001 | Guard Thermostat Clear w/Keys Inside Dim 4 7/16" H X 4 7/16" W X 2 1/2" D;" | 65.28 |
| Honeywell | TG511A1000 | Guard Thermostat Clear w/Keys Inside Dim 5 1/16" H X 6 1/16" W X 2 15/16" D | 67.88 |
| Honeywell | TG512A1009 | Guard Thermostat Clear w/Keys Inside Dim 5 7/8" H X 8 3/8" W X 3 3/8" D;" | 70.38 |
| Honeywell | TH1110D2009 | Thermostat Digital Non-Programmable 1Ht/1Cl HP/Conv 24V or Battery; | 88.16 |
| Honeywell | TH4110U2005 | Thermostat T4 Pro Programmable 1H/1C HP/GE; | 118.18 |
| Honeywell | TH6210U2001 | Thermostat T6 Pro Programmable 2H/1C HT PUMP 1H/1C CONV 24V; | 167.80 |
| Honeywell | TH6220U2000 | Thermostat T6 Pro Programmable 2H/1C HP or 2HT/2CL Conv; | 226.54 |
| Honeywell | TH6320WF2003 | Wi-Fi T6 Pro Thermostat 3H/2C HP or 2H/2C Conv 7 Day Prog; | 421.58 |
| Honeywell | TH8110R1008 | Thermostat VisionPRO Programmable 7 Day 1HT/1CL 24V RedLink; | 457.20 |
| Honeywell | TH8320R1003 | Thermostat VisionPRO Programmable 7 Day 3H/2C 24V RedLink; | 507.98 |
| Honeywell | TH8321R1001 | VisionPro Program T-Stat 3H/2C Touchscreen U1 & U2 Term For Humidification; | 559.28 |
| Honeywell | TH8321WF1001 | Wi-Fi Vision PRO Thermostat 3H/2C 7 Day; | 512.48 |
| Honeywell | TH9320WF5003 | Wi-Fi T-Stat 3H/2C HP & 2H/2C Conv Title 24 Compliant; | 541.98 |
| Honeywell | THM5421R1021 | Equipment Interface Module EIM 4H/2C; | 201.92 |
| Honeywell | THM6000R7001 | Redlink Enable Internet Gateway RIG; | 195.10 |
| Honeywell | THP2400A1019/U | Cover Plate For Redlink Vision PRO; | 39.70 |
| Honeywell | TR21 | Sensor Wall Module 20K Ohm NTC non-Linear 45/99F used W/T7350 TB8220; | 38.78 |
| Honeywell | TR21-A | Sensor Wall Module 10KOhm NTC Averaging Non-Linear 45/99F used W/T7350 TB8220 | 56.30 |
| Honeywell | VR8345M4302 | Valve Dual Universal HotSurface/Direct Spark/Intermittent Gas 3/4" 300cfh 24V;" | 342.28 |
| Honeywell | W7220A1000 | Jade Economizer Module W/LCD And Key Pad Programable; | 686.76 |
| Honeywell | Y7220A7215 | Y-PAK Jade Controller, (1) Outdoor (1) Mixed Sensor, Actuator (M7215A2018); | 1,261.92 |
| Honeywell | Y7220S7215 | Y-PAK Jade Controller, Outdoor Enthalpy, Mixed Sen, Actuator (M7215A1008); | 1,409.18 |
| Honeywell | Y8610U4001 | Ignition Kit Intermittent S8610U, VR8204A, Ignitor/Flame Sensor.100% lockout; | 758.46 |
| Honeywell | YTHX9421R5085WW | White Prestige IAQ Comfort System Kit Stat, Module (2) Duct Sensors RedLINK; | 837.38 |
| Honeywell | E3N02 | E3 Point Sensor Cartridge Nitrogen Dioxide (N02) -40 to 120F; | 604.52 |
| Honeywell | E3SA | Stand Alone E3 Point Single/Dual Gas Monitor w/o Sensor Wall Mnt 4-20 ma, 24v; | 828.72 |
| Honeywell | E3SAH | Stand Alone E3 Point Single/Dual Gas Monitor w/o Sensor Wall Mnt 4-20ma, 120v; | 979.40 |
| Honeywell | E3SCO | E3 Point Sensor Cartridge Carbon Monoxide (CO) -4 to 120 F; | 358.76 |
| Honeywell | E3SM | Network E3 Point Single Gas Monitor W/O Sensor Wall Mnt Modbus 24 Vac/DC; | 979.40 |
| Honeywell | E3SRMNO2 | E3 Point Remote Sensor Nitrogen Dioxide (N02); | 704.98 |
| J/B Industries | 1/2 X 6 BLACK | 1/2" X 6' Black Heavy Duty Charging Hose;" | 226.98 |
| J/B Industries | 1/4 X 06 BLUE BV | 1/4" X 6" Blue Charging Hose with Ball Valve;" | 66.80 |
| J/B Industries | 1/4 X 06 RED BV | 1/4" X 6" Red Charging Hose with Ball Valve;" | 66.80 |

| | | | |
|----------------|---------------------|---|----------|
| J/B Industries | 1/4 X 06 RYB BV | 1/4" X 6" RYB 3 Pack Charging Hose with Ball Valve;" | 188.20 |
| J/B Industries | 1/4 X 06 YELLOW BV | 1/4" X 6" Yellow Charging Hose with Ball Valve;" | 66.80 |
| J/B Industries | 1/4 X 1 YELLOW | 1/4" X 1' Yellow Charging Hose;" | 34.02 |
| J/B Industries | 1/4 X 12 YELLOW | 1/4" X 12' Yellow Charging Hose;" | 110.36 |
| J/B Industries | 1/4 X 25 YELLOW | 1/4" X 25' Yellow Charging Hose;" | 188.62 |
| J/B Industries | 1/4 X 3 RYB | 1/4" X 3' RYB 3 Pack Charging Hose;" | 136.34 |
| J/B Industries | 1/4 X 3 RYB SS | 1/4" X 3' RYB 3 Pack Charging Hose w/ Secure Seal Fitting;" | 217.64 |
| J/B Industries | 1/4 X 3 YELLOW | 1/4" X 3' Yellow Charging Hose;" | 47.78 |
| J/B Industries | 1/4 X 4 BLACK | 1/4" X 4' Black Charging Hose Heavy Duty;" | 80.02 |
| J/B Industries | 1/4 X 4 RYB | 1/4" X 4' RYB 3 Pack Charging Hose;" | 156.60 |
| J/B Industries | 1/4 X 4 RYB SS | 1/4" X 4' RYB 3 Pack Charging Hose with Low Loss Fitting;" | 266.74 |
| J/B Industries | 1/4 X 4 YELLOW | 1/4" X 4' Yellow Charging Hose;" | 54.02 |
| J/B Industries | 1/4 X 5 BLACK | 1/4" X 5' Black Charging Hose Heavy Duty;" | 91.20 |
| J/B Industries | 1/4 X 5 RYB | 1/4" X 5' RYB 3 Pack Charging Hose;" | 175.82 |
| J/B Industries | 1/4 X 5 RYB SS | 1/4" X 5' RYB 3 Pack Charging Hose w/ Secure Seal Fitting;" | 292.30 |
| J/B Industries | 1/4 X 5 YELLOW | 1/4" X 5' Yellow Charging Hose;" | 59.92 |
| J/B Industries | 1/4 X 50 YELLOW | 1/4" X 50' Yellow Charging Hose;" | 341.54 |
| J/B Industries | 1/4 X 6 BLACK | 1/4" X 6' Black Charging Hose Heavy Duty;" | 102.14 |
| J/B Industries | 1/4 X 6 BLUE SS | 1/4" X 6' Blue Charging Hose with Low Loss Fitting;" | 104.72 |
| J/B Industries | 1/4 X 6 RED SS | 1/4" X 6' Red Charging Hose with Low Loss Fitting;" | 104.72 |
| J/B Industries | 1/4 X 6 RYB | 1/4" X 6' RYB 3 Pack Charging Hose;" | 194.12 |
| J/B Industries | 1/4 X 6 RYB BV | 1/4" X 6' RYB 3 Pack Charging Hose with Ball Valve;" | 370.48 |
| J/B Industries | 1/4 X 6 RYB SS | 1/4" X 6' RYB 3 Pack Charging Hose w/ Secure Seal Fitting;" | 315.20 |
| J/B Industries | 1/4 X 6 YELLOW | 1/4" X 6' Yellow Charging Hose;" | 65.12 |
| J/B Industries | 1/4 X 6 YELLOW SS | 1/4" X 6' Yellow Charging Hose with Low Loss Fitting;" | 104.72 |
| J/B Industries | 3/8 X 4 BLACK | 3/8" X 4' Black Heavy Duty Charging Hose;" | 95.06 |
| J/B Industries | 3/8 X 5 BLACK | 3/8" X 5' Black Heavy Duty Charging Hose;" | 111.64 |
| J/B Industries | 3/8 X 50 YELLOW | 3/8" X 50' Yellow Charging Hose;" | 543.58 |
| J/B Industries | 3/8 X 6 BLACK | 3/8" X 6' Black Heavy Duty Charging Hose;" | 127.92 |
| J/B Industries | EVAC 1/4 X 1/2 X 5 | 1/4" X 1/2" X 5' Heavy Duty Evacuation Hose Black;" | 213.82 |
| J/B Industries | SS REPLACEMENT HEAD | SS II Replacement Head; | 36.62 |
| Hoshizaki | 212088-01 | Cube Guide used w/ KM450 - KM900; | 90.96 |
| Hoshizaki | 2A1410-02 | Universal Control Board for all KM Series; | 1,024.98 |
| Hoshizaki | 3U0111-01 | Water Valve for KM-1300/KM-1200/KM-1600; | 156.76 |
| Hoshizaki | 3U0111-02 | Water Valve for KM-630/KM-800/KM-900; | 164.14 |
| Hoshizaki | 3U0111-03 | Water Valve for KM-450/KM-500; | 164.14 |
| Hoshizaki | 4A3140-01 | Relay For Air & Water Units Replaces 428393-01; | 137.56 |

| | | | |
|--------------------|---------------------|---|----------|
| Hoshizaki | 7716-2025 | Vinyl Hose for Discharge (Sold per Meter); | 38.60 |
| Hoshizaki | PA0613 | Water Pump Motor Assembly Kit for KM-450 thru KM-900 Series; | 1,354.68 |
| Hoshizaki | S-0731 | Water Pump Motor Assembly Kit; | 1,460.20 |
| Hoshizaki | TB0031 | Thermostat Kit w/ New Blub Holder has Shorter Length Cap Tube; | 256.84 |
| Hoshizaki | TB0041 | Thermostat Kit w/ New Blub Holder has Longer Length Cap Tube; | 276.38 |
| Hoshizaki | TS005 | Thermistor w/ Sealant & Heat Sink Compound; | 149.88 |
| ICM | 102B | Delay On Make Timer 18-240 VAC 1.5amp Adj Delay .03-10 Minutes; | 34.24 |
| ICM | 203B | Delay On Break Timer .3-10 Minute Adjustable Time Delay 18-240 VAC; | 33.30 |
| ICM | UMSR-50 | Universal Motor Starting Relay for Single Phase Applications up to 10 HP; | 51.96 |
| Steven Engineering | BNDN-1000 | Din. Rail 39" Long;" | 16.58 |
| Armacell LLC | 1 1/8 ID X 1 BST | 1-1/8 X 1 Self Sealed Wall Insulation; | 9.42 |
| Armacell LLC | 1 1/8 ID X 1 WALL | 1-1/8 X 1 Solid Wall Insulation; | 7.82 |
| Armacell LLC | 1 1/8 ID X 1/2 BST | 1-1/8 X 1/2 Self-Sealed Wall Insulation; | 4.12 |
| Armacell LLC | 1 1/8 ID X 1/2 WALL | 1-1/8 X 1/2 Solid Wall Insulation; | 2.40 |
| Armacell LLC | 1 1/8 ID X 3/4 BST | 1-1/8 X 3/4 Self-Sealed Wall Insulation; | 6.52 |
| Armacell LLC | 1 1/8 ID X 3/4 WALL | 1-1/8 X 3/4 Solid Wall Insulation; | 4.28 |
| Armacell LLC | 1 3/8 ID X 1 BST | 1 3/8 X 1 Self-Sealed Wall Insulation; | 10.90 |
| Armacell LLC | 1 3/8 ID X 1 WALL | 1-3/8 X 1 Solid Wall Insulation; | 9.08 |
| Armacell LLC | 1 3/8 ID X 1/2 BST | 1-3/8 X 1/2 Self-Sealed Wall Insulation; | 4.66 |
| Armacell LLC | 1 3/8 ID X 1/2 WALL | 1-3/8 X 1/2 Solid Wall Insulation; | 2.66 |
| Armacell LLC | 1 3/8 ID X 3/4 BST | 1-3/8 X 3/4 Self-Sealed Wall Insulation; | 7.38 |
| Armacell LLC | 1 3/8 ID X 3/4 WALL | 1-3/8 X 3/4 Solid Wall Insulation; | 4.86 |
| Armacell LLC | 1 5/8 ID X 1 WALL | 1-5/8 X 1 Solid Wall Insulation; | 10.06 |
| Armacell LLC | 1 5/8 ID X 1/2 BST | 1-5/8 X 1/2 Self-Sealed Wall Insulation; | 5.08 |
| Armacell LLC | 1 5/8 ID X 1/2 WALL | 1-5/8 X 1/2 Solid Wall Insulation; | 3.04 |
| Armacell LLC | 1 5/8 ID X 3/4 BST | 1-5/8 X 3/4 Self-Sealed Wall Insulation; | 8.22 |
| Armacell LLC | 1 5/8 ID X 3/4 WALL | 1-5/8 X 3/4 Solid Wall Insulation; | 6.46 |
| Armacell LLC | 1 GAL ADHESIVE | 1 Gallon Armaflex 520 Adhesive; | 147.54 |
| Armacell LLC | 1 PT ADHES W/BRUSH | 1 Pint Armaflex 520 Adhesive w/Brush; | 26.92 |
| Armacell LLC | 1 QT ADHESIVE | 1 Quart Armaflex 520 Adhesive; | 42.64 |
| Armacell LLC | 1 SHEET 3 X 4 | 1 In Thick Solid Sheet Insulation 3 Ft X 4 Ft; | 104.52 |
| Armacell LLC | 1/2 ID X 1 BST | 1/2 X 1 Self-Sealed Wall Insulation; | 6.86 |
| Armacell LLC | 1/2 ID X 1 WALL | 1/2 X 1 Solid Wall Insulation; | 4.92 |
| Armacell LLC | 1/2 ID X 1/2 BST | 1/2 X 1/2 Self-Sealed Wall Insulation; | 2.86 |
| Armacell LLC | 1/2 ID X 1/2 WALL | 1/2 X 1/2 Solid Wall Insulation; | 1.76 |
| Armacell LLC | 1/2 ID X 3/4 WALL | 1/2 X 3/4 Solid Wall Insulation; | 2.68 |
| Armacell LLC | 1/2 PT ADH W/BRUSH | 1/2 Pint Armaflex 520 Adhesive w/Brush; | 17.62 |

| | | | |
|----------------|---------------------|--|-------|
| Armcell LLC | 1/2 SHEET 3 X 4 | 1/2 In Thick Solid Sheet Insulation 3 Ft X 4 Ft; | 57.44 |
| Armcell LLC | 1/4 ID X 1 WALL | 1/4 X 1 Solid Wall Insulation; | 4.24 |
| Armcell LLC | 1/4 ID X 3/4 WALL | 1/4 X 3/4 Solid Wall Insulation; | 2.26 |
| Armcell LLC | 2 1/8 ID X 1 WALL | 2-1/8 X 1 Solid Wall Insulation; | 12.10 |
| Armcell LLC | 2 1/8 ID X 1/2 BST | 2-1/8 X 1/2 Self-Sealed Wall Insulation; | 6.18 |
| Armcell LLC | 2 1/8 ID X 1/2 WALL | 2-1/8 X 1/2 Solid Wall Insulation; | 3.88 |
| Armcell LLC | 2 1/8 ID X 3/4 BST | 2-1/8 X 3/4 Self-Sealed Wall Insulation; | 8.84 |
| Armcell LLC | 2 1/8 ID X 3/4 WALL | 2-1/8 X 3/4 Solid Wall Insulation; | 7.86 |
| Armcell LLC | 2 5/8 ID X 1 WALL | 2-5/8 X 1 Solid Wall Insulation; | 17.08 |
| Armcell LLC | 2 5/8 ID X 1/2 WALL | 2-5/8 X 1/2 Solid Wall Insulation; | 5.22 |
| Armcell LLC | 2 5/8 ID X 3/4 WALL | 2-5/8 X 3/4 Solid Wall Insulation; | 9.92 |
| Armcell LLC | 3/4 ID X 1 BST | 3/4 X 1 Self-Sealed Wall Insulation; | 8.02 |
| Armcell LLC | 3/4 ID X 1 WALL | 3/4 ID X 1 Solid Wall Insulation; | 5.78 |
| Armcell LLC | 3/4 ID X 1/2 BST | 3/4 X 1/2 Self-Sealed Wall Insulation; | 3.36 |
| Armcell LLC | 3/4 ID X 1/2 WALL | 3/4 X 1/2 Solid Wall Insulation; | 1.98 |
| Armcell LLC | 3/4 ID X 3/4 BST | 3/4 X 3/4 Self-Sealed Wall Insulation; | 5.54 |
| Armcell LLC | 3/4 ID X 3/4 WALL | 3/4 X 3/4 Solid Wall Insulation; | 3.22 |
| Armcell LLC | 3/4 SHEET 3 X 4 | 3/4 In Thick Solid Sheet Insulation 3 Ft X 4 Ft; | 86.32 |
| Armcell LLC | 3/8 ID X 1 BST | 3/8 X 1 Self-Sealed Wall Insulation; | 6.32 |
| Armcell LLC | 3/8 ID X 1 WALL | 3/8 X 1 Solid Wall Insulation; | 4.56 |
| Armcell LLC | 3/8 ID X 1/2 BST | 3/8 X 1/2 Self-Sealed Wall Insulation; | 2.72 |
| Armcell LLC | 3/8 ID X 1/2 WALL | 3/8 X 1/2 Solid Wall Insulation; | 1.64 |
| Armcell LLC | 3/8 ID X 3/4 WALL | 3/8 X 3/4 Solid Wall Insulation; | 2.48 |
| Armcell LLC | 5/8 ID X 1 BST | 5/8 X 1 Self-Sealed Wall Insulation; | 7.30 |
| Armcell LLC | 5/8 ID X 1 WALL | 5/8 X 1 Solid Wall Insulation; | 5.22 |
| Armcell LLC | 5/8 ID X 1/2 BST | 5/8 X 1/2 Self-Sealed Wall Insulation; | 3.00 |
| Armcell LLC | 5/8 ID X 1/2 WALL | 5/8 X 1/2 Solid Wall Insulation; | 1.92 |
| Armcell LLC | 5/8 ID X 3/4 WALL | 5/8 X 3/4 Solid Wall Insulation; | 2.94 |
| Armcell LLC | 7/8 ID X 1 BST | 7/8 X 1 Self-Sealed Wall Insulation; | 8.66 |
| Armcell LLC | 7/8 ID X 1 WALL | 7/8 X 1 Solid Wall Insulation; | 6.46 |
| Armcell LLC | 7/8 ID X 1/2 BST | 7/8 X 1/2 Self-Sealed Wall Insulation; | 3.66 |
| Armcell LLC | 7/8 ID X 1/2 WALL | 7/8 X 1/2 Solid Wall Insulation; | 2.16 |
| Armcell LLC | 7/8 ID X 3/4 BST | 7/8 X 3/4 Self-Sealed Wall Insulation; | 5.64 |
| Armcell LLC | 7/8 ID X 3/4 WALL | 7/8 X 3/4 Solid Wall Insulation; | 3.50 |
| Armcell LLC | TAP18230 | Armaflex Insulation Tape w/ Dispenser; | 39.40 |
| J/B Industries | 101-B | 1/4 FPT Brass Tee; | 10.00 |
| J/B Industries | 103-A | 1/8 FPT Brass Coupling; | 5.34 |

| | | | |
|----------------|------------|---|--------|
| J/B Industries | 103-B | 1/4 FPT Brass Coupling; | 5.60 |
| J/B Industries | 103-C | 3/8 FPT Brass Coupling; | 8.74 |
| J/B Industries | 103-D | 1/2 FPT Brass Coupling; | 12.08 |
| J/B Industries | 112-A | 1/8 MPT Brass Close Nipple; | 3.40 |
| J/B Industries | 112-D | 1/2 MPT Brass Close Nipple; | 6.48 |
| J/B Industries | 112-E | 3/4 MPT Brass Close Nipple; | 13.50 |
| J/B Industries | 113-B2 | 1/4 MPT X 2 Brass Long Nipple; | 5.76 |
| J/B Industries | 113-D2 | 1/2 MPT X 2 Brass Long Nipple; | 12.64 |
| J/B Industries | 122-B | 1/4 MPT Brass Hex Nipple; | 4.00 |
| J/B Industries | 22133 | 2 Valve Brass Manifold R22 R134a R404a 3-1/8 Gauge w/60" Hose;" | 306.38 |
| J/B Industries | 22225L | Patriot Manifold 22/404/410A LED Gauges no Hoses; | 251.70 |
| J/B Industries | 22733RF-18 | Patriot Manifold R290 Propane w/3-1/8" Gauges and 18" REFFLEX Hoses;" | 386.76 |
| J/B Industries | 24225 | 1/4" 2-Vlv Alum Manifold R22 R404a R410a 3-1/8 Gauges less Hoses;" | 235.04 |
| J/B Industries | 25225L | Zeppelin Manifold 22/404/410A LED Gauges no Hoses; | 417.42 |
| J/B Industries | 25233 | 3/8" 4-Vlv Alum Manifold R22 R404a R410a 3-1/8 Gauges & 1/4" CLE KobraHose Se | 513.30 |
| J/B Industries | 26233 | 3/8" 4-Vlv Brass Ball Vlv Manifold R22 R404a R410a 3-1/8 Gauges & 1/4" Kob;" | 637.72 |
| J/B Industries | 29435 | Complete Gas Test Kit 0" to 35" W.C.;" | 148.42 |
| J/B Industries | 29436 | Complete Gas Test Kit 0" to 10" W.C.;" | 148.42 |
| J/B Industries | 33112N | 1/4" Sealright Straight x 1/4" Male Flare Sealright Coupler;" | 38.20 |
| J/B Industries | 33112RK | Rebuild Kit For New UL Secure Seal Fitting; | 22.66 |
| J/B Industries | 33113N | 1/4" Sealright 90 deg x 1/4" Male Flare Sealright Coupler;" | 45.30 |
| J/B Industries | 33115N | 5/16" Sealright Strt X 1/4" Male FL Sealright Coupler;" | 65.88 |
| J/B Industries | 81LB-4 | 1/4 Compression Break-Off Sleeve Pilot Nut; | 3.16 |
| J/B Industries | A10971 | Cap Tube Gauge With Tube File In Vinyl Pouch; | 85.56 |
| J/B Industries | A10973 | Cap Tube Cutting Tool; | 25.38 |
| J/B Industries | A31002 | 1/8 OD Copper Tube Extension 5 Pack; | 27.34 |
| J/B Industries | A31003 | 3/16 OD Copper Tube Extension 5 Pack; | 27.64 |
| J/B Industries | A31004 | 1/4 OD Copper Tube Extension 5 Pack; | 27.64 |
| J/B Industries | A31005 | 5/16 OD Copper Tube Extension 5 Pack; | 29.64 |
| J/B Industries | A31006 | 3/8 OD Copper Tube Extension 5 Pack; | 29.96 |
| J/B Industries | A31008 | 1/2 OD Copper Tube Extension 3 Pack; | 46.28 |
| J/B Industries | A31134 | 1/4 OD Copper Braze Tees 3 Pack; | 32.04 |
| J/B Industries | A31135 | 5/16 OD Copper Braze Tees 3 Pack; | 34.16 |
| J/B Industries | A31136 | 3/8 OD Copper Braze Tees 3 Pack; | 33.68 |
| J/B Industries | A31138 | 1/2 OD Copper Braze Tees 3 Pack; | 35.42 |
| J/B Industries | A31452 | 1/4 SAE Brass Access Tee with 1/8 MPT Branch 3 Pack; | 41.64 |
| J/B Industries | A31454 | 1/4 SAE Brass Access Tee with 1/4 MPT Branch 3 Pack; | 52.08 |

| | | | |
|----------------|------------|--|----------|
| J/B Industries | A31482 | 1/4 SAE Brass Access Connector 1/8 MPT Half Union 5 Pack; | 20.78 |
| J/B Industries | A31484 | 1/4 SAE Brass Access Conn.1/4 MPT Half Union 5 Pk; | 23.92 |
| J/B Industries | A31492 | 1/4 SAE Brass Access Connector 1/8 MPT Ell 3 Pack; | 36.88 |
| J/B Industries | A31512 | 1/4 SAE Brass Access Tee with 1/8 MPT Run 3 Pack; | 37.30 |
| J/B Industries | A31514 | 1/4 SAE Brass Access Tee with 1/4 MPT Run 3 Pack; | 38.58 |
| J/B Industries | A31720 | 1/4 SAE Brass Access Multi-step Connector with 3/16, 1/4, or 3/8 Steps 5-pak; | 22.74 |
| J/B Industries | A31729 | 1/4 SAE Brass Access Multi-step Conn with 3/16, 1/4, 5/16,or 1/2 Steps 3 Pack; | 20.90 |
| J/B Industries | A31734 | 1/4 SAE Brass Access Conn with 1/4 Fe SAE Swivel Nut and Depressor 3 Pack; | 39.68 |
| J/B Industries | A31851 | 1/4 SAE Brass Access Tee with 1/4 Fe SAE Swivel Nut on the Run w/ Depress 3 Pk | 52.88 |
| J/B Industries | A31852 | 1/4 SAE Brass Access Tee with 1/4 Fe SAE Swivel Nut on the Branch w/Depressor; | 52.88 |
| J/B Industries | A31854 | 1/4 SAE Brass Access Tee with 1/4 Fe SAE Swivel Nut on the Branch w/o Depresso | 46.56 |
| J/B Industries | A31864 | 1/4 SAE Brass Access Tee with 1/4 Fe SAE Swivel Nut on the Run w/o Depress; | 47.06 |
| J/B Industries | A31997 | 1/4 Fe SAE Brass Seal Cap with Core Remover 10 Pack; | 40.78 |
| J/B Industries | A31999 | 1/4 Replacement Valve Core 5 Pack; | 7.22 |
| J/B Industries | A31999-100 | 1/4" Replacement Valve Core 100 Pack;" | 158.24 |
| J/B Industries | A32004 | 1/4 Valve Core Tool; | 19.78 |
| J/B Industries | A32008 | Valve Core Torque Tool; | 45.60 |
| J/B Industries | A32100 | Quick Pierce Refrigerant Recovery tool; | 76.36 |
| J/B Industries | A32101 | Replacement Quick Pierce Tip; | 16.10 |
| J/B Industries | A32703 | 5/8 Female Flare Swivel X 5/8 OD Solder Adapter (US5-1010); | 33.94 |
| J/B Industries | A32704 | 3/4 Female Flare Swivel X 3/4 OD Solder Adapter (US5-1212); | 48.54 |
| J/B Industries | A33000 | 1/4 SAE X 1/4" O-ring Quick Coupler Back Seating Control Valve;" | 72.30 |
| J/B Industries | CM-VC003 | Core Max Valve w/Cap 3 Pk; | 36.98 |
| J/B Industries | DS-20000 | 220 lb Weight Capacity Refrigerant Charging Scale; | 574.86 |
| J/B Industries | DV-142N | 5 CFM 2 Stage Direct Drive 115V Vacuum Pump; | 1,235.98 |
| J/B Industries | DV-200N | 7 CFM 2 Stage Direct Drive 115V Vacuum Pump; | 1,333.26 |
| J/B Industries | DV-285N | 10 CFM 2 Stage Direct Drive 115V Vacuum Pump; | 1,756.52 |
| J/B Industries | DV-40S | Wireless Bluetooth Micron Gauge w/Case and Charging Adpt; | 599.92 |
| J/B Industries | DV-41 | Digital Micron Gauge W/Case; | 576.82 |
| J/B Industries | DV-T1 | Oil Caddy For Vacuum Pump; | 81.58 |
| J/B Industries | DVO-1 | 1 Pint Vacuum Pump Oil; | 20.96 |
| J/B Industries | DVO-12 | 1 Quart Vacuum Pump Oil; | 30.14 |
| J/B Industries | DVO-24 | 1 Gallon Vacuum Pump Oil; | 72.42 |
| J/B Industries | EZ-40288 | E-Z Tapper Piercing Valve; | 63.38 |
| J/B Industries | LC-4 | 1/4" Liquid Charging Adapter;" | 28.82 |
| J/B Industries | LC-5 | 5/16" Liquid Charging Adapter;" | 30.14 |
| J/B Industries | M2-22125 | 1/4" Standard 2 Valve Brass Manifold 3-1/8 Gauge R22 | 0.00 |

| | | | |
|----------------|----------|---|--------|
| J/B Industries | M2-22225 | 1/4" Standard 2-Vlv Br;" | 178.22 |
| J/B Industries | M2-250 | 2-1/2" R12 | 0.00 |
| J/B Industries | M2-410 | 2-1/2 Low Side Gauge R410a Only; | 35.18 |
| J/B Industries | M2-415 | 2-1/2 High Side Gauge R410a Only; | 35.18 |
| J/B Industries | M2-460 | 2-1/2" R22 R404A R410A Low Side Pressure Gauge Steel Case;" | 33.46 |
| J/B Industries | M2-465 | 2-1/2" R22 R404A R410A High Side Pressure Gauge Steel Case;" | 33.46 |
| J/B Industries | M2-500 | 2-1/2" R12 | 0.00 |
| J/B Industries | M2-815 | 3-1/8 High Side Gauge R410a Only; | 61.64 |
| J/B Industries | M2-820 | 3-1/8" Glow in the Dark R22 | 0.00 |
| J/B Industries | M2-820L | 3-1/8 Low Side Gauge LED 22/404/410A Lighted; | 77.28 |
| J/B Industries | M2-825 | 3-1/8" Glow in the Dark R22 | 0.00 |
| J/B Industries | M2-825L | 3-1/8 High Side Gauge LED 22/404/410A Lighted; | 77.28 |
| J/B Industries | M2-851 | 3-1/8 Low Side Gauge R22, R134a, R404a; | 61.64 |
| J/B Industries | M2-856 | 3-1/8 High Side Gauge R22, R134a, R404a; | 61.64 |
| J/B Industries | M2-880 | 3-1/8 Liquid Filled Gauge Low Side R22, R134a, R404a; | 107.18 |
| J/B Industries | M2-885 | 3-1/8 Liquid Filled Gauge High Side R22, R134a, R404a; | 107.18 |
| J/B Industries | MR-501B | Blue Handwheel and screw for M2, M3, and M4 series Manifolds; | 8.16 |
| J/B Industries | MR-505 | Piston with Seat and O-rings for M2, M3, and M5 through M9 Manifolds; | 7.98 |
| J/B Industries | MR-517 | Screw-on Lens 2-1/2" Plastic and Metal Gauge Case;" | 13.02 |
| J/B Industries | MR-533 | Snap-on Lens for 3-1/8" Gauge Case;" | 19.54 |
| J/B Industries | MR-593 | 3 1/8 Black Gauge Boot; | 20.62 |
| J/B Industries | MR-601 | Handwheel and Screw for Zeppelin; | 14.68 |
| J/B Industries | MR-605 | Piston with Seat and O-Ring for Zeppelin 4-Valve Manifolds; | 10.94 |
| J/B Industries | NFT5-4 | 1/4" SAE Finger Tight O-ring Quick Seal Cap 10 Pack;" | 11.56 |
| J/B Industries | NFT5-5 | 5/16" SAE Finger Tight O-Ring Quick Seal Cap 5pk;" | 15.88 |
| J/B Industries | NFT5-6 | 3/8" SAE Finger Tight O-ring Quick Seal Cap 3 Pack;" | 12.82 |
| J/B Industries | P509 | 1/4" Repl.Gasket for Charging Hoses | 0.00 |
| J/B Industries | P511 | 1/4" Repl. Gasket For Kobra Charging Hoses (6pk);" | 8.18 |
| J/B Industries | P90009 | 3/16" and 1/4"" Replacement O-ring (10pk);" | 9.12 |
| J/B Industries | P90022 | O-Ring For Kobra Secure Seal (10pk); | 16.14 |
| J/B Industries | P90513 | 1/4" Repl. Depressor for Charging Hoses & Quick Couplers (5pk);" | 10.04 |
| J/B Industries | P90514 | 1/4" Repl. Depressor For Kobra Charging Hoses (5pk);" | 10.94 |
| J/B Industries | PS-10 | 10' Zinc Plated Steel Strap; | 9.88 |
| J/B Industries | QC-E4 | 1/4" Quick Coupler X 1/4"" SAE Elbow Quick Coupler Valve;" | 26.02 |
| J/B Industries | QC-E5 | 5/16" Quick Coupler X 1/4"" SAE Elbow R410a Access Ftg Fujitsu;" | 31.60 |
| J/B Industries | QC-S4 | 1/4" Quick Coupler X 1/4"" SAE Straight Quick Coupler Valve;" | 22.22 |
| J/B Industries | QC-S4A | 1/4" Quick Coupler X 1/8"" FPT Straight Quick Coupler Valve;" | 20.34 |

| | | | |
|------------------|--------------|--|--------|
| J/B Industries | QC-S4B | 1/4" Quick Coupler X 1/4" FPT Straight Quick Coupler Valve;" | 26.26 |
| J/B Industries | QC-S5S | 5/16" Quick Coupler X 1/4" SAE Straight R410a Access Ftg Fujitsu;" | 20.72 |
| J/B Industries | QC-S64 | 3/8" Quick Coupler X 1/4" SAE Straight Quick Coupler Valve w/No Depressor;" | 34.12 |
| J/B Industries | SHLD-BIT | Shield Tamper Proof Bit (2 Pack); | 13.44 |
| J/B Industries | SHLD-DRIVER | Shield 3" Magnetic Stubby Driver w/ Bit (for Shield Refrigerant Locking Caps); | 22.62 |
| J/B Industries | SHLD-E4 | Shield 5/16" Refrigerant Locking Cap R410a (4 Pack);" | 59.48 |
| J/B Industries | SHLD-U4 | Shield 1/4" Universal Refrigerant Locking Cap (4 Pack);" | 54.16 |
| J/B Industries | T2-HKA | 3/16" x 5/16" Hex Key Adapter for Service Valve Wrench;" | 30.58 |
| J/B Industries | T21125U | 3/8" x 1/2" Square Refrigeration Ratchet Servive Wrench;" | 58.12 |
| J/B Industries | T21126U | Offset Service Valve Ratchet Wrench; | 38.44 |
| J/B Industries | T21127U | Straight Service Valve Ratchet Wrench 1/4, 3/16 & 3/8, 5/16; | 39.34 |
| J/B Industries | T30251 | Max Flow Combination Oil Pump w/Tubing; | 256.86 |
| J/B Industries | TC-26-16 | .026 ID X .072 OD Capillary Tubing 16 FT Roll; | 37.18 |
| J/B Industries | TC-31-12 | .031 ID X .083 OD Capillary Tubing 12 FT Roll; | 36.24 |
| J/B Industries | TC-36-12 | .036 ID X .087 OD Capillary Tubing 12 FT Roll; | 36.24 |
| J/B Industries | TC-42-12 | .042 ID X .093 OD Capillary Tubing 12 FT Roll; | 37.48 |
| J/B Industries | TC-44-12 | .044 ID X .109 OD Capillary Tubing 12 FT Roll; | 41.00 |
| J/B Industries | TC-49-11 | .049 ID X .099 OD Capillary Tubing 11 FT Roll; | 36.24 |
| J/B Industries | TC-54-11 | .054 ID X .106 OD Capillary Tubing 11 FT Roll; | 37.48 |
| J/B Industries | TC-64-10 | .064 ID X .125 OD Capillary Tubing 10 FT Roll; | 39.00 |
| Johnson Controls | A19ABA-40C | Temperature Control SPST Open Low -30 to 100 F 3 to 12 Adj Diff 6ft Cap 120V; | 144.12 |
| Johnson Controls | A19ABC-24C | Temperature Control SPDT -30 to 100 F 3 to 12 Adj Diff 8ft Cap 120/240Vac; | 185.96 |
| Johnson Controls | A19BBC-2C | Temperature Control SPDT -30 to 100 F 3 to 12 Adj Diff Coiled Bulb 120/240V; | 253.34 |
| Johnson Controls | A350AA-1C | Temperature Control SPDT Electronic -30 to 130 F 1 to 30 Adj Diff 24 Vac; | 333.82 |
| Johnson Controls | A421ABC-02C | Temperature Control Electronic SPDT -40 to 212F 1 To 30 Adj Diff 120/240 Vac; | 184.20 |
| Johnson Controls | A421ABD-02C | Electronic Temperature Control w/Off Cycle Defrost -40 to 212F 120/240 Vac; | 212.26 |
| Johnson Controls | A421GBF-02C | Temperature Control Electronic SPDT -40 to 212F 1 to 30 Adj Diff 24Vac; | 184.20 |
| Johnson Controls | A99BC-25C | Sensor PTC Silicon -40 to 248 F 9.75" High Temp Cable 1035 Ohms at 77 F;" | 70.76 |
| Johnson Controls | BKT287-1R | Din Rail 12in Section For Use With A350 Series & A319 & A419 Controllers; | 37.30 |
| Johnson Controls | C450CCN-4C | Relay Control Module 2-Relay Output SPDT Temp, Press, Hum; | 372.90 |
| Johnson Controls | C450YNN-1C | Power Module 120/240 Vac; | 104.46 |
| Johnson Controls | F-1000-383 | AIR COMPRESSOR OIL; | 47.66 |
| Johnson Controls | F261KAH-V01C | Flow Switch SPDT Type 3R Nema Encl 1in Npt Conn w/1" | 2.00 |
| Johnson Controls | F261MAH-V01C | Flow Switch SPDT Type 4 NEMA Encl 1in Npt Conn w/1" | 2.00 |
| Johnson Controls | MR4PMUHV-12C | Control Electronic Temp/Defrost W/Relay 14 to 111 F 0 to 95 RH 120/240Vac; | 864.84 |
| Johnson Controls | P100AA-2C | Pressure Switch SPST Open On Fall Opens at 35Psi Close at 60Psi 1/4 Fem SAE | 92.32 |
| Johnson Controls | P100AA-3C | Pressure Switch SPST Fan Cycling Open at 150Psi Close at 225Psi 1/4 Fem SAE; | 141.34 |

| | | | |
|------------------|--------------|--|----------|
| Johnson Controls | P100AP-201C | Pressure Switch SPST Open On Fall Opens at 10Psig Closes at 32Psig 1/4 Fem SAE | 61.52 |
| Johnson Controls | P100AP-332C | Pressure Switch SPST Fan Cycling Open at 300Psig Close at 400Psig 1/4 Fem; | 64.94 |
| Johnson Controls | P100AP-4C | Pressure Switch SPST Fan Cycling Open at 170Psig Close at 250Psig 1/4 Fem SAE; | 61.52 |
| Johnson Controls | P100CP-1C | Pressure Switch SPST 400/300# Open on Rise; | 61.52 |
| Johnson Controls | P100CP-2C | Pressure Switch SPST 425/325# Open on Rise; | 62.66 |
| Johnson Controls | P100CP-85C | High Pressure Cutout Encapsulated SPST Opens 665 Closes 585 R-410A; | 70.68 |
| Johnson Controls | P100DA-1C | Pressure Switch SPST High Limit Opens at 410Psig Manual Reset 1/4 Fem SAE; | 110.58 |
| Johnson Controls | P100DA-2C | Pressure Switch SPST High Limit Opens at 475Psig Manual Reset 1/4 Fem SAE; | 112.86 |
| Johnson Controls | P100DA-81C | High Pressure Limit Encapsulated SPST Opens 630 Manual Reset R-410A; | 93.46 |
| Johnson Controls | P145NCB-12C | Press Control Lube Oil 120 Sec Delay Man Reset Factory Set at Psig 1/4 SAE; | 526.54 |
| Johnson Controls | P170AA-118C | Pressure Control SPST Hi Pressure Close Hi Open Lo 100 to 400Psig 1/4 Male SAE | 216.56 |
| Johnson Controls | P170AB-12C | Pressure Control SPST Lo Pressure Close Hi Open Lo 12in to 80Psig 1/4 Male SAE | 215.42 |
| Johnson Controls | P170AB-2C | Press Control SPST Lo Pressure Close Hi Open Lo 20 in to 100Psig 1/4 Male SAE; | 217.70 |
| Johnson Controls | P170LB-1C | Pressure Ctrl SPST Dual Press Lo 20in-100Psig Adj Diff Hi 100-500Psig 1/4 SAE; | 410.28 |
| Johnson Controls | P170MA-1C | Press Ctrl SPST Dual Pres Lo 20in -100Psig Adj Diff Hi 100 to 500Psig MR 1/4; | 421.66 |
| Johnson Controls | P266BHA-100C | Fan Speed Control, W/O Transducer 460-575 Volt, 4 Amp, 2 Main, 3 Aux 24 Volt T | 1,006.00 |
| Johnson Controls | P499RCP-105C | 0-500 psi Pressure Transducer w/Depressor 1/4" SAE Female Flare;" | 284.68 |
| Johnson Controls | P545NCB-82C | Lube Oil Ctrl Electronic120 Sec Delay W/P400AD-1 Sw Open 7Psid Close 2Psid; | 584.06 |
| Johnson Controls | P70AA-118C | Press Ctrl Fan Cycling 100 to 400 Psig Close Hi Open Lo 36in Cap 1/4 Flr Nut; | 233.66 |
| Johnson Controls | P70AA-400C | R410A Condenser Fan Cycling SPST Close High/Open Low Range 100 to 470 Adj Diff | 233.66 |
| Johnson Controls | P70AB-12C | Pressure Control Low 12in to 80Psig Adj Diff 5 to 35Psig 36in Cap 1/4 Flr Nut | 234.78 |
| Johnson Controls | P70AB-2C | Press Ctrl Low 20in to 100Psig Close Hi Open Lo Adj Diff 36in Cap 1/4 Flr Nut; | 234.78 |
| Johnson Controls | P70CA-1C | Press Ctrl Low 20in to 100Psig Open Hi Close Lo Adj Diff 36in Cap 1/4 Male Flr | 253.02 |
| Johnson Controls | P70CA-3C | Press Cntrl Hi 50 to 450Psig Open Hi Close Lo Adj Diff 36in Cap 1/4 Flr Nut; | 259.84 |
| Johnson Controls | P70DA-1C | Press Ctrl Hi 50 to 500Psig Open Hi Close Lo Adj Diff MR 36in Cap 1/4 Flr Nut | 261.00 |
| Johnson Controls | P70LB-1C | Dual Press Ctrl SPST Lo 20in to 100Psig Hi 100 to 500Psig 36in Cap 1/4 Flr Nut | 437.62 |
| Johnson Controls | P70LB-6C | Dual Press Ctrl SPST Lo 12in to 80 Psig Hi 100 to 500Psig 36in Cap 1/4 Flr Nut | 437.62 |
| Johnson Controls | P70MA-1C | Dual Press Cntrl SPST Lo 20in-100Psig/Hi 100-500Psig MR 36in Cap 1/4 Flr Nut; | 442.18 |
| Johnson Controls | RCG06B | 6" Damper Round Galvanized W/Bracket no Actuator;" | 277.82 |
| Johnson Controls | RCG08B | 8" Damper Round Galvanized W/Bracket no Actuator;" | 291.36 |
| Johnson Controls | RCG10B | 10" Damper Round Galvanized W/Bracket no Actuator;" | 301.50 |
| Johnson Controls | RCG12B | 12" Damper Round Galvanized W/Bracket no Actuator;" | 269.58 |
| Johnson Controls | RCG14B | 14" Damper Round Galvanized W/Bracket no Actuator;" | 369.26 |
| Johnson Controls | RCG16B | 16" Damper Round Galvanized W/Bracket no Actuator;" | 389.60 |
| Johnson Controls | SEC99AB-24C | Armored Capillary W/One 1/4 SAE Fem Flr Connector Straight & One 90 Fitting; | 59.26 |
| Johnson Controls | SEC99AB-36C | Armored Capillary W/One 1/4 SAE Fem Flr Connector Straight & One 90 Fitting; | 68.58 |
| Johnson Controls | T-4002-201 | Thermostat Pneumatic DA Horizontal Mtg Single Temperature Hi Volume Output; | 293.90 |

| | | | |
|---------------------|---------------|--|--------|
| Johnson Controls | T-4002-204 | Thermostat Pneumatic RA Vertical Mtg Single Temperature Hi Volume Output; | 326.76 |
| Johnson Controls | T-4002-301 | Thermostat Conversion Kit Pneumatic 2 Pipe DA W/White Cover & Mtg Hardware; | 439.54 |
| Johnson Controls | T26S-18C | Line Voltage Wall Thermostat Adj Knob SPDT W/O Selector Switch 40 to 90 Deg F; | 239.42 |
| Johnson Controls | V46AA-1C | Water Regulating Vlv Press Actuated 3/8 NPT 70 to 260 Psig 30 Cap 1/4 Flr Nut; | 341.92 |
| Johnson Controls | V46AB-1C | Water Regulating Vlv Press Actuated 1/2 NPT 70 to 260 Psig 30 Cap 1/4 Flr Nut; | 371.56 |
| Johnson Controls | V46AC-1C | Water Regulating Vlv Press Actuated 3/4 NPT 70 to 260 Psig 30 Cap 1/4 Flr Nut; | 447.88 |
| Johnson Controls | WHA-PKD3-200C | Wire Harness For P499 Electronic Pressure Transducer 6-1/2 Ft; | 37.24 |
| The Best Connection | 1109H | Non-Insulated Piggyback Disconnect M/F 16-14 AWG 9 Pcs; | 5.98 |
| The Best Connection | 1116H | Non-Insulated Flag Disconnect FM 16-14 AWG .250 Tab 15 Pcs; | 6.54 |
| The Best Connection | 1117H | Non-Insulated Flag Disconnect FM 12-10 AWG .250 Tab 15 Pcs; | 11.26 |
| The Best Connection | 1119H | Compressor Terminal FM 12-8 AWG .250 Tab 7 Pcs; | 10.00 |
| The Best Connection | 1207C | Non-Insulated Piggyback Connector M/F/M .250 Tab 100 Pcs; | 39.70 |
| The Best Connection | 1207H | Non-Insulated Piggyback Connector M/F/M .250 Tab 12 Pcs; | 6.28 |
| The Best Connection | 1211H | Non-Insulated Flat Connector FM to Dbl Male .250 Tab 16 Pcs; | 7.30 |
| The Best Connection | 1216H | Nylon Closed End Connector 22-14 AWG 15 Pcs; | 5.98 |
| The Best Connection | 1217C | Nylon Closed End Connector 12-10 AWG; | 31.86 |
| The Best Connection | 1217H | Nylon Closed End Connector 12-10 AWG; | 5.98 |
| The Best Connection | 2008C | Vinyl Insulated Ring #10 Stud 16-14 AWG 100 Pcs; | 24.16 |
| The Best Connection | 2008H | Vinyl Insulated Ring #10 Stud 16-14 AWG 19 Pcs; | 6.16 |
| The Best Connection | 2014C | Vinyl Insulated Ring #10 Stud 12-10 AWG 100 Pcs; | 34.32 |
| The Best Connection | 2014H | Vinyl Insulated Ring #10 Stud 12-10 AWG 14 Pcs; | 6.16 |
| The Best Connection | 2015H | Vinyl Insulated Ring 1/4in Stud 12-10 AWG 14 Pcs; | 6.74 |
| The Best Connection | 2020H | HD Vinyl Insulated Ring 1/4in Stud 8 AWG 4 Pcs; | 5.72 |
| The Best Connection | 2054C | Vinyl Insulated Spade #8 Stud 16-14 AWG 100 Pcs; | 25.02 |
| The Best Connection | 2054H | Vinyl Insulated Spade #8 Stud 16-14 AWG 19 Pcs; | 6.16 |
| The Best Connection | 2055C | Vinyl Insulated Spade #10 Stud 16-14 AWG 100 Pcs; | 25.02 |
| The Best Connection | 2055H | Vinyl Insulated Spade #10 Stud 16-14 AWG 19 Pcs; | 6.16 |
| The Best Connection | 2057H | Vinyl Insulated Spade #8 Stud 12-10 AWG 14 Pcs; | 6.74 |
| The Best Connection | 2058C | Vinyl Insulated Spade #10 Stud 12-10 AWG 100 Pcs; | 37.02 |
| The Best Connection | 2058H | Vinyl Insulated Spade #8 Stud 12-10 AWG 14 Pcs; | 6.74 |
| The Best Connection | 2060C | Vinyl Insulated Butt Connector 22-18 AWG 100 Pcs; | 20.28 |
| The Best Connection | 2060H | Vinyl Insulated Butt Connector 22-18 AWG 20 Pcs; | 6.16 |
| The Best Connection | 2061C | Vinyl Insulated Butt Connector 16-14 AWG 100 Pcs; | 21.62 |
| The Best Connection | 2061H | Vinyl Insulated Butt Connector 16-14 AWG 20 Pcs; | 6.16 |
| The Best Connection | 2062C | Vinyl Insulated Butt Connector 12-10 AWG 100 Pcs; | 35.84 |
| The Best Connection | 2062H | Vinyl Insulated Butt Connector 12-10 AWG 14 Pcs; | 6.74 |
| The Best Connection | 2102C | Vinyl Insulated Disconnect FM 22-18 AWG .250 Tab 100 Pcs; | 25.38 |

| | | | |
|---------------------|----------|--|--------|
| The Best Connection | 2104H | Vinyl Insulated Disconnect FM 16-14 AWG .187 Tab 19 Pcs; | 6.16 |
| The Best Connection | 2105C | Vinyl Insulated Disconnect FM 16-14 AWG .250 Tab 100 Pcs; | 24.16 |
| The Best Connection | 2105H | Vinyl Insulated Disconnect FM 16-14 AWG .250 Tab 16 Pcs; | 6.16 |
| The Best Connection | 2106C | Vinyl Insulated Disconnect Male 16-14 AWG .250 Tab 100 Pcs; | 24.16 |
| The Best Connection | 2106H | Vinyl Insulated Disconnect Male 16-14 AWG .250 Tab 19 Pcs; | 6.16 |
| The Best Connection | 2107C | Vinyl Insulated Disconnect FM 12-10 AWG .250 Tab 100 Pcs; | 26.90 |
| The Best Connection | 2107H | Vinyl Insulated Disconnect FM 12-10 AWG .250 Tab 15 Pcs; | 6.16 |
| The Best Connection | 2108H | Vinyl Insulated Disconnect Male 12-10 AWG .250 Tab 15 Pcs; | 6.16 |
| The Best Connection | 2109H | Vinyl Insulated Piggyback Connector M/FM 16-14 AWG .250 Tab 12 Pcs; | 6.16 |
| The Best Connection | 2116C | Fully Nylon Insulated FM Disconnect 16-14 AWG .250 Tab 100 Pcs; | 38.30 |
| The Best Connection | 2116H | Fully Nylon Insulated FM Disconnect 16-14 AWG .250 Tab 10 Pcs; | 5.98 |
| The Best Connection | 2117C | Fully Nylon Insulated M Disconnect 16-14 AWG .250 Tab 100 Pcs; | 40.16 |
| The Best Connection | 2117H | Fully Nylon Insulated M Disconnect 16-14 AWG .250 Tab 10 Pcs; | 5.98 |
| The Best Connection | 2121H | Vinyl Insulated Disconnect M/FM 16-14 AWG .250 Tab 10 Pcs; | 5.98 |
| The Best Connection | 2520F | Compressor Leads Red/Black/White w/Flags and Waterproof Butts 10 AWG; | 20.70 |
| The Best Connection | 2521F | Compressor Leads Red/Black/White w/Rings and Waterproof Butts 10 AWG; | 19.84 |
| The Best Connection | 4051H | Heat Shrink Tubing 3/16-1/4-3/8 Assorted Sizes; | 5.98 |
| The Best Connection | 4452H | Vinyl Grommets Assorted Sizes 21/32-7/8-1in; | 5.98 |
| The Best Connection | 4453H | Vinyl Grommets Assorted Sizes 1/4-5/16-3/8-7/16-1/2-5/8-21/32-7/8-1in; | 5.98 |
| The Best Connection | 4701C | Nylon Wire Ties White 4in Length 18lb Rated 100 Pcs; | 5.72 |
| The Best Connection | 4703C | Nylon Wire Ties White 5-1/2in Length 40lb Rated 100 Pcs; | 11.38 |
| The Best Connection | 4705C | Nylon Wire Ties White 7in Length 50lb Rated 100 Pcs; | 13.98 |
| The Best Connection | 4706C | Nylon Wire Ties UV Black 7in Length 50lb Rated 100 Pcs; | 13.98 |
| The Best Connection | 4707C | Nylon Wire Ties White 11-1/2in Length 50lb Rated 100 Pcs; | 22.72 |
| The Best Connection | 4708C | Nylon Wire Ties UV Black 11-1/2in Length 50lb Rated 100 Pcs; | 22.72 |
| The Best Connection | 4709C | Nylon Wire Ties White 14-1/2in Length 50lb Rated 100 Pcs; | 28.02 |
| The Best Connection | 4710C | Nylon Wire Ties UV Black 14-1/2in Length 50lb Rated 100 Pcs; | 28.02 |
| The Best Connection | 4735F | Wire Tie Mounts w/ Adhesive Back 1 X 1in; | 7.36 |
| The Best Connection | 6000 | 21 Compartment Metal Storage Box; | 105.58 |
| The Best Connection | 6966F | HVAC/R Terminal/ Connectors/ Accessories Kit 665 Pcs; | 213.88 |
| Klein | 1010 | Long Nose Multi.Purpose Tool; | 47.82 |
| Klein | 11045 | Wire Stripper Cutter; | 32.68 |
| Klein | 11055 | Wire Stripper-Cutter for 10-18 AWG Solid/12-20 AWG Stranded; | 42.76 |
| Klein | 1200L | Aviation Snips With Wire Cutter Left; | 40.40 |
| Klein | 1201R | Aviation Snips With Wire Cutter Right; | 40.40 |
| Klein | 1202S | Aviation Snips With Wire Cutter Straight; | 39.34 |
| Klein | 1224BI-P | 12" Bi Metal Blades 24 Teeth Per Inch;" | 5.42 |

| | | | |
|-------|-----------|---|--------|
| Klein | 2005N | Forged Crimper w/Stripper and Cutter; | 75.32 |
| Klein | 259 | Swivel Anchor Hook; | 79.74 |
| Klein | 31728 | Recip Blade, BiMetal, Hi Spd Metal Cutting, 6L 18T Raker, 5PK (50968); | 28.24 |
| Klein | 31734 | Recip Blade, BiMetal, Hi Spd Metal Cutting, 6L 24T Wavy, 5PK (50959); | 26.82 |
| Klein | 32510 | Non-Ratcheting Screwdriver w/ Block of Tamper-Proof Bits; | 62.88 |
| Klein | 32527 | 11-in-1 Screwdriver/ Nut Driver/ Schrader Valve Core Tool; | 39.46 |
| Klein | 32561 | Stubby Multi-Bit Screwdriver/Nut Driver 6in 1; | 24.30 |
| Klein | 32593 | 6-in-1 Ratcheting Stubby Screwdriver; | 34.34 |
| Klein | 32613 | 3-in-1 Electronics Screwdriver; | 32.16 |
| Klein | 32807MAG | 7 in 1 Magnetic Multi Nut Driver 1/4 - 9/16; | 63.78 |
| Klein | 44101 | Utility Knife Blades 5 Pack; | 8.34 |
| Klein | 50506SEN | PVC-Cutter 3/4" PVC Capacity 1-3/8"" Flexible Pipe Capacity;" | 32.52 |
| Klein | 5140 | 4-Pack Zipper Bags Canvas Assorted Colors 12-1/2" X 7"";" | 95.74 |
| Klein | 55421BP14 | Tradesman Pro Tool Back Pack; | 238.80 |
| Klein | 55431 | Tradesman Pro Lighted Tool Bag; | 238.70 |
| Klein | 56048 | 400 Lumen Rechargeable Headlamp w/Auto-Off; | 80.24 |
| Klein | 56403 | Rechargeable LED Personal Worklight Charges Out USB DC 5V; | 101.78 |
| Klein | 600-4 | 1/4" Keystone Tip Screwdriver 4"" Heavy Duty Square-Shank;" | 22.56 |
| Klein | 600-6 | 5/16" Keystone Tip Screwdriver 6"" Heavy Duty Square-Shank;" | 26.54 |
| Klein | 601-6 | 3/16" Cabinet Tip Screwdriver 6"" Round Shank;" | 17.14 |
| Klein | 602-4 | 1/4" Keystone Tip Screwdriver 4"" Heavy Duty Round-Shank;" | 21.66 |
| Klein | 603-4 | No. 2 Phillips Tip Screwdriver 4" Round Shank;" | 18.54 |
| Klein | 603-7 | No. 2 Phillips Tip Screwdriver 7" Round Shank;" | 20.74 |
| Klein | 60407 | Hard Hat Lighted Vented; | 150.48 |
| Klein | 605-10 | 1/4-Inch Cabinet Screwdriver 10- Inch Shank; | 28.22 |
| Klein | 610M | Nut Driver Set 2 PC Magnetic Stubby Cushion Grip; | 39.08 |
| Klein | 612-4 | Terminal Block Screwdriver; | 19.54 |
| Klein | 631M | Nut Driver Set 7 pc. Magnetic 3" Hollow Shaft Cushion Grip;" | 162.76 |
| Klein | 646-1/4M | Nut Driver Magnetic Cushion Grip 1/4" x 6"" Hollow Shaft;" | 23.88 |
| Klein | 646-5/16M | Nut Driver Magnetic Cushion Grip 5/16" x 6"" Hollow Shaft;" | 26.04 |
| Klein | 646M | Nut Driver Set 2 PC Magnetic 6" Shaft Cushion Grip;" | 45.50 |
| Klein | 70591 | Nine Key Folding Hex Key Set; | 20.14 |
| Klein | 85484 | Screwdriver Set 4-Pc. Mini Cushion-Grip Assortment; | 51.20 |
| Klein | 9225 | 25' x 1" Magnetic Steel Tape Pwr-Return Dual-End Hook Dual-sided Nylon-coat;" | 61.24 |
| Klein | 935-R | 9" Magnet Torpedo Level;" | 41.58 |
| Klein | D203-8 | 8" Standard Long Nose Pliers Side Cutting;" | 64.28 |
| Klein | D228-8 | 8" High Leverage Diagonal Cutting Pliers;" | 61.32 |

| | | | |
|--------------|-------------|--|--------|
| Klein | D502-12 | 12" Pump Pliers;" | 67.30 |
| Klein | D507-10 | 10" Adjustable Wrench Extra Capacity;" | 78.18 |
| Klein | D507-12 | 12" Adjustable Wrench Extra Capacity;" | 110.72 |
| Klein | D507-6 | 6" Adjustable Wrench Extra Capacity;" | 56.34 |
| Klein | D507-8 | 8" Adjustable Wrench Extra Capacity;" | 65.12 |
| Klein | J2000-48 | Journeyman 2000 Series Diag.-Cutting Pliers Hi-Leverage Angled Head; | 86.82 |
| Klein | J207-8CR | All Purpose Pliers w/Crimper Long Nose; | 96.54 |
| Klein | KTSB01 | Unibit High Speed Steel Step Drill Bit 1/8 to 1/2; | 54.30 |
| Klein | KTSB11 | Unibit High Speed Steel Step Drill Bit 7/8 to 1 1/8; | 93.90 |
| Klein | NCVT-2 | Dual Range Non-Contact Voltage Tester 12-48V And 48-1000V AC; | 39.62 |
| KMC Controls | CSC-3011-10 | Universal Reset Volume Controller 0-1" Either Normally Open or Closed Dampers | 332.38 |
| KMC Controls | SSS-1003 | 5-13/32" Differential Air Flow Sensor Pickup Tubes 2 Sensing Point;" | 33.50 |
| KMC Controls | SSS-1004 | 7-21/32" Differential Air Flow Sensor Pickup Tubes 3 Sensing Point;" | 39.74 |
| Lau | 38-2087-01 | 1" Pillow Block Sleeve Bearing (Pair);" | 59.16 |
| Lau | 60-5574-01 | 22" 27 Deg CCW 3 Blade Fan Heavy Duty;" | 107.40 |
| Lau | 60-5581-01 | 18" 27 Deg CW 4 Blade Fan Heavy Duty;" | 96.72 |
| Lau | 60-5587-01 | 20" 27 Deg CW 4 Blade Fan Heavy Duty;" | 104.24 |
| Lau | 60-5588-01 | 20" 27 Deg CCW 4 Blade Fan Heavy Duty;" | 104.24 |
| Lau | 60-5591-01 | 20" 33 Deg CW 4 Blade Fan Heavy Duty;" | 104.24 |
| Lau | 60-5593-01 | 22" 27 Deg CW 4 Blade Fan Heavy Duty;" | 121.16 |
| Lau | 60-5597-01 | 24" 27 Deg CW 4 Blade Fan Heavy Duty;" | 127.60 |
| Lau | 60-5598-01 | 24" 27 Deg CCW 4 Blade Fan Heavy Duty;" | 127.60 |
| Lau | 60-7187-01 | 14" 23 Deg CW 4 Blade Fan Heavy Duty;" | 61.46 |
| Lau | 60-7188-01 | 14" 23 Deg CCW 4 Blade Fan Heavy Duty;" | 61.46 |
| Lau | 60-7193-01 | 16" 23 Deg CW 4 Blade Fan Heavy Duty;" | 73.80 |
| Lau | 60-7601-01 | 12" 33 Deg CW 4 Blade Fan Heavy Duty;" | 53.98 |
| Lau | 60-7605-01 | 16" 33 Deg CW 4 Blade Fan Heavy Duty;" | 73.80 |
| Lau | 60-7658-02 | 5/16" Bore Interchangeable Fan Hub;" | 22.08 |
| Lau | 60-7658-03 | 3/8" Bore Interchangeable Fan Hub;" | 22.08 |
| Lau | 60-7658-04 | 1/2" Bore Interchangeable Fan Hub;" | 22.08 |
| Lau | 60-7658-05 | 5/8" Bore Interchangeable Fan Hub;" | 22.78 |
| Lau | 60-8041-01 | 22" 23 Deg CW 4 Blade Fan Heavy Duty;" | 121.16 |
| Lau | 60-8043-01 | 24" 23 Deg CW 4 Blade Fan Heavy Duty;" | 127.60 |
| Lau | 60-8044-01 | 24" 23 Deg CCW 4 Blade Fan Heavy Duty;" | 127.60 |
| Lectro | LE15337 | 40VA 120/208/240V-24V Multi Mount Enclosed Control Transformer; | 45.06 |
| Lectro | LE15550 | 75VA 120/208/240/480V-24V Multi Mnt Single Hub Encl Cntrl Transformer w/Reset; | 80.18 |
| Lectro | LE16000 | 50VA 120/240/277/480V-24V Multi Mount Enclosed Control Transformer w/Reset; | 68.96 |

| | | | |
|------------------------|---------------------|--|----------|
| Lectro | LE16550 | 50VA 120/240/277/480V-24V Multi Mnt Single Hub Encl Cntrl Transformer w/Reset; | 67.46 |
| Lectro | LE17000 | 100VA 120/240/277/480-24V Multi Mount Enclosed Control Transformer w/Reset; | 98.26 |
| Lectro | LE17550 | 100VA 120/240/277/480-24V Multi Mt Encl Cont Transformer w/Reset Single Hub; | 96.74 |
| Lift | ASC-16BW | Protective Shoe Cover 50 Pair/Bx Waterproof Blue; | 21.82 |
| Lift | EBD-14MKST | Smoke Bold Safety Glasses; | 41.10 |
| Lift | ESE-6C | Clear Sectorlite Safety Glasses; | 13.00 |
| Lift | ESE-6LT | Yellow Sectorlite Safety Glasses; | 13.00 |
| Lift | ESE-6ST | Smoke Sectorlite Safety Glasses; | 13.00 |
| Lift | G8S-6S1L | 8 SECOND Glove X-Large; | 19.14 |
| Lift | GSP-19YXL | StarYarn White Liner w/ Gray PU Dipped Glove - Cut Resistant L3; | 15.54 |
| Lift | GTA-17KK1L | TACKER Glove X-Large; | 63.38 |
| Lift | GTR-17YBR1L | TRADER Glove X-Large; | 30.80 |
| Lift | GTR-17YBRL | TRADER Glove Large; | 30.80 |
| Lift | GTR-17YBRM | TRADER Glove Medium; | 30.80 |
| Lift | KAX-OK | Apex Gel Knee Guard; | 102.40 |
| Lift | KKM-16K | Kneeling Mat; | 41.12 |
| Mueller Streamline Co. | 1/4X1/2X1/2-15-MS | Mini-Split Line Set W/Flare Nuts 1/4 X 1/2-1/2 Wall X 15 Ft; | 234.56 |
| Mueller Streamline Co. | 1/4X1/2X1/2-30-MS | Mini-Split Line Set W/Flare Nuts 1/4 X 1/2-1/2 Wall X 30 Ft; | 357.56 |
| Mueller Streamline Co. | 1/4X1/2X1/2-50-MS | Mini-Split Line Set W/Flare Nuts 1/4 X 1/2-1/2 Wall X 50 Ft; | 528.64 |
| Mueller Streamline Co. | 1/4X3/8X1/2-30-MS | Mini-Split Line Set W/Flare Nuts 1/4 X 3/8-1/2 Wall 30 Ft; | 341.34 |
| Mueller Streamline Co. | 1/4X3/8X1/2-50-MS | Mini-Split Line Set W/Flare Nuts 1/4 X3/8-1/2 Wall 50 Ft; | 506.94 |
| Mueller Streamline Co. | 1/4X5/8X1/2-30-MS | Mini-Split Line Set W/Flare Nuts 1/4 X 5/8-1/2 Wall X 30 Ft; | 414.22 |
| Mueller Streamline Co. | 3/8X1 1/8X3/4WLLX50 | Line Set 3/8 X 1-1/8 - 3/4 Wall X 50 Ft; | 1,068.18 |
| Mueller Streamline Co. | 3/8X3/4X3/4WALLX30 | Line Set 3/8 X 3/4 - 3/4 Wall X 30 Ft; | 389.20 |
| Mueller Streamline Co. | 3/8X3/4X3/4WALLX50 | Line Set 3/8 X 3/4 - 3/4 Wall X 50 Ft; | 633.14 |
| Mueller Streamline Co. | 3/8X5/8X1/2-15-MS | Mini-Split Line Set W/Flare Nuts 3/8 X 5/8-1/2 Wall; | 271.58 |
| Mueller Streamline Co. | 3/8X5/8X1/2-30-MS | Mini-Split Line Set W/Flare Nuts 3/8 X 5/8-1/2 Wall; | 412.14 |
| Mueller Streamline Co. | 3/8X5/8X1/2-50-MS | Mini-Split Line Set W/Flare Nuts 3/8 X 5/8-1/2 Wall; | 606.92 |
| Mueller Streamline Co. | 3/8X7/8X3/4WALLX30 | Line Set 3/8 X 7/8 - 3/4 Wall X 30 Ft; | 504.78 |
| Mueller Streamline Co. | 3/8X7/8X3/4WALLX50 | Line Set 3/8 X 7/8 - 3/4 Wall X 50 Ft; | 782.08 |
| Malco | BT131-100 | 8-18 X 1/2" Bit-Tip Screws 100 Pak. Use With 1/4"" Driver;" | 14.84 |
| Malco | BT133-100 | 8-18 X 3/4" Bit-Tip Screws 100 Pak.Use With 1/4"" Driver;" | 14.84 |
| Malco | BT133-500 | 8-18 X 3/4" Bit-Tip Screws 500 Pak.Use With 1/4"" Driver;" | 58.80 |
| Malco | BT141-100 | 10-16 X 1/2" Bit-Tip Screws 100 Pak.Use With 5/16"" Driver;" | 16.88 |
| Malco | BT143-100 | 10-16 X 3/4" Bit-Tip Screws 100 Pak.Use With 5/16"" Driver;" | 17.26 |
| Malco | BT143-500 | 10-16 X 3/4" Bit-Tip Screws 500 Pak.Use With 5/16"" Driver;" | 69.42 |
| Malco | BT153-500 | 10-24 X 3/4" Bit-Tip Screws 500 Pak. Use With 5/16"" Driver;" | 97.06 |

| | | | |
|-------|-----------|--|--------|
| Malco | BT163-500 | 12-14 X 3/4" Bit-Tip Screws 500 Pak. Use With 5/16"" Driver;" | 125.56 |
| Malco | MSHC | 1/4 and 5/16 Cleanable Dual Sided Reversible Hex Driver;54717 | 12.54 |
| Malco | WT6SG | 8 Piece 6" Long T Handle Hex Key Set 3/32"" to 1/4"";" | 86.88 |
| Mars | 00251 | Condenser Fan Motor 25 Watt 115 Volt 1500 RPM CW 3.9" Dia ESP-L25EMV16;" | 336.14 |
| Mars | 00253 | Condenser Fan Motor 25 Watt 230 Volt 1500 RPM CW 3.9" Dia ESP-L25EM2;" | 336.76 |
| Mars | 00351 | Condenser Fan Motor 35 Watt 115 Volt 1500 RPM CW 3.9" Dia ESP-L35EM1;" | 329.04 |
| Mars | 00353 | Condenser Fan Motor 35 Watt 230 Volt 1500 RPM CW 3.9" Dia ESP-L35EM2;" | 334.60 |
| Mars | 00501 | Condenser Fan Motor 50 Watt 115 Volt 1500 RPM CW 3.9" Dia ESP-OL50EM1;" | 346.88 |
| Mars | 00503 | Condenser Fan Motor 50 Watt 230 Volt 1500 RPM CW 3.9" Dia ESP-OL50EM2;" | 337.90 |
| Mars | 00505 | Condenser Fan Motor 50 Watt 230 Volt 1500 RPM CW 3.9" Dia ESP-OL50EM2B;" | 403.36 |
| Mars | 00507 | Condenser Fan Motor 50 Watt 230 Volt 1500 RPM CCW 3.9" ESP-OL50EMJR21 Tecumseh | 357.62 |
| Mars | 00805 | Motor 6 Watt 115V Square Shaded Pole; | 184.70 |
| Mars | 00807 | Motor 9 Watt 115V Square Shaded Pole; | 193.96 |
| Mars | 00809 | Motor 16 Watt 115V Square Shaded Pole; | 236.94 |
| Mars | 01127 | Evap Coil Motor 1/12-1/15-1/20 HP 115/230v 1550 Rev 3.3 PSC Super Fit; | 120.90 |
| Mars | 10458 | Condenser Fan Motor Short Body 1/6 - 1/3 HP 208-230V 1075 Rev Ball Brg; | 188.88 |
| Mars | 10583 | Indoor Blower Motor 1/4 HP 115 V 1075 RPM 3 Spd Rev 5.5" Dia 3383 3983;" | 178.48 |
| Mars | 10584 | Indoor Blower Motor 1/4 HP 208/230 V 1075 RPM 3 Spd Rev 5.5" Dia 3384 3;" | 181.54 |
| Mars | 10585 | Indoor Blower Motor 1/3 HP 115 V 1075 RPM 3 Spd Rev 5.5" Dia 3385 3985;" | 184.66 |
| Mars | 10586 | Indoor Blower Motor 1/3 HP 208/230 V 1075 RPM 3 Spd Rev 5.5" Dia 3386 3;" | 193.56 |
| Mars | 10587 | Indoor Blower Motor 1/2 HP 115 V 1075 RPM 3 Spd Rev 5.5" Dia 3387 3987;" | 216.36 |
| Mars | 10588 | Indoor Blower Motor 1/2 HP 208/230 V 1075 RPM 3 Spd Rev 5.5" Dia 3388 3;" | 226.16 |
| Mars | 10589 | Indoor Blower Motor 3/4 HP 115 V 1075 RPM 3 Spd Rev 5.5" Dia 3389 3989;" | 253.46 |
| Mars | 10590 | Indoor Blower Motor 3/4 HP 208/230 V 1075 RPM 3 Spd Rev 5.5" Dia 3390 3;" | 259.68 |
| Mars | 10728 | Condenser Fan Motor 1/4 HP 208/230 V 1075 RPM Rev 5.5" Dia D909 D922;" | 166.00 |
| Mars | 10729 | Condenser Fan Motor 1/3 HP 208/230 V 1075 RPM Rev 5.5" Dia D929 D908;" | 176.28 |
| Mars | 10730 | Condenser Fan Motor 1/2 HP 208/230 V 1075 RPM Rev 5.5" Dia D932 D907;" | 205.14 |
| Mars | 10731 | Condenser Fan Motor 3/4 HP 208/230 V 1075 RPM Rev 5.5" Dia D933 D931;" | 258.80 |
| Mars | 10850 | Azure 1/15-1/25 Hp 115/230V 1550/80 Rec 3.3 Dia ECM Motor; | 211.40 |
| Mars | 12200 | TURBO 200 MULTI USECAPACITOR; | 139.80 |
| Mars | 12300 | Turbo 200X 5-97.5 mfd 370/440V Round Universal Run Capacitor; | 195.44 |
| Mars | 20209 | 1/4 OD X 1/4 OD Spun Copper Drier Directional; | 6.44 |
| Mars | 20211 | 1/4 OD & 1/4 Male Flare X 1/4 OD Spun Copper Charging Drier; | 10.98 |
| Mars | 20404 | Condenser Fan Motor 1/4 HP 208/230 Volt 825 RPM Rev 5.5" Dia 70 Deg C;" | 227.36 |
| Mars | 20405 | Condenser Fan Motor 1/3 HP 208/230 Volt 825 RPM Rev 5.5" Dia 70 Deg C;" | 257.02 |
| Mars | 20728 | Condenser Fan Motor 1/4 HP 208/230 Volt 1075 RPM Rev 5.5" Dia 70 Deg C;" | 178.62 |
| Mars | 20730 | Condenser Fan Motor 1/2 HP 208/230 Volt 1075 RPM Rev 5.5" Dia 70 Deg C;" | 222.90 |

| | | | |
|------|-------|--|----------|
| Mars | 20731 | Condenser Fan Motor 3/4 HP 208/230 Volt 1075 RPM Rev 5.5" Dia 70 Deg C;" | 269.04 |
| Mars | 20837 | Condenser Fan Motor 1/3 HP 460 Volt 1PH 1075 RPM Rev 5.5" Dia 70 Deg C;" | 304.34 |
| Mars | 20838 | Condenser Fan Motor 1/2 HP 460 Volt 1PH 1075 RPM Rev 5.5" Dia 70 Deg C;" | 328.48 |
| Mars | 20842 | Condenser Fan Motor 3/4 HP 460 Volt 1PH 1075 RPM Rev.5.5" Dia 70 Deg C;" | 431.80 |
| Mars | 21620 | 1/4 Magnetic Hex Nut Chuck Driver 2 9/16 Long; | 9.82 |
| Mars | 21621 | 5/16 Magnetic Hex Nut Chuck Driver 2 9/16 Long; | 12.34 |
| Mars | 21781 | Condensate Pump 120 Volt 24' Lift w/20' 3/8" Poly Tubing;" | 156.22 |
| Mars | 21784 | Condensate Pump 120 Volt 22' Lift Low Profile; | 148.84 |
| Mars | 21785 | Condensate Pump 230 Volt 22' Lift Low Profile; | 144.50 |
| Mars | 25301 | H10PRO Leak Detector 120V Rechargeable Battery; | 1,506.64 |
| Mars | 25315 | H-10 Plug In Sensor Element; | 263.06 |
| Mars | 25510 | Pocket Thermometer -40F to 160F; | 10.60 |
| Mars | 25668 | 10 In Mini Hacksaw, Cushioned Handle; | 11.74 |
| Mars | 25912 | 7 1/2" Pocket Fuse Puller up to 100 Amp Fuses;" | 35.36 |
| Mars | 25920 | Wire Marker Dispenser 0 to 9 Legends; | 121.20 |
| Mars | 25930 | 71B Gray Wire Nut 100PK 22 to 14 AWG; | 13.62 |
| Mars | 25931 | 72B Blue Wire Nut 100PK 22 to 14 AWG; | 15.82 |
| Mars | 25932 | 73B Orange Wire Nut 100PK 22 to 14 AWG; | 20.56 |
| Mars | 25933 | 74B Yellow Wire Nut 100PK 18 to 10 AWG; | 23.72 |
| Mars | 25934 | 76B Red Wire Nut 100PK 18 to 8 AWG; | 34.92 |
| Mars | 25936 | Tan Twister Connection 100PK 22 to 10 AWG; | 39.76 |
| Mars | 25938 | Yellow Wing Nut 100PK 18 to 10 AWG; | 25.98 |
| Mars | 25953 | 30 Amp 600 Volt 4 Circuit Terminal Strip; | 22.70 |
| Mars | 25954 | 30 Amp 600 Volt 6 Circuit Terminal Strip; | 24.60 |
| Mars | 25955 | 30 Amp 600 Volt 8 Circuit Terminal Strip; | 35.76 |
| Mars | 32391 | 19/240 Volt Delay On Make Time Delay Relay 1 Amp 6 to 480 Seconds Adjustable;N | 36.90 |
| Mars | 32392 | 19/240 Volt Delay On Break Time Delay Relay 1 Amp 6 to 480 Second Adjustable; | 36.90 |
| Mars | 32394 | 19/240 Volt Delay On Make Time Delay Relay 1 Amp 1 to 1023 Seconds Adjustable; | 68.82 |
| Mars | 32395 | 19/240 Volt By-Pass Timer 1 Amp 6 to 480 Seconds Adjustable; | 59.66 |
| Mars | 33101 | Air Conditioning Freeze Stat Open @ 30 Close @ 45 Clip-on Style; | 54.32 |
| Mars | 33475 | Open 40F Close 20F Disc Style Thermostat Tube Mount 20420L15-722-218; | 110.42 |
| Mars | 34712 | 300F Thermal Fuse Link in Oblong Ceramic Base; | 9.34 |
| Mars | 39205 | Adjustable Fan Switch 90F to 130F Differential 20F Close On Rise 3F05-1; | 26.26 |
| Mars | 39220 | Adjustable Limit Switch 135F to 175F Differential 40F Open On Rise 3L05-1; | 26.50 |
| Mars | 39225 | Adjustable Limit Switch 175F to 215F Differential 40F Open On Rise 3L05-2; | 26.26 |
| Mars | 39230 | Adjustable Limit Switch 210F to 250F Differential 40F Open On Rise 3L05-3; | 26.26 |
| Mars | 43306 | 210/275 Fixed Fan Cycling Peanut Switch Open On Fall 20PS050MA275K210K; | 37.38 |

| | | | |
|------|-------|--|--------|
| Mars | 43313 | 410# Man Reset Hi Pressure Switch Open On Rise 1/4 Fem SAE Conn; | 43.56 |
| Mars | 43325 | 300/200 Fixed High Pressure Cut Out Peanut Switch Auto Reset 20PS003MB300K200K | 37.38 |
| Mars | 43327 | 350/250 Fixed High Pressure Cut Out Peanut Switch Auto Reset 20PS003MB350K250K | 37.38 |
| Mars | 43331 | 400/300 Fixed High Pressure Cut Out Peanut Switch Auto Reset 20PS003MB400K300K | 37.38 |
| Mars | 43332 | 425/300 Fixed High Pressure Cut Out Peanut Switch Auto Reset 20PS003MB425K300K | 37.38 |
| Mars | 43335 | 600/475 Fixed High Pressure Cut Out Peanut Switch Auto Reset PS80-01-10; | 37.38 |
| Mars | 43341 | 5/20 Fixed Low Pressure Cut Out Peanut Switch Auto Reset; | 37.38 |
| Mars | 43343 | 10/25 Fixed Low Pressure Cut Out Peanut Switch Auto Reset 20PS003MA025E010E; | 37.38 |
| Mars | 43344 | 15/35 Fixed Low Pressure Cut Out Peanut Switch Auto Reset 20PS003MA035E015E; | 37.38 |
| Mars | 43346 | 25/50 Fixed Low Pressure Cut Out Peanut Switch Auto Reset 20PS003MA050E025E; | 37.38 |
| Mars | 43347 | 25/65 Fixed Low Pressure Cut Out Peanut Switch Auto Reset 20PS003MA065E025E; | 37.38 |
| Mars | 43352 | 50/90 Fixed Low Pressure Cut Out Peanut Switch Auto Reset PS80-02-F1256; | 37.38 |
| Mars | 50302 | 120 Volt to 24 Volt 40VA Multi Mount Transformer; | 44.52 |
| Mars | 50304 | 120/208/240 Volt to 24 Volt 40VA Multi Mount Transformer; | 48.54 |
| Mars | 50306 | 277 Volt to 24 Volt 48VA Multi Mount Transformer; | 97.42 |
| Mars | 50314 | 120/208/240 Volt to 24 Volt 50VA Multi Mount Transformer; | 47.64 |
| Mars | 50320 | 120/208/240/480 Volt to 24 Volt 75VA Foot Mount Transformer; | 84.14 |
| Mars | 50321 | 120/208/240/480 Volt to 24 Volt 75VA Foot Mount Transformer Manual Reset; | 88.36 |
| Mars | 50327 | 120/208/240/480 Volt to 24 Volt 50VA Foot Mount Transformer Manual Reset; | 81.00 |
| Mars | 50341 | 120/208/240/480 Volt to 24 Volt 100VA Foot Mount Transformer Manual Reset; | 183.72 |
| Mars | 50354 | 120/208/240 Volt to 24 Volt 40VA Foot Mount Transformer; | 28.38 |
| Mars | 50380 | 208/240/480 Volt to 120/24 Volt 50VA Foot Mount Power Transformer; | 174.84 |
| Mars | 52330 | 3/8 Vibration Absorber; | 29.54 |
| Mars | 52331 | 1/2 Vibration Absorber; | 31.64 |
| Mars | 52332 | 5/8 Vibration Absorber; | 34.92 |
| Mars | 52333 | 3/4 Vibration Absorber; | 45.06 |
| Mars | 52334 | 7/8 Vibration Absorber; | 48.88 |
| Mars | 52335 | 1 1/8 Vibration Absorber; | 63.18 |
| Mars | 52336 | 1 3/8 Vibration Absorber; | 88.72 |
| Mars | 52337 | 1 5/8 Vibration Absorber; | 122.96 |
| Mars | 52338 | 2 1/8 Vibration Absorber; | 167.80 |
| Mars | 52339 | 2 5/8 Vibration Absorber; | 373.32 |
| Mars | 61320 | 30A 1 Pole 24 Volt Contactor 45EG10AJA; | 21.62 |
| Mars | 61321 | 30A 1 Pole 120 Volt Contactor 45EG10AFA; | 22.06 |
| Mars | 61345 | 30A 2 Pole 24 Volt Contactor 45EG20AJ; | 26.22 |
| Mars | 61346 | 30A 2 Pole 120 Volt Contactor 45EG20AF; | 23.10 |
| Mars | 61347 | 30A 2 Pole 240 Volt Contactor 45EG20AG; | 23.10 |

| | | | |
|------|-------|---|--------|
| Mars | 61348 | 30A 2 Pole 277 Volt Contactor 45EG20AL; | 23.50 |
| Mars | 61430 | 30A 3 Pole 24 Volt Contactor 42BF35AJ; | 49.70 |
| Mars | 61431 | 30A 3 Pole 120 Volt Contactor 42BF35AF; | 49.70 |
| Mars | 61432 | 30A 3 Pole 240 Volt Contactor 42BF35AG; | 49.70 |
| Mars | 61445 | 40A 3 Pole 24 Volt Contactor 42CF35AJ; | 54.20 |
| Mars | 61446 | 40A 3 Pole 120 Volt Contactor 42CF35AF; | 54.20 |
| Mars | 61447 | 40A 3 Pole 240 Volt Contactor 42CF35AG; | 54.20 |
| Mars | 61449 | 40A 3 Pole 460 Volt Contactor 42CF35AH; | 53.34 |
| Mars | 61460 | 50A 3 Pole 24 Volt Contactor 42DF35AJ; | 154.94 |
| Mars | 61461 | 50A 3 Pole 120 Volt Contactor 42DF35AF; | 154.94 |
| Mars | 61462 | 50A 3 Pole 240 Volt Contactor 42DF35AG; | 154.94 |
| Mars | 61470 | 60A 3 Pole 24 Volt Contactor 42EF35AJ; | 174.82 |
| Mars | 61471 | 60A 3 Pole 120 Volt Contactor 42EF35AF; | 181.36 |
| Mars | 61472 | 60A 3 Pole 240 Volt Contactor 42EF35AG; | 181.36 |
| Mars | 61480 | 75A 3 Pole 24 Volt Contactor 42FE35AJ106; | 333.18 |
| Mars | 61481 | 75A 3 Pole 120 Volt Contactor 42FE35AF106; | 320.40 |
| Mars | 61482 | 75A 3 Pole 240 Volt Contactor 42FE35AG106; | 320.40 |
| Mars | 61491 | 90A 3 Pole 120 Volt Contactor 42GE35AF106; | 399.92 |
| Mars | 61492 | 90A 3 Pole 240 Volt Contactor 42GE35AG106; | 367.68 |
| Mars | 61610 | Auxiliary Contact 1 N/O Used on 61410 thru 61474 49ACRO; | 29.14 |
| Mars | 61611 | Auxiliary Contact 1 N/C Used on 61410 thru 61474 49ACRC; | 29.14 |
| Mars | 61612 | Auxiliary Contact 1 NO 1 NC Used on 61410 thru 61474 49ACR6; | 28.84 |
| Mars | 61615 | Auxiliary Contact SPDT F Series Used on 61410 thru 61474 49D36098001; | 43.58 |
| Mars | 61616 | Auxiliary Contact DPDT A Series Used on 61410 thru 61474 49D36098003; | 46.44 |
| Mars | 61623 | Auxiliary Contact SPDT Used on 61480 thru 61492; | 52.30 |
| Mars | 61625 | Auxiliary Contact 1-NC Used on 61480 thru 61492; | 47.74 |
| Mars | 61730 | 40A 1 Pole 24 Volt Contactor w/Lugs 45GG10AJAL1; | 24.50 |
| Mars | 61755 | 40A 2 Pole 24 Volt Contactor w/Lugs 45GG20AJL1; | 36.20 |
| Mars | 61756 | 40A 2 Pole 120 Volt Contactor w/Lugs 45GG20AFL1; | 36.58 |
| Mars | 61757 | 40A 2 Pole 240 Volt Contactor w/Lugs 45GG20AGL1; | 36.58 |
| Mars | 65004 | 1/8 to 5/8 Imp Tubing Cutter TC1050; | 41.46 |
| Mars | 70220 | BTG-UK2 Clear Plastic Thermostat Cover RS 190-068; | 30.02 |
| Mars | 70721 | 120 Volt 46 Watt 6.56' Pipe Heating Cable HB02; | 116.54 |
| Mars | 70722 | 240 Volt 46 Watt 6.56' Pipe Heating Cable HB02-2; | 122.44 |
| Mars | 70724 | 120 Volt 92 Watt 13.12' Pipe Heating Cable HB04; | 135.98 |
| Mars | 70725 | 240 Volt 92 Watt 13.12' Pipe Heating Cable HB04-2; | 135.30 |
| Mars | 70970 | 120V Self-Regulating Crankcase Heater; | 148.06 |

| | | | |
|------|-------|--|--------|
| Mars | 70971 | 240V Self-Regulating Crankcase Heater; | 148.06 |
| Mars | 73162 | 8 OZ Clear Oatey All Purpose PVC Cement ABS PVC CPVC; | 21.98 |
| Mars | 73165 | 4 OZ Clear Oatey Heavy Duty PVC Cement; | 14.24 |
| Mars | 73178 | 4 OZ Purple Oatey Primer for PVC/CPVC; | 14.14 |
| Mars | 73179 | 8 OZ Purple Oatey Primer for PVC/CPVC; | 18.90 |
| Mars | 78834 | Adjustable Fin & Comb Scraping tool; | 32.74 |
| Mars | 78839 | 1/4 #1 Acid & Flux Brush; | 0.40 |
| Mars | 78840 | 3/8 #2 Acid & Flux Brush; | 0.50 |
| Mars | 78903 | 2" Economy Paint Brush;" | 1.14 |
| Mars | 78905 | 3" Economy Paint Brush;" | 3.04 |
| Mars | 78910 | Plastic Handle Stainless Steel Brush 3PK; | 18.36 |
| Mars | 78911 | Wood Handle Stainless Steel Brush 3PK; | 23.48 |
| Mars | 78913 | Bent Handle Carbon Scratch Brush; | 11.60 |
| Mars | 78918 | 1 1/2 X 25 Yard Roll Sand Cloth; | 24.16 |
| Mars | 78921 | 1 1/2 X 10 Yard Roll Open Coat White Cloth; | 15.82 |
| Mars | 78923 | 1 1/2 X 5 Yard Roll Sand Screen; | 20.14 |
| Mars | 78924 | 1 1/2 X 10 Yard Roll Sand Screen; | 35.14 |
| Mars | 78926 | 4 X 6 Scotchbrite Pad; | 2.66 |
| Mars | 78928 | 1 1/2 X 10 Yard Roll Sand Cloth; | 15.04 |
| Mars | 78940 | 1/2 X 260" Standard Grade White Teflon Tape;" | 2.10 |
| Mars | 78942 | 1/2 X 260" High Density Pink Teflon Tape;" | 7.88 |
| Mars | 78944 | 1/2 X 260" High Density Yellow UL Gas Teflon Tape;" | 12.80 |
| Mars | 79024 | Blue Huck Towels 5lb Box; | 52.12 |
| Mars | 79025 | White Terry Towel 12PK; | 21.92 |
| Mars | 79060 | 1/2 X 50' Black/Orange Polypropylene Truck Rope w/Safety Hook; | 56.92 |
| Mars | 79131 | 1/4 ID Clear Vinyl Tubing 100'/RL; | 0.30 |
| Mars | 79132 | 3/8 ID Clear Vinyl Tubing 100'/RL; | 0.40 |
| Mars | 79133 | 1/2 ID Clear Vinyl Tubing 100'/RL; | 0.50 |
| Mars | 79134 | 5/8 ID Clear Vinyl Tubing 100'/RL; | 0.68 |
| Mars | 79135 | 3/4 ID Clear Vinyl Tubing 100'/RL; | 0.96 |
| Mars | 79138 | 6 Mil X-LG Black Nitrile Gloves 100/Box; | 73.68 |
| Mars | 79169 | Dust & Mist Respirator Dust Mask 20PK; | 44.76 |
| Mars | 79172 | 75 Watt 130 Volt Rough Service Bulb; | 11.92 |
| Mars | 79196 | Micro Fiber Cloths All Purpose Assorted Colors; | 35.70 |
| Mars | 79200 | 6 Mil LG Black Nitrile Gloves; | 73.68 |
| Mars | 79279 | Nylon Tool Tote; | 114.42 |
| Mars | 79320 | Size 6 3/8 to 7/8 Dia Stainless Steel Hose Clamp; | 3.58 |

| | | | |
|------|-------|---|--------|
| Mars | 79322 | Size 10 1/2 to 1 1/8 Dia Stainless Steel Hose Clamp; | 3.66 |
| Mars | 79324 | Size 16 3/4 to 1 1/2 Dia Stainless Steel Hose Clamp; | 3.66 |
| Mars | 79325 | Size 20 3/4 to 1 3/4 Dia Stainless Steel Hose Clamp; | 3.66 |
| Mars | 79340 | Size 4 1/4 to 5/8 Dia Stainless Steel Micro Gear Hose Clamp; | 2.44 |
| Mars | 79341 | Size 6 5/16 to 7/8 Dia Stainless Steel Micro Gear Hose Clamp; | 2.74 |
| Mars | 79401 | D Cell Industrial Alkaline Battery; | 3.44 |
| Mars | 79402 | C Cell Industrial Alkaline Battery; | 2.86 |
| Mars | 79403 | AA Cell Industrial Alkaline Battery; | 1.40 |
| Mars | 79404 | AAA Cell Industrial Alkaline Battery; | 1.46 |
| Mars | 79405 | 9 Volt Industrial Alkaline Battery; | 5.64 |
| Mars | 79454 | 3 Volt Lithium Coin Battery 1632; | 5.42 |
| Mars | 79458 | 3 Volt Lithium Battery 2032; | 8.34 |
| Mars | 79460 | Replacement Flashlight Batteries (For Mars 79479) Pack Of 4; | 10.88 |
| Mars | 79469 | 1.5 Volt 357 Watch/Calulator Battery; | 7.60 |
| Mars | 79540 | 5/8 X 50' Premium Rubber Garden Hose; | 123.70 |
| Mars | 79542 | 5/8 X 50' 200F Hot Water Rubber Garden Hose; | 136.00 |
| Mars | 79558 | 8 1/2 X 12 Redi-Rite Clipboard & Form Holder; | 95.10 |
| Mars | 79582 | Full Size Insulated Pistol Grip Nozzle; | 29.92 |
| Mars | 79977 | Metal Screw-In Anchor w/Pan Head Combo Kit; | 91.82 |
| Mars | 80315 | 240 Volt 60A Non Fused Disconnect; | 61.80 |
| Mars | 80316 | 240 Volt 30A Fused Disconnect; | 68.50 |
| Mars | 80317 | 240 Volt 60A Fused Disconnect; | 55.90 |
| Mars | 81024 | 5 Amp 250 Volt Fuse HAC-R-5; | 8.78 |
| Mars | 81032 | 10 Amp 250 Volt Fuse HAC-R-10; | 7.46 |
| Mars | 81034 | 15 Amp 250 Volt Fuse HAC-R-15; | 6.24 |
| Mars | 81036 | 20 Amp 250 Volt Fuse HAC-R-20; | 6.24 |
| Mars | 81037 | 25 Amp 250 Volt Fuse HAC-R-25; | 6.24 |
| Mars | 81038 | 30 Amp 250 Volt Fuse HAC-R-30; | 5.92 |
| Mars | 81039 | 35 Amp 250 Volt Fuse HAC-R-35; | 11.34 |
| Mars | 81040 | 40 Amp 250 Volt Fuse HAC-R-40; | 11.34 |
| Mars | 81041 | 45 Amp 250 Volt Fuse HAC-R-45; | 11.34 |
| Mars | 81042 | 50 Amp 250 Volt Fuse HAC-R-50; | 11.34 |
| Mars | 81043 | 60 Amp 250 Volt Fuse HAC-R-60; | 10.56 |
| Mars | 81045 | 80 Amp 250 Volt Fuse HAC-R-80; | 29.10 |
| Mars | 81132 | 10 Amp 600 Volt Fuse HAS-R-10; | 17.90 |
| Mars | 81134 | 15 Amp 600 Volt Fuse HAS-R-15; | 14.52 |
| Mars | 81136 | 20 Amp 600 Volt Fuse HAS-R-20; | 14.52 |

| | | | |
|------|-------|---|--------|
| Mars | 81137 | 25 Amp 600 Volt Fuse HAS-R-25; | 14.52 |
| Mars | 81138 | 30 Amp 600 Volt Fuse HAS-R-30; | 14.52 |
| Mars | 81139 | 35 Amp 600 Volt Fuse HAS-R-35; | 24.64 |
| Mars | 81140 | 40 Amp 600 Volt Fuse HAS-R-40; | 24.90 |
| Mars | 81141 | 50 Amp 600 Volt Fuse HAS-R-50; | 24.64 |
| Mars | 81142 | 60 Amp 600 Volt Fuse HAS-R-60; | 24.90 |
| Mars | 81143 | 70 Amp 600 Volt Fuse HAS-R-70; | 51.40 |
| Mars | 81147 | 45 Amp 600 Volt Fuse HAS-R-45; | 29.10 |
| Mars | 82230 | ATC-3 Auto Blade Fuse 5/PK; | 5.48 |
| Mars | 82231 | ATC-5 Auto Blade Fuse 5/PK; | 5.48 |
| Mars | 82273 | 5 Amp 600 Volt Time Delay Fuse SLC5, SC5, AG5 Class G; | 13.54 |
| Mars | 82276 | 10 Amp 600 Volt Time Delay Fuse SLC10, SC10, AG10 Class G; | 13.50 |
| Mars | 82278 | 15 Amp 600 Volt Time Delay Fuse SLC15, SC15, AG15 Class G; | 12.40 |
| Mars | 82279 | 20 Amp 480 Volt Fuse SLC 20 SC-20; | 11.44 |
| Mars | 82407 | 3 Amp 250 Volt Ceramic Fuse 5PK 3AB/GAB3/ABC-3; | 21.78 |
| Mars | 82409 | 5 Amp 250 Volt Ceramic Fuse 5PK 3AB/GAB5/ABC-5; | 19.78 |
| Mars | 82413 | 10 Amp 250 Volt Ceramic Fuse 5PK 3AB/GAB10/ABC-10; | 20.24 |
| Mars | 82456 | 1 Amp 250 Volt Glass Fuse 5PK 3AG/GGC1; | 10.04 |
| Mars | 82460 | 2 Amp 250 Volt Glass Fuse 5PK 3AG/GGC2; | 10.26 |
| Mars | 82462 | 3 Amp 250 Volt Glass Fuse 5PK 3AG/GGC3; | 7.82 |
| Mars | 82502 | 1 Amp 250 Volt Time Delay Glass Fuse 5PK GDL1/AGC-1; | 25.78 |
| Mars | 82510 | 3 Amp 250 Volt Time Delay Glass Fuse 5PK GDL3/AGC-3; | 23.78 |
| Mars | 82513 | 5 Amp 250 Volt Time Delay Glass Fuse 5PK GDL5/AGC-5; | 24.24 |
| Mars | 82880 | 3 2/10 Amp 300 Volt Sloblo Fuse GMQ; | 21.18 |
| Mars | 82917 | 10 Amp 600 Volt Fast Acting Midget Fuse ATM10/KTK10; | 24.96 |
| Mars | 82919 | 15 Amp 600 Volt Fast Acting Midget Fuse ATM15; | 28.82 |
| Mars | 82920 | 20 Amp 600 Volt Fast Acting Midget Fuse ATM20; | 28.82 |
| Mars | 82944 | 5 Amp 500 Volt Time Delay Midget Fuse ATQ5; | 33.04 |
| Mars | 82947 | 10 Amp 500 Volt Time Delay Midget Fuse ATQ10; | 33.04 |
| Mars | 82948 | 20 Amp 500 Volt Time Delay Midget Fuse ATQ20; | 35.44 |
| Mars | 82951 | 30 Amp 500 Volt Time Delay Midget Fuse ATQ30; | 35.44 |
| Mars | 82952 | 15 Amp 500 Volt Time Delay Midget Fuse ATQ15; | 25.70 |
| Mars | 83001 | In Line Glass Fuse Holder Screw Cap 82998; | 11.52 |
| Mars | 83323 | 60 Amp 3 Pole 240 Volt Fused Pullout Disconnect Nema 3R; | 283.90 |
| Mars | 83330 | 30 Amp 2 Pole 240 Volt Switched Fused Disconnect Nema 3R NR321; | 270.88 |
| Mars | 83331 | 60 Amp 2 Pole 240 Volt Switched Fused Disconnect Nema 3R NR322; | 480.32 |
| Mars | 83336 | 30 Amp 3 Pole 240 Volt Switched Fused Disconnect Nema 3R NR421; | 403.88 |

| | | | |
|------|-------|--|----------|
| Mars | 83337 | 60 Amp 3 Pole 240 Volt Switched Fused Disconnect Nema 3R NR422; | 575.74 |
| Mars | 83359 | 30 Amp 3 Pole 600 Volt Switched Fused Disconnect Heavy Duty Nema 3R FR351; | 1,340.42 |
| Mars | 83916 | 240 Volt 30A Fused Disconnect With Surge Protector Nema 3R; | 169.94 |
| Mars | 84102 | 1/2 Metallic Liquidtite; | 9.32 |
| Mars | 84118 | 1/2 Non-Metallic Liquidtite; | 1.24 |
| Mars | 84119 | 3/4 Non-Metallic Liquidtite; | 1.70 |
| Mars | 84131 | 1/2 X 4' 10GA Non-Metallic Whip/ Non-Metallic Fittings; | 29.28 |
| Mars | 84135 | 1/2 X 6' 10GA Non-Metallic Whip/ Non-Metallic Fittings; | 39.32 |
| Mars | 84137 | 3/4 X 6' 8GA Non-Metallic Whip/ Non-Metallic Fittings; | 52.70 |
| Mars | 84380 | 12/3 SJ Wire 250' Roll; | 2.68 |
| Mars | 84381 | 14/3 SJ Wire 250' Roll; | 1.96 |
| Mars | 84656 | 14/3 50' 15 Amp 125 Volt Outdoor Heavy Duty Extension Cord 3356; | 127.00 |
| Mars | 84657 | 12/3 50' 15 Amp 125 Volt Outdoor Heavy Duty Extension Cord 6853; | 180.56 |
| Mars | 84670 | 16/3 6' 13 Amp 125 Volt Pigtail SPT-3RT; | 13.02 |
| Mars | 84681 | 14/3 6' 13 Amp 125 Volt Pigtail SJT-BL STR; | 11.92 |
| Mars | 84716 | 20 Amp 2 Pole 125 Volt Duplex Receptacle Ivory; | 19.26 |
| Mars | 84726 | 15 Amp 1 Pole 120/277 Volt Switch w/Pilot Light Ivory Carded; | 44.80 |
| Mars | 84772 | 15 Amp 2 Pole 125 Volt Armored Plug Male; | 14.52 |
| Mars | 84773 | 15 Amp 2 Pole 125 Volt Black Armored Connector Female; | 26.20 |
| Mars | 84936 | 4"x 4" x 2-1/2" Deep Square Steel Handy Box with 1/2" & 3/4" Knockouts;" | 14.18 |
| Mars | 84949 | 2-1/8" x 4" x 1-7/8" Deep Steel Handy Box with 1/2" Knockouts;" | 12.52 |
| Mars | 84964 | 4 Square Flat Square Steel Cover w/1/2 Knockout in Center; | 5.50 |
| Mars | 84987 | 4 X 2 1/8 Duplex Receptacle Steel Cover; | 3.44 |
| Mars | 84990 | 2-1/8" x 4" Blank Handy Box Cover With 1/2" Knockout in Center;" | 4.76 |
| Mars | 85001 | 1/2 Straight Metallic Liquidtite Connector LT50; | 3.42 |
| Mars | 85002 | 3/4 Straight Metallic Liquidtite Connector LT75; | 6.66 |
| Mars | 85005 | 1/2 90 Deg Elbow Metallic Liquidtite Connector LT9050; | 5.64 |
| Mars | 85016 | 1/2 Straight Non-Metallic Liquidtite Connector NMLT50; | 1.62 |
| Mars | 85017 | 3/4 Straight Non-Metallic Liquidtite Connector NMLT75; | 2.34 |
| Mars | 85020 | 1/2 90 Deg Elbow Non-Metallic Liquidtite Connector NMLT90 50; | 2.58 |
| Mars | 85021 | 3/4 90 Deg Elbow Non-Metallic Liquidtite Connector NMLT90 75; | 3.36 |
| Mars | 85185 | 3/8 Romex Squeeze Connector; | 1.06 |
| Mars | 85397 | 3/8 Romex Squeeze Connector 4pk; | 4.90 |
| Mars | 85901 | One Gang Weatherproof Outlet Box w/3 1/2 holes w/Lugs; | 9.96 |
| Mars | 85902 | One Gang Weatherproof Outlet Box w/3 3/4 holes w/Lugs; | 15.46 |
| Mars | 85950 | One Gang Weatherproof Cover w/Gasket & Screws; | 3.52 |
| Mars | 86070 | 18GA Small Alligator Clip Test Leads 18" 10PK;" | 23.54 |

| | | | |
|------|-------|--|--------|
| Mars | 86071 | 18GA Medium Alligator Clip Test Leads 24" w/Boots 2PK;" | 13.34 |
| Mars | 86073 | 14GA Large Alligator Clip Test Leads 24" w/Boots 2PK;" | 13.72 |
| Mars | 86076 | Medium 24" 3 Wire Test Cord w/Female Plug & 3 Insulated Clips;" | 37.30 |
| Mars | 86101 | 4" Black Standard Wire Tie 100/PK;" | 12.44 |
| Mars | 86107 | 8" Black Standard Wire Tie 100/PK;" | 10.34 |
| Mars | 86114 | 8" Natural Screw Mount Wire Tie 100/PK;" | 23.72 |
| Mars | 86115 | 8" Black Screw Mount Wire Tie 100/PK;" | 19.24 |
| Mars | 86388 | Compressor Stake On Repair Kit 10GA 3 Wire Term-lok; | 88.64 |
| Mars | 90290 | SPST 24 Volt Fan Switching Relay; | 23.80 |
| Mars | 90291 | SPST 110/120 Volt Fan Switching Relay; | 31.62 |
| Mars | 90293 | SPDT 24 Volt Fan Switching Relay; | 26.46 |
| Mars | 90294 | SPDT 110/120 Volt Fan Switching Relay; | 34.48 |
| Mars | 90295 | SPDT 208/240 Volt Fan Switching Relay; | 32.58 |
| Mars | 90340 | DPDT 24 Volt Power/Power Switching Relay; | 22.62 |
| Mars | 90341 | DPDT 120 Volt Power/Power Switching Relay; | 30.36 |
| Mars | 90342 | DPDT 240 Volt Power/Power Switching Relay; | 39.34 |
| Mars | 90370 | SPDT 24 Volt Heavy Duty Fan Switching Relay; | 28.96 |
| Mars | 90380 | SPNO/SPNC 24 Volt Heavy Duty Fan Switching Relay; | 25.70 |
| Mars | 93031 | Mounting Bracket for Round Capacitors 1.63 and 1.75 Diameter; | 3.02 |
| Mars | 93033 | Mounting Bracket for Round Capacitors 2.5 Diameter; | 2.88 |
| Mars | 93106 | QC-13 15K Ohm Resistor for Start Capacitors w/Female Spade Connectors; | 2.86 |
| Mars | 93201 | Scrubs In-A-Bucket w/72 towels; | 55.98 |
| Mars | 93212 | CRC Power Lube Teflon Lubricant 11OZ; | 28.10 |
| Mars | 93220 | One Shot Drain Opener Kit 3.6 OZ; | 69.42 |
| Mars | 93221 | One Shot Refill Can 7.0 oz; | 53.54 |
| Mars | 93226 | CRC Wasp & Hornet Killer Plus 14OZ; | 23.44 |
| Mars | 93249 | Silicone Sealant Clear 10.1OZ; | 16.74 |
| Mars | 93251 | Silicone Sealant White 10.1OZ; | 16.74 |
| Mars | 93252 | Silicone Sealant Gray 10.1OZ; | 16.74 |
| Mars | 93255 | Hi-Temp Silicone Heat Resistant Red 10.1OZ; | 23.38 |
| Mars | 93267 | Spray Foam Sealant 24OZ; | 44.34 |
| Mars | 93268 | Spray Foam Sealant 12OZ; | 23.30 |
| Mars | 93270 | Econo Conventional Caulking Gun; | 20.10 |
| Mars | 93279 | Professional Ratchet Caulking Gun; | 32.02 |
| Mars | 93290 | Butyl Sealant White 10.1OZ; | 18.14 |
| Mars | 93293 | Firestop Sealant 10.3OZ; | 47.68 |
| Mars | 93350 | Pistol Grip Grease Gun w/12" Hose 30-415;" | 121.54 |

| | | | |
|------------------------|-------------|--|--------|
| Mars | 93352 | Mini Grease Gun Kit w/3OZ Grease Cartridge 30-132; | 71.16 |
| Mars | 93360 | Multi Purpose Lithium Grease Cartridge 3OZ/3PK 11-300; | 23.02 |
| Mars | 93361 | Multi Purpose Lithium Grease Cartridge 3310; | 9.12 |
| Mars | 93367 | 12" Heavy Duty Grease Hose 10-212;" | 23.66 |
| Mars | 93376 | 1/8 NPT Short Straight Grease Fitting 10/CRD 11-151; | 24.32 |
| Mars | 93404 | 3" Flexible Putty Knife;" | 27.26 |
| Mars | 93582 | 6 3/4 Dia 5/8 Shaft Rain Shield; | 37.18 |
| Mars | 93603 | 6" 2 Piece Heat Pump Riser;" | 9.82 |
| Mars | 93803 | 1-1/3 oz Leak Lock Thread Sealant Pipe Joint Compound; | 13.76 |
| Mars | 93804 | 4 oz Leak Lock Thread Sealant Pipe Joint Compound; | 36.34 |
| Mars | 93951 | C10 Channel Support; | 55.36 |
| Mars | 95480 | Black Paint Marker; | 10.10 |
| Mars | 95481 | Red Paint Marker; | 10.10 |
| Mars | 95485 | Yellow Paint Marker; | 10.10 |
| Mars | 95536 | Cool Gel Heat Dissipating Spray 1/QT; | 58.04 |
| Maxitrol | RV48-44 | 1/2" Pilot or Main Burner Gas Reg 1/2"" PSI In 3-6"" W.C. Out / Set at 4""wc;" | 66.58 |
| Milrose | 72151 | Screwdriver 6-IN-1 Cushion Grip Flat/Phillips/Nut Driver; | 24.52 |
| McDonnell & Miller | FS4-3 | General Purpose Flow Switch 1In NPT SPDT Nema 1 # 114400; | 372.78 |
| McDonnell & Miller | FS8-W | General Purpose Flow Switch 1In NPT SPDT Nema 4X # 120601; | 492.06 |
| Mueller Streamline Co. | 107-403 | Ball Valve 1/2" NPT Brass Full Port 600 WOG AGA Approved;" | 20.76 |
| Mueller Streamline Co. | 107-404 | Ball Valve 3/4" NPT Brass Full Port 600 WOG AGA Approved;" | 32.90 |
| Mueller Streamline Co. | 520-003 | Black Iron 1/2 In 90 Deg Elbow Pipe Fitting; | 2.88 |
| Mueller Streamline Co. | 520-603 | Black Iron 1/2 In Tee Pipe Fitting; | 3.74 |
| Mueller Streamline Co. | 583-060 | Black Welded Steel Pipe Nipple 1/2 In X 6 In; | 3.30 |
| Mueller Streamline Co. | 583-120 | Black Welded Steel Pipe Nipple 1/2 In X 12 In; | 8.40 |
| Mueller Streamline Co. | A 01203 | Copper Tube Strap 1/4 OD 2 Hole; | 1.02 |
| Mueller Streamline Co. | A 01278 | Copper Tube Strap 3/8 OD 2 Hole; | 1.00 |
| Mueller Streamline Co. | A 01366 | Copper Tube Strap 1/2 OD 2 Hole; | 1.08 |
| Mueller Streamline Co. | A 02708 | Copper Tube Strap 2 1/8 OD 2 Hole; | 3.14 |
| Mueller Streamline Co. | A 08274 | 3/8 in Male Flare Refrigerant Drum Adapter K1 3; | 12.74 |
| Mueller Streamline Co. | A 08276 | 1/2 in Male Flare Refrigerant Drum Adapter K1 5; | 28.52 |
| Mueller Streamline Co. | A 11205 | 1-3/8 OD Copper Union CXC; | 119.26 |
| Mueller Streamline Co. | A 15502-400 | Pressure Relief Valve Straight 3/8 NPT X 3/8 Flare 400 Lbs; | 124.74 |
| Mueller Streamline Co. | A 15504-300 | Pressure Relief Valve Straight 1/2 NPT X 5/8 Flare 300 Lbs; | 160.48 |
| Mueller Streamline Co. | A 15504-400 | Pressure Relief Valve Straight 1/2 NPT X 5/8 Flare 400 Lbs; | 160.48 |
| Mueller Streamline Co. | A 15504-450 | Pressure Relief Valve Straight 1/2 NPT X 5/8 Flare 450 Lbs; | 160.48 |
| Mueller Streamline Co. | A 15514-350 | Pressure Relief Valve Angle 1/2 NPT X 5/8 Flare 350 Lbs; | 184.20 |

| | | | |
|------------------------|---------|---|--------|
| Mueller Streamline Co. | A 16447 | 1/4 Flare Quick Seal Cap w/ O-Ring; | 1.48 |
| Mueller Streamline Co. | A11030 | Packed Receiver Valve 1/4 Mpt X 3/8 Flare; | 53.96 |
| Mueller Streamline Co. | A13503 | Packed Angle Valve Non-Backseating 3/8 Mpt X 3/8 Flare; | 65.66 |
| Mueller Streamline Co. | A13613 | Packed Receiver Valve 3/8 Mpt X 1/4 Flare; | 67.28 |
| Mueller Streamline Co. | A14850 | Packless Line Valve 3/8 ODS X 3/8 ODS Straight Thru Extended End; | 133.12 |
| Mueller Streamline Co. | A17515 | Compressor Service Valve Kit 7/8 ODS; | 175.24 |
| Mueller Streamline Co. | A17526 | Compressor Service Valve Kit 1 3/8 ODS COPE 998-0510-11; | 298.58 |
| Mueller Streamline Co. | A17935 | Magni Check Valve 3/8 ODS; | 67.08 |
| Mueller Streamline Co. | A17936 | Magni Check Valve 1/2 ODS; | 67.08 |
| Mueller Streamline Co. | A17937 | Magni Check Valve 5/8 ODS; | 67.08 |
| Mueller Streamline Co. | A17939 | Magni Check Valve 7/8 ODS; | 174.34 |
| Mueller Streamline Co. | A17940 | Magni Check Valve 1 1/8 ODS; | 341.92 |
| Mueller Streamline Co. | A17941 | Magni Check Valve 1 3/8 ODS; | 697.28 |
| Mueller Streamline Co. | A18025 | Strainer 3/8" Inlet | 3.00 |
| Mueller Streamline Co. | W 01001 | 3/16 OD Roll-Stop Copper Coupling; | 2.08 |
| Mueller Streamline Co. | W 01003 | 1/4 OD Roll-Stop Copper Coupling; | 1.52 |
| Mueller Streamline Co. | W 01009 | 3/8 OD RL-STOP Copper Coupling; | 1.26 |
| Mueller Streamline Co. | W 01010 | 3/8 OD X 5/16 OD Copper Coupling; | 8.78 |
| Mueller Streamline Co. | W 01011 | 3/8 OD X 1/4 OD Copper Coupling; | 9.12 |
| Mueller Streamline Co. | W 01017 | 1/2 OD Roll-Stop Copper Coupling; | 1.64 |
| Mueller Streamline Co. | W 01019 | 1/2 OD X 3/8 OD Copper Coupling; | 2.92 |
| Mueller Streamline Co. | W 01021 | 1/2 OD X 1/4 OD Copper Coupling; | 4.02 |
| Mueller Streamline Co. | W 01022 | 5/8 OD Roll-Stop Copper Coupling; | 1.38 |
| Mueller Streamline Co. | W 01023 | 5/8 OD X 1/2 OD Copper Coupling; | 3.00 |
| Mueller Streamline Co. | W 01025 | 5/8 OD X 3/8 OD Copper Coupling; | 3.72 |
| Mueller Streamline Co. | W 01027 | 5/8 OD X 1/4 OD Copper Coupling; | 4.22 |
| Mueller Streamline Co. | W 01028 | 3/4 OD Roll-Stop Copper Coupling; | 3.66 |
| Mueller Streamline Co. | W 01029 | 3/4 OD X 5/8 OD Copper Coupling; | 7.50 |
| Mueller Streamline Co. | W 01030 | 3/4 OD X 1/2 OD Copper Coupling; | 9.26 |
| Mueller Streamline Co. | W 01031 | 3/4 OD X 3/8 OD Copper Coupling; | 7.94 |
| Mueller Streamline Co. | W 01034 | 7/8 OD Roll-Stop Copper Coupling; | 2.80 |
| Mueller Streamline Co. | W 01035 | 7/8 OD X 3/4 OD Copper Coupling; | 5.30 |
| Mueller Streamline Co. | W 01036 | 7/8 OD X 5/8 OD Copper Coupling; | 5.68 |
| Mueller Streamline Co. | W 01037 | 7/8 OD X 1/2 OD Copper Coupling; | 6.60 |
| Mueller Streamline Co. | W 01038 | 7/8 OD X 3/8 OD Copper Coupling; | 6.48 |
| Mueller Streamline Co. | W 01047 | 1-1/8 OD Roll-Stop Copper Coupling; | 5.40 |
| Mueller Streamline Co. | W 01049 | 1-1/8 OD X 7/8 OD Copper Coupling; | 9.40 |

| | | | |
|------------------------|---------|--------------------------------------|-------|
| Mueller Streamline Co. | W 01050 | 1-1/8 OD X 3/4 OD Copper Coupling; | 10.32 |
| Mueller Streamline Co. | W 01051 | 1-1/8 OD X 5/8 OD Copper Coupling; | 12.80 |
| Mueller Streamline Co. | W 01052 | 1-1/8 OD X 1/2 OD Copper Coupling; | 11.82 |
| Mueller Streamline Co. | W 01055 | 1-3/8 OD Roll-Stop Copper Coupling; | 9.46 |
| Mueller Streamline Co. | W 01056 | 1-3/8 OD X 1-1/8 OD Copper Coupling; | 13.02 |
| Mueller Streamline Co. | W 01058 | 1-3/8 OD X 7/8 OD Copper Coupling; | 13.02 |
| Mueller Streamline Co. | W 01063 | 1-5/8 OD Roll-Stop Copper Coupling; | 12.48 |
| Mueller Streamline Co. | W 01064 | 1-5/8 OD X 1-3/8 OD Copper Coupling; | 21.56 |
| Mueller Streamline Co. | W 01065 | 1-5/8 OD X 1-1/8 OD Copper Coupling; | 24.88 |
| Mueller Streamline Co. | W 01067 | 1-5/8 OD X 7/8 OD Copper Coupling; | 24.88 |
| Mueller Streamline Co. | W 01072 | 2-1/8 OD Roll-Stop Copper Coupling; | 20.80 |
| Mueller Streamline Co. | W 01073 | 2-1/8 OD X 1-5/8 OD Copper Coupling; | 33.28 |
| Mueller Streamline Co. | W 01074 | 2-1/8 OD X 1-3/8 OD Copper Coupling; | 33.28 |
| Mueller Streamline Co. | W 01075 | 2-1/8 OD X 1-1/8 OD Copper Coupling; | 39.30 |
| Mueller Streamline Co. | W 01082 | 2-5/8 OD Roll-Stop Copper Coupling; | 46.12 |
| Mueller Streamline Co. | W 01083 | 2-5/8 OD X 2-1/8 OD Copper Coupling; | 68.44 |
| Mueller Streamline Co. | W 01092 | 3-1/8 OD Roll-Stop Copper Coupling; | 62.88 |
| Mueller Streamline Co. | W 01124 | 1/2 OD X 1/2 Copper Mpt Adapter; | 13.62 |
| Mueller Streamline Co. | W 01130 | 5/8 OD X 3/4 Copper Mpt Adapter; | 13.24 |
| Mueller Streamline Co. | W 01131 | 5/8 OD X 1/2 Copper Mpt Adapter; | 4.74 |
| Mueller Streamline Co. | W 01138 | 3/4 OD X 3/4 Copper Mpt Adapter; | 15.22 |
| Mueller Streamline Co. | W 01146 | 7/8 OD X 3/4 Copper Mpt Adapter; | 7.68 |
| Mueller Streamline Co. | W 01163 | 1-1/8 OD X 1 Copper Mpt Adapter; | 20.26 |
| Mueller Streamline Co. | W 01171 | 1-3/8 OD X 1-1/4 Copper Mpt Adapter; | 25.72 |
| Mueller Streamline Co. | W 01215 | 3/8 OD X 1/4 Copper Fpt Adapter; | 12.08 |
| Mueller Streamline Co. | W 01223 | 1/2 OD X 3/4 Copper Fpt Adapter; | 16.30 |
| Mueller Streamline Co. | W 01230 | 5/8 OD X 3/4 Copper Fpt Adapter; | 15.58 |
| Mueller Streamline Co. | W 01231 | 5/8 OD X 1/2 Copper Fpt Adapter; | 7.52 |
| Mueller Streamline Co. | W 01233 | 5/8 OD X 1/4 Copper Fpt Adapter; | 10.86 |
| Mueller Streamline Co. | W 01238 | 3/4 OD X 3/4 Copper Fpt Adapter; | 15.22 |
| Mueller Streamline Co. | W 01246 | 7/8 OD X 3/4 Copper Fpt Adapter; | 9.98 |
| Mueller Streamline Co. | W 01263 | 1-1/8 OD X 1 Copper Fpt Adapter; | 22.80 |
| Mueller Streamline Co. | W 01306 | 3/8 Ftg X 1/4 OD Copper Bushing; | 3.96 |
| Mueller Streamline Co. | W 01312 | 1/2 Ftg X 3/8 OD Copper Bushing; | 3.96 |
| Mueller Streamline Co. | W 01314 | 1/2 Ftg X 1/4 OD Copper Bushing; | 5.00 |
| Mueller Streamline Co. | W 01315 | 5/8 Ftg X 1/2 OD Copper Bushing; | 3.38 |
| Mueller Streamline Co. | W 01317 | 5/8 Ftg X 3/8 OD Copper Bushing; | 3.84 |

| | | | |
|------------------------|---------|---|-------|
| Mueller Streamline Co. | W 01320 | 3/4 Ftg X 5/8 OD Copper Bushing; | 8.32 |
| Mueller Streamline Co. | W 01321 | 3/4 Ftg X 1/2 OD Copper Bushing; | 8.40 |
| Mueller Streamline Co. | W 01322 | 3/4 Ftg X 3/8 OD Copper Bushing; | 8.84 |
| Mueller Streamline Co. | W 01325 | 7/8 Ftg X 3/4 OD Copper Bushing; | 5.14 |
| Mueller Streamline Co. | W 01326 | 7/8 Ftg X 5/8 OD Copper Bushing; | 5.10 |
| Mueller Streamline Co. | W 01327 | 7/8 Ftg X 1/2 OD Copper Bushing; | 6.86 |
| Mueller Streamline Co. | W 01328 | 7/8 Ftg X 3/8 OD Copper Bushing; | 7.18 |
| Mueller Streamline Co. | W 01337 | 1-1/8 Ftg X 7/8 OD Copper Bushing; | 7.38 |
| Mueller Streamline Co. | W 01338 | 1-1/8 Ftg X 3/4 OD Copper Bushing; | 9.76 |
| Mueller Streamline Co. | W 01339 | 1-1/8 Ftg X 5/8 OD Copper Bushing; | 10.48 |
| Mueller Streamline Co. | W 01340 | 1-1/8 Ftg X 1/2 OD Copper Bushing; | 9.60 |
| Mueller Streamline Co. | W 01343 | 1-3/8 Ftg X 1-1/8 OD Copper Bushing; | 13.42 |
| Mueller Streamline Co. | W 01345 | 1-3/8 Ftg X 7/8 OD Copper Bushing; | 14.24 |
| Mueller Streamline Co. | W 01347 | 1-3/8 Ftg X 5/8 OD Copper Bushing; | 14.24 |
| Mueller Streamline Co. | W 01350 | 1-5/8 Ftg X 1-3/8 OD Copper Bushing; | 18.52 |
| Mueller Streamline Co. | W 01351 | 1-5/8 Ftg X 1-1/8 OD Copper Bushing; | 18.52 |
| Mueller Streamline Co. | W 01353 | 1-5/8 Ftg X 7/8 OD Copper Bushing; | 21.38 |
| Mueller Streamline Co. | W 01358 | 2-1/8 Ftg X 1-5/8 OD Copper Bushing; | 34.86 |
| Mueller Streamline Co. | W 01359 | 2-1/8 Ftg X 1-3/8 OD Copper Bushing; | 34.86 |
| Mueller Streamline Co. | W 01360 | 2-1/8 Ftg X 1-1/8 OD Copper Bushing; | 41.06 |
| Mueller Streamline Co. | W 01367 | 2-5/8 Ftg X 2-1/8 OD Copper Bushing; | 64.44 |
| Mueller Streamline Co. | W 01368 | 2-5/8 Ftg X 1-5/8 OD Copper Bushing; | 65.88 |
| Mueller Streamline Co. | W 01902 | 1/2 OD C X C No-Stop Copper Coupling; | 3.72 |
| Mueller Streamline Co. | W 01903 | 5/8 OD C X C No-Stop Copper Coupling; | 2.10 |
| Mueller Streamline Co. | W 01905 | 7/8 OD C X C No-Stop Copper Coupling; | 4.50 |
| Mueller Streamline Co. | W 01906 | 1-1/8 OD C X C No-Stop Copper Coupling; | 9.20 |
| Mueller Streamline Co. | W 01907 | 1-3/8 OD C X C No-Stop Copper Coupling; | 12.28 |
| Mueller Streamline Co. | W 01908 | 1-5/8 OD C X C No-Stop Copper Coupling; | 16.58 |
| Mueller Streamline Co. | W 01909 | 2-1/8 OD C X C No-Stop Copper Coupling; | 31.36 |
| Mueller Streamline Co. | W 02003 | 1/4 SR 90 Copper Elbow; | 5.52 |
| Mueller Streamline Co. | W 02009 | 3/8 SR 90 Copper Elbow; | 5.62 |
| Mueller Streamline Co. | W 02017 | 1/2 SR 90 Copper Elbow; | 5.48 |
| Mueller Streamline Co. | W 02022 | 5/8 SR 90 Copper Elbow; | 6.28 |
| Mueller Streamline Co. | W 02028 | 3/4 SR 90 Copper Elbow; | 11.38 |
| Mueller Streamline Co. | W 02034 | 7/8 SR 90 Copper Elbow; | 11.32 |
| Mueller Streamline Co. | W 02047 | 1-1/8 SR 90 Copper Elbow; | 15.14 |
| Mueller Streamline Co. | W 02055 | 1-3/8 LR 90 Copper Elbow; | 27.12 |

| | | | |
|------------------------|---------|------------------------------|--------|
| Mueller Streamline Co. | W 02063 | 1-5/8 LR 90 Copper Elbow; | 38.58 |
| Mueller Streamline Co. | W 02072 | 2-1/8 LR 90 Copper Elbow; | 101.48 |
| Mueller Streamline Co. | W 02082 | 2-5/8 LR 90 Copper Elbow; | 149.68 |
| Mueller Streamline Co. | W 02084 | 1-3/8 SR 90 Copper Elbow; | 17.82 |
| Mueller Streamline Co. | W 02092 | 3-1/8 LR 90 Copper Elbow; | 197.90 |
| Mueller Streamline Co. | W 02305 | 1/4 SR ST 90 Copper Elbow; | 10.54 |
| Mueller Streamline Co. | W 02312 | 3/8 SR ST 90 Copper Elbow; | 10.18 |
| Mueller Streamline Co. | W 02321 | 1/2 SR ST 90 Copper Elbow; | 7.02 |
| Mueller Streamline Co. | W 02326 | 5/8 SR ST 90 Copper Elbow; | 8.28 |
| Mueller Streamline Co. | W 02330 | 3/4 SR ST 90 Copper Elbow; | 12.28 |
| Mueller Streamline Co. | W 02334 | 7/8 SR ST 90 Copper Elbow; | 12.90 |
| Mueller Streamline Co. | W 02344 | 1-1/8 SR ST 90 Copper Elbow; | 18.14 |
| Mueller Streamline Co. | W 02350 | 1-3/8 LR ST 90 Copper Elbow; | 38.08 |
| Mueller Streamline Co. | W 02355 | 1-5/8 LR ST 90 Copper Elbow; | 54.40 |
| Mueller Streamline Co. | W 02359 | 2-1/8 LR ST 90 Copper Elbow; | 88.56 |
| Mueller Streamline Co. | W 02363 | 2-5/8 LR ST 90 Copper Elbow; | 158.98 |
| Mueller Streamline Co. | W 02368 | 3-1/8 LR ST 90 Copper Elbow; | 240.02 |
| Mueller Streamline Co. | W 02384 | 1-3/8 SR ST 90 Copper Elbow; | 24.32 |
| Mueller Streamline Co. | W 02385 | 1-5/8 SR ST 90 Copper Elbow; | 35.66 |
| Mueller Streamline Co. | W 02710 | 5/16 LR 90 Copper Elbow; | 9.64 |
| Mueller Streamline Co. | W 02715 | 1/4 LR 90 Copper Elbow; | 10.00 |
| Mueller Streamline Co. | W 02716 | 3/8 LR 90 Copper Elbow; | 7.10 |
| Mueller Streamline Co. | W 02717 | 1/2 LR 90 Copper Elbow; | 8.98 |
| Mueller Streamline Co. | W 02722 | 5/8 LR 90 Copper Elbow; | 8.04 |
| Mueller Streamline Co. | W 02728 | 3/4 LR 90 Copper Elbow; | 8.14 |
| Mueller Streamline Co. | W 02734 | 7/8 LR 90 Copper Elbow; | 10.40 |
| Mueller Streamline Co. | W 02747 | 1-1/8 LR 90 Copper Elbow; | 16.72 |
| Mueller Streamline Co. | W 02809 | 3/8 LR ST 90 Copper Elbow; | 8.42 |
| Mueller Streamline Co. | W 02817 | 1/2 LR ST 90 Copper Elbow; | 16.44 |
| Mueller Streamline Co. | W 02822 | 5/8 LR ST 90 Copper Elbow; | 12.10 |
| Mueller Streamline Co. | W 02828 | 3/4 LR ST 90 Copper Elbow; | 14.30 |
| Mueller Streamline Co. | W 02834 | 7/8 LR ST 90 Copper Elbow; | 14.44 |
| Mueller Streamline Co. | W 02847 | 1-1/8 LR ST 90 Copper Elbow; | 25.40 |
| Mueller Streamline Co. | W 03005 | 1/4 OD X OD 45 Copper Elbow; | 13.86 |
| Mueller Streamline Co. | W 03012 | 3/8 OD X OD 45 Copper Elbow; | 10.00 |
| Mueller Streamline Co. | W 03021 | 1/2 OD X OD 45 Copper Elbow; | 8.86 |
| Mueller Streamline Co. | W 03026 | 5/8 OD X OD 45 Copper Elbow; | 4.14 |

| | | | |
|------------------------|---------|------------------------------------|-------|
| Mueller Streamline Co. | W 03030 | 3/4 OD X OD 45 Copper Elbow; | 15.50 |
| Mueller Streamline Co. | W 03034 | 7/8 OD X OD 45 Copper Elbow; | 6.02 |
| Mueller Streamline Co. | W 03044 | 1-1/8 OD X OD 45 Copper Elbow; | 15.10 |
| Mueller Streamline Co. | W 03050 | 1-3/8 OD X OD 45 Copper Elbow; | 20.24 |
| Mueller Streamline Co. | W 03055 | 1-5/8 OD X OD 45 Copper Elbow; | 27.26 |
| Mueller Streamline Co. | W 03059 | 2-1/8 OD X OD 45 Copper Elbow; | 47.02 |
| Mueller Streamline Co. | W 03063 | 2-5/8 OD X OD 45 Copper Elbow; | 88.42 |
| Mueller Streamline Co. | W 03312 | 3/8 ST 45 Copper Elbow; | 15.40 |
| Mueller Streamline Co. | W 03321 | 1/2 ST 45 Copper Elbow; | 11.96 |
| Mueller Streamline Co. | W 03326 | 5/8 ST 45 Copper Elbow; | 4.78 |
| Mueller Streamline Co. | W 03330 | 3/4 ST 45 Copper Elbow; | 24.64 |
| Mueller Streamline Co. | W 03334 | 7/8 ST 45 Copper Elbow; | 6.08 |
| Mueller Streamline Co. | W 03344 | 1-1/8 ST 45 Copper Elbow; | 23.06 |
| Mueller Streamline Co. | W 03350 | 1-3/8 ST 45 Copper Elbow; | 24.88 |
| Mueller Streamline Co. | W 03355 | 1-5/8 ST 45 Copper Elbow; | 35.20 |
| Mueller Streamline Co. | W 03359 | 2-1/8 ST 45 Copper Elbow; | 54.18 |
| Mueller Streamline Co. | W 04000 | 3/8 Copper Tee; | 11.22 |
| Mueller Streamline Co. | W 04001 | 1/2 Copper Tee; | 9.00 |
| Mueller Streamline Co. | W 04002 | 1/2 X 1/2 X 3/8 Copper Tee; | 18.40 |
| Mueller Streamline Co. | W 04006 | 5/8 Copper Tee; | 3.74 |
| Mueller Streamline Co. | W 04008 | 5/8 X 5/8 X 3/8 Copper Tee; | 17.00 |
| Mueller Streamline Co. | W 04017 | 3/4 Copper Tee; | 21.26 |
| Mueller Streamline Co. | W 04031 | 7/8 Copper Tee; | 9.00 |
| Mueller Streamline Co. | W 04033 | 7/8 X 7/8 X 5/8 Copper Tee; | 8.86 |
| Mueller Streamline Co. | W 04035 | 7/8 X 7/8 X 3/8 Copper Tee; | 10.98 |
| Mueller Streamline Co. | W 04048 | 1-1/8 Copper Tee; | 23.84 |
| Mueller Streamline Co. | W 04049 | 1-1/8 X 1-1/8 X 7/8 Copper Tee; | 26.76 |
| Mueller Streamline Co. | W 04056 | 1-1/8 X 7/8 X 7/8 Copper Tee; | 32.88 |
| Mueller Streamline Co. | W 04068 | 1-3/8 Copper Tee; | 30.40 |
| Mueller Streamline Co. | W 04084 | 1-5/8 Copper Tee; | 49.66 |
| Mueller Streamline Co. | W 06032 | 1/2 OD X 1-1/2 Copper Return Bend; | 9.94 |
| Mueller Streamline Co. | W 07002 | 1/4 ID Copper Tube Cap; | 2.64 |
| Mueller Streamline Co. | W 07004 | 3/8 OD Copper Tube Cap; | 1.70 |
| Mueller Streamline Co. | W 07006 | 1/2 OD Copper Tube Cap; | 2.70 |
| Mueller Streamline Co. | W 07007 | 5/8 OD Copper Tube Cap; | 1.60 |
| Mueller Streamline Co. | W 07008 | 3/4 OD Copper Tube Cap; | 3.18 |
| Mueller Streamline Co. | W 07009 | 7/8 OD Copper Tube Cap; | 3.08 |

| | | | |
|------------------------|---------|---|--------|
| Mueller Streamline Co. | W 07011 | 1-1/8 OD Copper Tube Cap; | 6.82 |
| Mueller Streamline Co. | W 07012 | 1-3/8 OD Copper Tube Cap; | 9.22 |
| Mueller Streamline Co. | W 07013 | 1-5/8 OD Copper Tube Cap; | 13.48 |
| Mueller Streamline Co. | W 07014 | 2-1/8 OD Copper Tube Cap; | 24.06 |
| Mueller Streamline Co. | W 08002 | 1/2 OD Copper Union CXC; | 33.70 |
| Mueller Streamline Co. | W 08003 | 5/8 OD Copper Union CXC; | 23.60 |
| Mueller Streamline Co. | W 08004 | 7/8 OD Copper Union CXC; | 26.50 |
| Mueller Streamline Co. | W 08005 | 1-1/8 OD Copper Union CXC; | 49.90 |
| Mueller Streamline Co. | W 10141 | 1/4 Staked-Stop Copper Coupling; | 1.54 |
| Mueller Streamline Co. | W 10142 | 5/16 Staked-Stop Copper Coupling; | 1.72 |
| Mueller Streamline Co. | W 10143 | 3/8 Staked-Stop Copper Coupling; | 1.24 |
| Mueller Streamline Co. | W 10144 | 1/2 Staked-Stop Copper Coupling; | 1.74 |
| Mueller Streamline Co. | W 10145 | 5/8 Staked-Stop Copper Coupling; | 1.68 |
| Mueller Streamline Co. | W 10146 | 7/8 Staked-Stop Copper Coupling; | 3.32 |
| Mueller Streamline Co. | W 10147 | 1-1/8 Staked-Stop Copper Coupling; | 6.38 |
| Mueller Streamline Co. | W 10148 | 1-3/8 Staked-Stop Copper Coupling; | 10.00 |
| Mueller Streamline Co. | W 10149 | 1-5/8 Staked-Stop Copper Coupling; | 14.78 |
| Mueller Streamline Co. | W 10150 | 2-1/8 Staked-Stop Copper Coupling; | 24.66 |
| Mueller Streamline Co. | W 10157 | 3/4 Staked-Stop Copper Coupling; | 4.30 |
| Mueller Streamline Co. | W 40102 | 2-1/8 Copper Tee; | 86.66 |
| Mueller Streamline Co. | W 40123 | 2-5/8 Copper Tee; | 145.28 |
| Mueller Streamline Co. | W 40306 | 1/4 Copper Tee; | 10.98 |
| Mueller Streamline Co. | W 40313 | 5/16 Copper Tee; | 13.06 |
| Mueller Streamline Co. | W 40324 | 3/8 X 3/8 X 1/4 Copper Tee; | 17.58 |
| Mueller Streamline Co. | W 60999 | 5/8 Suction Line Copper P-Trap; | 57.68 |
| Mueller Streamline Co. | W 61000 | 7/8 Suction Line Copper P-Trap; | 64.14 |
| Mueller Streamline Co. | W 61001 | 1-1/8 Suction Line Copper P-Trap; | 95.40 |
| Mueller Streamline Co. | W 61002 | 1-3/8 Suction Line Copper P-Trap; | 175.64 |
| Mueller Streamline Co. | W 61003 | 1-5/8 Suction Line Copper P-Trap; | 266.52 |
| Mueller Streamline Co. | W 61008 | 3/4 Suction Line Copper P-Trap; | 88.92 |
| Berry Plastics | 357B | 2 X 60 Yard Premium Grade Black Duct Tape 357B; | 43.14 |
| Robertshaw | 8045-00 | Time Clock Defrost 120 Volt Time Int/Time Term; | 236.48 |
| Robertshaw | 8045-20 | Time Clock Defrost 208/240 Volt Time Int/Time Term; | 236.48 |
| Robertshaw | 8141-00 | Time Clock Defrost 120 Volt Time Int/Temp or Pressure Term; | 227.22 |
| Robertshaw | 8141-20 | Time Clock Defrost 208/240 Volt Time Int/Temp or Pressure Term; | 227.22 |
| Robertshaw | 8145-00 | Time Clock Defrost 120 Volt Time Int/Temp or Pressure Term; | 236.48 |
| Robertshaw | 8145-20 | Time Clock Defrost 208/240 Volt Time Int/Temp or Pressure Term; | 236.48 |

| | | | |
|------------|---------------------|---|----------|
| Robertshaw | 8145-AV | Time Clock Defrost Auto Voltage 120-240V AC; | 236.78 |
| Robertshaw | 9145-00 | Time Clock Electronic Universal Defrost 120/208-240 Time Int/Temp-Press Term; | 351.18 |
| Pelican | GW400 | Extended Range Gateway; | 288.16 |
| Pelican | PM5-120/240 | 120/240 Volt 5 Circuit Wireless Power Control Module; | 486.26 |
| Pelican | PROBE-T1 | 10K Type 2 Duct Probe; | 24.32 |
| Pelican | RT1-AC | Remote Thermostat 24 Vac; | 210.12 |
| Pelican | RT1-DC | Remote Thermostat Battery Powered; | 210.12 |
| Pelican | TA1 | Temperature & Alarm Sensor; | 36.02 |
| Pelican | TCM1 | Thermostat Control Module; | 345.18 |
| Pelican | TS200 | Internet Programmable Thermostat; | 402.22 |
| Pelican | TS200H | Internet Programable Temperature and Humidity Thermostat; | 501.28 |
| Pelican | TS250 | Internet Programable Temperature and CO2 Thermostat; | 684.38 |
| Pelican | TS250H | Internet Programable Temperature/Humidity/CO2 Thermostat; | 786.44 |
| Pelican | WR400 | Extended Range Repeater; | 192.10 |
| Pelican | Z24 ZONE CONTROLLER | 24 Zone Controller; | 2,338.28 |
| Pelican | Z8 ZONE CONTROLLER | 8 Zone Controller; | 1,557.86 |
| Packard | 10012 | Refrigeration Fan Motor Solid State 12 Watt 115 Volt 1550 RPM CW; | 256.94 |
| Packard | 65119 | Refrigeration Fan Motor 5 Watt 115 Volt 1550 RPM CW; | 90.06 |
| Packard | 65211 | Refrigeration Fan Motor 4 Watt 115 Volt 1550 RPM CW; | 78.54 |
| Packard | 65311 | Refrigeration Fan Motor 6 Watt 115 Volt 1550 RPM CW; | 88.62 |
| Packard | 65411 | Refrigeration Fan Motor 9 Watt 115 Volt 1550 RPM CW 65411; | 79.80 |
| Packard | 65412 | 9W 115 1550 CCW Watt Motor; | 80.68 |
| Packard | 65421 | Refrigeration Fan Motor 9 Watt 230 Volt 1550 RPM CW; | 93.18 |
| Packard | 65422 | Refrigeration Fan Motor 9 Watt 230 Volt 1550 RPM CCW; | 92.82 |
| Packard | 65670 | Evap Coil Motor Kit C Frame 115 Volt 3000 RPM 5/8" Stack EM670 | 33.00 |
| Packard | 65690 | Evap Coil Motor Kit C Frame 115 Volt 3000 RPM 5/8" Stack EM690;" | 52.10 |
| Packard | 65811 | Refrigeration Fan Motor 16 Watt 115 Volt 1550 RPM CW; | 106.34 |
| Packard | 65812 | Refrigeration Fan Motor 16 Watt 115 Volt 1550 RPM CCW; | 109.12 |
| Packard | 65821 | Refrigeration Fan Motor 16 Watt 230 Volt 1550 RPM CW; | 117.72 |
| Packard | 65822 | Refrigeration Fan Motor 16 Watt 230 Volt 1550 RPM CCW; | 120.64 |
| Packard | A60097K | 5/8" X 1/2"" Split Bushing w/Key Shaft Adapter Sold as Each;" | 7.50 |
| Packard | A61000 | 6 3/4" X 1/2"" Rainshield;" | 7.08 |
| Packard | A89000 | FB2 Fan Blade & Blower Wheel Puller EZ-1, 052141-01; | 113.84 |
| Packard | EBM0207 | Motor 12" Unit Cooler Fan Assy 100-240V 63 Watts 1590 Rpm CWSE;" | 356.36 |
| Packard | EBM10847 | 2 Pin Plug for EBM9538; | 21.14 |
| Packard | EBM9538 | Motor 8" Unit Cooler Fan Assy 115v 31 Watts CCWSE;" | 176.76 |
| Packard | PF32440 | 120/208/240 to 24/12/2.5 40VA Foot Mount Control Transformer; | 38.36 |

| | | | |
|------------------------|--------------|--|--------|
| Packard | PF42440 | 120/208/240 to 24 40VA Foot Mount Control Transformer UET105; | 25.12 |
| Packard | TFM55 | 5.5" FLEX BRACKET KIT;" | 39.98 |
| Mueller Streamline Co. | 1 PVC PIPE | 1" Schedule 40 PVC Pipe PER FOOT;" | 1.40 |
| Mueller Streamline Co. | 2 PVC PIPE | 2" Schedule 40 PVC Pipe PER FOOT;" | 10.42 |
| Mueller Streamline Co. | 3/4 PVC PIPE | 3/4" Schedule 40 PVC Pipe PER FOOT;" | 3.06 |
| Mueller Streamline Co. | 401007 | 3/4" PVC Tee Slip X Slip X Slip 401-007;" | 1.10 |
| Mueller Streamline Co. | 406007 | 3/4" PVC 90 Deg Elbow Slip X Slip 406-007;" | 0.86 |
| Mueller Streamline Co. | 406010 | 1" PVC 90 Deg Elbow Slip X Slip 406-010;" | 1.58 |
| Mueller Streamline Co. | 407007 | 3/4" PVC 90 Deg Elbow Slip X FPT 407-007;" | 1.10 |
| Mueller Streamline Co. | 409007 | 3/4" PVC 90 Deg Street Elbow Slip X Slip 409-007;" | 2.68 |
| Mueller Streamline Co. | 410007 | 3/4" PVC 90 Deg Street Elbow MPT X Slip 410-007;" | 1.98 |
| Mueller Streamline Co. | 412007 | 3/4" PVC 90 Deg Street Elbow MPT X FPT 412-007;" | 2.76 |
| Mueller Streamline Co. | 417007 | 3/4" PVC 45 Deg Elbow Slip X Slip 417-007;" | 2.00 |
| Mueller Streamline Co. | 429007 | 3/4" PVC Coupling Slip X Slip 429-007;" | 0.72 |
| Mueller Streamline Co. | 429010 | 1" PVC Coupling Slip X Slip 429-010;" | 1.24 |
| Mueller Streamline Co. | 435007 | 3/4" PVC Adapter FPT X Slip 435-007;" | 1.10 |
| Mueller Streamline Co. | 436007 | 3/4" PVC Adapter MPT X Slip 436-007;" | 0.78 |
| Mueller Streamline Co. | 436010 | 1" PVC Adapter MPT X Slip 436-010;" | 1.40 |
| Mueller Streamline Co. | 447007 | 3/4" PVC Cap Slip 447-007;" | 0.84 |
| Mueller Streamline Co. | 457007 | 3/4" PVC Union Slip X Slip w/Buna O-ring 457-007;" | 8.64 |
| Mueller Streamline Co. | 488007 | 3/4" PVC Run Trap Slip X Slip 488-007;" | 3.80 |
| Mueller Streamline Co. | 489007 | 3/4" PVC P Trap Slip X Slip 489-007;" | 3.54 |
| Robertshaw | 1309007-044 | Replacement Sensor for ETC Thermostat; | 58.10 |
| Robertshaw | A12-1506 | Temp Control Constant Cut In 38F Cut Out Adj 9F to 22F 39" Capillary;" | 183.48 |
| Robertshaw | A12-1560 | Temp Control Constant Cut In 39F Cut Out Adj 19F to 29F 72" Capillary;" | 162.58 |
| Robertshaw | A12-700 | Temp Control Constant Cut In 37F Cut Out Adj 11.5F to 27.5F 84" Capillary;" | 182.18 |
| Robertshaw | A12-701 | Temp Control Constant Cut In 41F Cut Out Adj 15F to 31F 84" Capillary;" | 182.18 |
| Robertshaw | A22-1112 | Temp Control SPST Range 25F to 44F Differential 5F 72" Capillary;" | 182.18 |
| Robertshaw | A30-180 | Temp Control SPST Range -4F to 38F Differential 13F 42" Capillary;" | 142.82 |
| Robertshaw | A30-2210 | Temp Control SPST Range 30F to 42F Differential 8F 48" Capillary;" | 155.50 |
| Robertshaw | A30-260 | Temp Control SPST Range .5F to 30F Differential 6F 72" Capillary;" | 170.80 |
| Robertshaw | A30-261 | Temp Control SPST Range 32F to 61F Differential 6F 84" Capillary;" | 144.60 |
| Robertshaw | A30-262 | Temp Control SPST Range 3F to 43F Differential 12F 84" Capillary;" | 154.68 |
| Robertshaw | A30-301 | Temp Control SPST Range -24F to 20.5F Differential 8.5F 84" Capillary;" | 139.36 |
| Robertshaw | A30-323 | Temp Control SPST Range -11F to 10.5F Differential 10F 48" Capillary;" | 208.76 |
| Robertshaw | E15-2601 | Heat Pump De-Ice Control 240V SPDT Timer Activated Temp Term. 60" Cap W/Bulb;" | 302.64 |
| Robertshaw | ETC-111000 | Temp Control Digital 1 Stage 120-208/240V Range -30/220F Diff 1/30F W/Sensor; | 201.44 |

| | | | |
|-----------------------------------|----------------|--|----------|
| Robertshaw | ETC-112000 | Temp Control Digital 1 Stage 24V Range -30/220F Diff 1/30F W/Sensor; | 237.48 |
| Robertshaw | ETC-211000 | Temp Control Digital 2 Stage 120-208/240V Range -30/220F Diff 1/30F W/Sensor; | 375.58 |
| Robertshaw | ETC-212000 | Temp Control Digital 2 Stage 24V Range -30/220F Diff 1/30F W/Sensor; | 420.62 |
| Robertshaw | F25-107 | Defrost Termination/Fan Control SPDT Fan On 20F Def Term 40/75F 60" Cap Bulb;" | 273.82 |
| Robertshaw | LDK-110000-070 | Solenoid Coil 24V for New Style Valves; | 53.76 |
| Robertshaw | O10-1402 | Low Pressure Control SPST 12" to 50 PSI Diff Adj 5/35 PSI 36"" Cap W/1/4"" Nut | 212.66 |
| Robertshaw | O10-1409 | Medium Temp Control SPST Range 0F to 55F Diff Adj 3/20F 72" Capillary W/Bulb;" | 224.04 |
| Robertshaw | O10-1416 | Medium Temp Control SPST Range 0F to 55F Diff Adj 3/20F 72" Capillary;" | 245.44 |
| Robertshaw | O10-1483 | Low Pressure Control SPST 10" to 100 PSI Diff Adj 5/35 PSI 36"" Cap W/1/4"" Nu | 235.52 |
| Robertshaw | O12-4834 | Dual Press Control Low 10"/100PSI High 150/450 PSI Auto Reset Low/Convert High | 412.60 |
| Robertshaw | V10-414080-170 | Reversing Vlv 7/8" X 1/2"" Nominal 10 Tons R22 3.0 to 9.9/ R410A 3.8 to 11.9;" | 469.00 |
| Robertshaw | V2-408060-170 | Reversing Vlv 1/2" X 3/8"" Nominal 1 Tons R22 .75 to 2.0 /R410A .9 to 2.2;" | 232.26 |
| Robertshaw | V3-410080-770 | Reversing Vlv 5/8" X 1/2"" Nominal 3 Tons R22 1.0 to 2.8 / R410A 1.3 to 3.1;" | 239.18 |
| Robertshaw | V6-412080-170 | Reversing Vlv 3/4" X 1/2"" Nominal 6 Tons R22 1.0 to 5.5/ R410A 1.3 to 6.7;" | 264.18 |
| Robertshaw | V6-414080-170 | Reversing Vlv 7/8" X 1/2"" Nominal 6 Tons R22 1.0 to 5.5/ R410A 1.3 to 6.7;" | 264.18 |
| Raychem | FG1-12P | 6 Watt 120V 12 Ft PreAssembled Heating Cable, FrostGuard; | 223.74 |
| Raychem | FG1-24P | 6 Watt 120V 24 Ft PreAssembled Heating Cable, FrostGuard; | 335.70 |
| Raychem | FG1-6P | 6 Watt 120V 6 Ft PreAssembled Heating Cable, FrostGuard; | 176.68 |
| Raychem | FG2-24L | 6 Watt 240V 24 Ft PreAssembled Heating Cable, FrostGuard; | 364.06 |
| Raychem | H611 | 6 Watt 120V Heating Cable, WinterGard Plus Sold per Foot; | 10.26 |
| Raychem | H612 | 6 Watt 120V Heating Cable w/ Waterproof , WinterGard Wet Sold per Foot; | 12.52 |
| Raychem | H621 | 6 Watt 240V Heating Cable, WinterGard Plus Sold per Foot; | 10.76 |
| Raychem | H900 | Power Connection Kit; | 75.32 |
| Raychem | H908 | 120V GFI Power Connection and End Seal kit For Heat Trace Cable; | 163.48 |
| Raychem | H910 | Splice and Tee Kit, Waterproof; | 41.60 |
| Raychem | H912 | Gel-filled End Seal Kit For Wintergard Heating Cables; | 36.54 |
| Raypak | 006535F | Hot Surface Ignition Flame Sensing Rod; | 88.34 |
| Raypak | 007400F | Hot Surface Ignitor; | 142.22 |
| Rectorseal | 14010 | 4 oz Nokorode Regular Paste Flux; | 11.80 |
| Rectorseal | 14020 | 8 oz Nokorode Regular Paste Flux w/Brush Top; | 22.54 |
| Rectorseal | 25551 | Rectorseal #5 Pipe Thread Sealant 1/2 Pint w/Brush Top; | 31.86 |
| Rectorseal | 68104 | Actabs JR Biocide 200 Tablets/Bottle; | 46.22 |
| Rectorseal | 73551 | 8 oz Break-Out Anti-Seize & Lubricant; | 47.06 |
| Rectorseal | 87001 | Pro-Fit Flaring Kit 1/4 - 3/4; | 285.44 |
| Rectorseal | 87011 | Pro-Fit Swaging Kit 1/4 - 7/8; | 321.66 |
| OBSOLETE OR DEAD STOCI R134A 125# | | Refrigerant HFC R-134a 125lb Cylinder; | 3,282.42 |
| OBSOLETE OR DEAD STOCI R134A 30# | | Refrigerant HFC R-134a 30lb Cylinder; | 787.78 |

| | | | |
|------------------------------------|-------|--|----------|
| OBSOLETE OR DEAD STOCI R22 30# | | Refrigerant HCFC R-22 30lb Cylinder; | 3,340.18 |
| OBSOLETE OR DEAD STOCI R290 8 OZ | | Refrigerant Grade Propane 8 oz Disposable Cyl Non-Odorized; | 52.32 |
| OBSOLETE OR DEAD STOCI R290 82-101 | | Tap Valve For R290 8oz Can; | 33.62 |
| OBSOLETE OR DEAD STOCI R404A 24# | | Refrigerant HFC R-404a 24lb Cylinder HP-62; | 983.16 |
| OBSOLETE OR DEAD STOCI R407A 25# | | Refrigerant HFC R407A 25lb Cylinder; | 997.86 |
| OBSOLETE OR DEAD STOCI R407C 25# | | Refrigerant HFC R-407c 25lb Cylinder; | 840.30 |
| OBSOLETE OR DEAD STOCI R407F 25# | | Refrigerant HFC R407F 25lb Cylinder, Performax LT; | 1,155.42 |
| OBSOLETE OR DEAD STOCI R408A 24# | | Refrigerant HCFC R-408a 24lb Cylinder FX-10; | 1,608.72 |
| OBSOLETE OR DEAD STOCI R410A 25# | | Refrigerant HFC R-410a 25lb Cylinder AZ-20; | 682.76 |
| OBSOLETE OR DEAD STOCI R417C 25# | | Refrigerant HFC R-417c 25lb Cylinder Hot-Shot 2; | 1,089.12 |
| OBSOLETE OR DEAD STOCI R422B 25# | | Refrigerant HFC R-422b 25lb Cylinder NU-22b; | 841.60 |
| OBSOLETE OR DEAD STOCI R422D 25# | | Refrigerant HFC R-422d 25lb Cylinder MO29; | 997.86 |
| OBSOLETE OR DEAD STOCI R427A 25# | | Refrigerant HFC R-427a 25LB Cylinder FX-100; | 892.82 |
| OBSOLETE OR DEAD STOCI R448A 25# | | Refrigerant HFO R-448A (N40) 25lb Cylinder; | 598.72 |
| OBSOLETE OR DEAD STOCI R449A 25# | | Refrigerant HFO R449A (XP40) 25lb Cylinder; | 598.72 |
| OBSOLETE OR DEAD STOCI R507 25# | | Refrigerant HFC R-507 25lb Cylinder AZ-50; | 1,102.90 |
| Ritchie | 18979 | Broken Schrader Removal Accessory; | 50.44 |
| Ritchie | 19011 | CH-11 Bulk Gaskets for 3/8" Charging Hose 10/pk;" | 38.14 |
| Ritchie | 19015 | CH-80 Bulk Gaskets for 1/2" & 5/8"" Charging Hose 10/pk;" | 31.80 |
| Ritchie | 19020 | CH-20 Bulk Gaskets for 1/4" Charging Hose 10/pk;" | 12.56 |
| Ritchie | 19037 | Sealright O-Rings 10/pk; | 18.64 |
| Ritchie | 19041 | 1/4" Sealright Repair Kit;" | 33.92 |
| Ritchie | 19047 | Gasket Remover Tool; | 31.26 |
| Ritchie | 19105 | Refrigerant Drum Adapter 1/4" Male Flare;" | 38.98 |
| Ritchie | 19128 | 1/4" Sealright Straight x 1/8"" Female NPT Quick Coupler;" | 47.34 |
| Ritchie | 19161 | 1/2" Acme Male x 1/4"" Female QC Coupler for Automotive R134a;" | 34.78 |
| Ritchie | 19165 | 1/2" Acme Female x 1/4"" Male Flare Coupler for Automotive R134a;" | 39.04 |
| Ritchie | 19208 | 1/4" Sealright 45 deg x 1/4"" Male Flare Sealright Coupler;" | 40.32 |
| Ritchie | 19302 | CH-14 Depressor 10/pk; | 25.10 |
| Ritchie | 26002 | 6" Heavy Duty 3/8"" Hose w/Ball Valve;" | 104.16 |
| Ritchie | 40870 | Titan Digital Manifold 4 Valve 5" Hoses Included P51-870;" | 1,705.42 |
| Ritchie | 41317 | Hi Side Coupler w/1/4" Male Flare for Automotive R-134a;" | 90.54 |
| Ritchie | 41318 | Low Side Coupler w/1/4" Male Flare for Automotive R-134a;" | 90.54 |
| Ritchie | 42001 | Manifold for R-22/R-404a/R-410a w/3 1/8" Gauge w/o Hoses;" | 192.48 |
| Ritchie | 46010 | 4 Valve Brute Manifold Only R-22, R-404a, R-410a; | 490.84 |
| Ritchie | 49001 | 2 1/2" Hi Side Red Pressure Gauge R-12/R-22/R-502;" | 48.06 |
| Ritchie | 49002 | 2 1/2" Low Side Blue Compound Pressure Gauge R-12/R-22/R-502;" | 48.06 |

| | | | |
|------------------------|--------|--|--------|
| Ritchie | 49051 | 2 1/2" Hi Side Red Pressure Gauge R-134a/R-404a/R-507;" | 48.06 |
| Ritchie | 49052 | 2 1/2" Low Side Blue Pressure Gauge R-134a/R-404a/R-507;" | 48.06 |
| Ritchie | 60100 | Cutter Wheel for Copper fits 60101/60102/60103; | 17.58 |
| Ritchie | 60111 | Cutter Wheel for Imperial 75015 fit 174F/274F/312FB/374FC/TC1000/TC1020/TC2050 | 20.02 |
| Ritchie | 60120 | Cutter Wheel for Copper fits 60121/60142; | 17.36 |
| Ritchie | 60142 | Tubing Cutter 1/4 to 1-1/8 (Big Imp); | 110.98 |
| Ritchie | 60144 | Cutter Pin and Clip for 60142; | 19.94 |
| Ritchie | 60270 | Universal Flare/Burnishing Tool 3/16" to 5/8""; | 211.40 |
| Ritchie | 60278 | Deluxe Flaring Tool 1/8" to 3/4"" R410a;" | 363.18 |
| Ritchie | 60295 | Eccentric Cone Flaring Tool For R410a Flares For Mini-Splits; | 294.78 |
| Ritchie | 60617 | Sporlan Valve Wrench; | 83.20 |
| Ritchie | 60618 | Heavy Duty Service Valve Ratchet Wrench; | 57.72 |
| Ritchie | 60661 | Vise Grip Pinch Off Tool; | 45.52 |
| Ritchie | 60665 | Bar Style Pinch Off/Reround Tool; | 60.20 |
| Ritchie | 60670 | Standard L Hex Key Set 12/pc; | 67.98 |
| Ritchie | 60685 | Ball Tip L Hex Key Set 12/pc; | 86.06 |
| Ritchie | 63331 | Ratchet Hand Bender Complete Kit; | 479.82 |
| Ritchie | 69008 | Digital Electronic Sling Psychrometer; | 314.50 |
| Ritchie | 69073 | Replacement Vacuum Sensor for 69070/69075; | 224.64 |
| Ritchie | 69075 | Full Range Superevac LCD Vacuum Gauge; | 922.78 |
| Ritchie | 69522 | Adapter Cord Test Connector for 69500; | 59.78 |
| Ritchie | 69721 | 1 oz Universal Injector 2/pk; | 107.60 |
| Ritchie | 69789 | Micro UV LED & Dye Kit for AC&R; | 368.86 |
| Ritchie | 77930 | Max Flow Deluxe Oil Pump w/Foot Base; | 352.98 |
| Ritchie | 78052 | Dual Port Electronic Manometer; | 375.20 |
| Ritchie | 93844 | Full Control Ball Valve 1/4" Male Flare x 1/4"" Female Flare;" | 53.94 |
| Ritchie | 93846 | Full Control Ball Valve 3/8" Male Flare x 3/8"" Female Flare;" | 70.24 |
| Ritchie | 93848 | Full Control Ball Valve 1/2" Male Flare x 1/2"" Female Flare;" | 132.64 |
| Refrigeration Reaserch | 1918 | RECEIVER 6 LB 1/4 SAE(VERTICAL); | 193.26 |
| Refrigeration Reaserch | 1920 | RECEIVER 2 LB 1/4 SAE(VERTICAL); | 144.20 |
| Refrigeration Reaserch | 3700 | Vertical Suction Line Accumulator 1 1/8 ID In/Out; | 282.58 |
| Refrigeration Reaserch | 3702 | Vertical Suction Line Accumulator 5/8 ID In/Out; | 147.36 |
| Refrigeration Reaserch | 3703 | Vertical Suction Line Accumulator 3/4 ID In/Out; | 147.80 |
| Refrigeration Reaserch | 3738 | Vertical Suction Line Accumulator 7/8 ID In/Out; | 196.00 |
| Refrigeration Reaserch | 6801 | Receiver Vertical Mount 10Lb 6X12 3/8 Swt Connections; | 258.16 |
| Robertshaw | 11-193 | Aluminum Tubing 1/4 X 50 Ft; | 88.70 |
| Robertshaw | 11-195 | Aluminum Tubing 3/8 X 50 Ft; | 71.08 |

| | | | |
|---------------------|---------------|--|--------|
| Robertshaw | 11-293 | Aluminum Tubing 1/4 X 5 Ft; | 41.88 |
| Robertshaw | 1950-001 | Thermopile / Pilot Generator 36 in 2 Lead Connection Type with PG9 Adapter; | 64.20 |
| Robertshaw | 1950-002 | Thermopile / Pilot Generator 48 in 2 Lead Connection Type with PG9 Adapter; | 122.00 |
| Robertshaw | 1950-532 | Thermopile / Pilot Generator 36 in 2 Lead Connection Type; | 73.88 |
| Robertshaw | 1951-001 | Thermopile / Pilot Generator 36 in Coaxial Connection Type with PG9 Adapter; | 154.96 |
| Robertshaw | 1980-018 | Thermocouple 18 in Snap Fit with Adapters; | 13.98 |
| Robertshaw | 1980-024 | Thermocouple 24 in Snap Fit with Adapters; | 14.32 |
| Robertshaw | 1980-030 | Thermocouple 30 in Snap Fit with Adapters; | 21.42 |
| Robertshaw | 1980-036 | Thermocouple 36 in Snap Fit with Adapters; | 14.80 |
| Robertshaw | 1980-048 | Thermocouple 48 in Snap Fit with Adapters; | 18.78 |
| Robertshaw | 41-402 | Hot Surface Ignitor Norton Model 271W; | 35.54 |
| Robertshaw | 41-404 | Hot Surface Ignitor Norton Model 271M includes Mounting Adapter; | 37.18 |
| Robertshaw | 41-406 | Hot Surface Ignitor Norton Model 271Y; | 37.18 |
| Robertshaw | 41-408 | Hot Surface Ignitor Norton Model 271N; | 35.54 |
| Robertshaw | 41-409 | Hot Surface Ignitor Norton Model 271; | 36.68 |
| Robertshaw | 710-502 | Gas Valve Low Profile Millivolt 1/2 X 1/2 Fpt 3.5 in WC Nat. Gas Wall Furnace; | 221.84 |
| Robertshaw | 780-715 | Ignition Module Non-Lockout Model. Replaces SP715/SP715A; | 239.64 |
| Rheem Manufacturing | 42-105601-106 | Pressure Switch Kit 0.35" W.C. SPST-NO W/ Mounting Bracket | 0.00 |
| Rheem Manufacturing | 47-102684-204 | Demand Defrost Control Board Kit 18-30VAC W/Sensors For Heat Pump Units; | 110.24 |
| Rheem Manufacturing | 47-22861-01 | Limit Switch 350F Open SPST-NC 120/230V Manual Reset Flanged; | 17.24 |
| Rheem Manufacturing | 47-22861-04 | Limit Switch 250F Open SPST-NC 120/230V Manual Reset Flanged Color Code Red; | 59.80 |
| Rheem Manufacturing | 47-24225-01 | Supply Air Temperature Sensor For EcoNet Controller; | 71.00 |
| Rheem Manufacturing | 51-23017-42 | Blower Motor 1/4 - 3/4 HP 120V 9.50 Amp 1075 RPM 1PH Rev 4 Sp Ball; | 588.18 |
| Rheem Manufacturing | 60-103901-01 | Gas Valve HSI/DSI Nat Gas 1/2 X 1/2 NPT For R92P, R95P, R95T Furnaces; | 90.72 |
| Rheem Manufacturing | 62-22868-93 | Hot Surface Ignitor Silicone Carbide; | 65.92 |
| Rheem Manufacturing | 62-23543-01 | Flame Sensor; | 15.46 |
| Rheem Manufacturing | 62-23599-05 | Integrated Furnace Control Board; | 281.86 |
| Rheem Manufacturing | 62-24084-82 | Integrated Furnace Control Board; | 448.08 |
| Rheem Manufacturing | 62-24140-04 | Integrated Furnace Control Board; | 316.14 |
| Rheem Manufacturing | 62-24164-01 | Ignitor- Direct Spark Ignition; | 24.84 |
| Rheem Manufacturing | 640033 | 36" Heavy Duty Natural Nylon Wire Tie 50/PK;" | 37.42 |
| Rheem Manufacturing | 640034 | 48" Heavy Duty Natural Nylon Wire Tie 50/PK;" | 57.84 |
| Rheem Manufacturing | 70-23641-86 | Induced Draft Blower w/Gasket 208/230V 1 Stage Right Discharge; | 377.94 |
| Rheem Manufacturing | 70-24157-03 | Induced Draft Blower w/Gasket 120V 1 Stage Right Discharge; | 562.34 |
| Rheem Manufacturing | 79-21491-83 | Tubing Silicone 3/16" I.D. 1/16" Wall Length 18" 400 Deg Max Temp;" | 20.02 |
| Rheem Manufacturing | FP-34 | LP Conversion Kit; | 73.52 |
| Rheem Manufacturing | PD411090 | Pro1 T955 Touchscreen Thermostat G/E 2H/2C H/P 3H/2C; | 278.34 |

| | | | |
|---------------------|-----------------|--|----------|
| Rheem Manufacturing | RETSTWPL700 | Econet Adapter Plate; | 22.96 |
| Rheem Manufacturing | RXGW-C01 | 4 Inch Flue Adapter Kit; | 36.40 |
| Rheem Manufacturing | RXGY-CK | Downflow and Horizontal Conversion Kit; | 53.82 |
| Rheem Manufacturing | RXGY-E02 | 2" Vertical/Horizontal Vent Kit Concentric Termination;" | 84.72 |
| Rheem Manufacturing | RXGY-E03 | 3" Vertical/Horizontal Vent Kit Concentric Termination;" | 128.74 |
| Rheem Manufacturing | RXGY-G01 | 3" Vent Termination Kit;" | 60.98 |
| Rheem Manufacturing | RXGY-G02 | 2" Vent Termination Kit Sidewall;" | 60.98 |
| Rheem Manufacturing | RXGY-ZK | Zero Clearance Downflow Conversion Kit; | 98.32 |
| Rheem Manufacturing | RXHT-A02 | Supply and Return Air Sensor RH2T/RHMV EcoNet Enabled; | 123.60 |
| Rheem Manufacturing | UETST700SYS | Econet Control Center w/Wi-Fi; | 510.78 |
| Russell HTPG | 08216071 | Evap Coil Motor 1/20 HP 208/230 Volt 1550 RPM; | 299.60 |
| Russell HTPG | 08216072 | Evap Coil Motor 1/20 HP 115 Volt 1550 RPM; | 299.60 |
| Russell HTPG | 08219273 | 2 Wire Defrost Termination Switch (Timer Reset) Open 30/ Close 60; | 191.50 |
| Russell HTPG | 103079-002 | 3 Wire Defrost Control Non Adjustable Tube Mount; | 191.50 |
| Russell HTPG | 103079-009 | 2 Wire Fan Delay Switch; | 191.50 |
| Rheem Manufacturing | R801TA050314MSA | 80% Single-Stage 50K Upflow/Horiz Up to 3 Ton Constant Torque Motor 14W; | 2,566.02 |
| Rheem Manufacturing | R801TA050314ZSA | 80% Single-Stage 50K Downflow Up To 3 Ton Constant Torque Motor 14W; | 2,390.72 |
| Rheem Manufacturing | R801TA075417MSA | 80% Single-Stage 75K Upflow/Horiz 2-1/2 to 4 Ton Constant Torque Motor 17.5W; | 2,676.86 |
| Rheem Manufacturing | R801TA075521ZSB | 80% Single-Stage 75K Downflow 3-1/2 to 5 Ton Constant Torque Motor 21W; | 2,797.26 |
| Rheem Manufacturing | R801TA100521MSA | 80% Single-Stage 100K Upflow/Horiz 3-1/2 to 5 Ton Constant Torque Motor 21W; | 2,774.72 |
| Rheem Manufacturing | R801TA100521ZSB | 80% Single-Stage 100K Downflow 3-1/2 to 5 Ton Constant Torque Motor 21W; | 2,910.76 |
| Rheem Manufacturing | R801TB075317ZSB | 80% Single-Stage 75K Downflow Up To 3 Ton Constant Torque Motor 17.5W; | 2,701.60 |
| Rheem Manufacturing | R95TC0401317MSA | 95% Multi Position Furnace 42K BTU 3 Ton Constant Torque Motor 17.5W; | 3,230.92 |
| Rheem Manufacturing | R95TC0601317MSA | 95% Multi Position Furnace 56K BTU 3 Ton Constant Torque Motors 17.5W; | 3,403.44 |
| Rheem Manufacturing | R95TC0701317MSA | 95% Multi Position Furnace 70K BTU 3 Ton Constant Torque Motors 17.5W; | 3,561.24 |
| Rheem Manufacturing | R95TC0851521MSA | 95% Multi Position Furnace 84K BTU 5 Ton Constant Torque Motor 21W; | 4,123.02 |
| Rheem Manufacturing | R95TC1001521MSA | 95% Multi Position Furnace 98K BTU 5 Ton Constant Torque Motor 21W; | 4,201.90 |
| Rheem Manufacturing | R95TC1151524MSA | 95% Multi Position Furnace 112K BTU 5 Ton Constant Torque Motor 24.5W; | 4,518.24 |
| Rheem Manufacturing | R96TA0402317MSA | 96% 2-Stage 42K Input Furnace Up to 3 Ton Constant Torque Multi-Position 17.5W | 3,809.34 |
| Rheem Manufacturing | R96TA0602317MSA | 96% 2-Stage 56K Input Furnace Up to 3 Ton Constant Torque Multi-Position 17.5W | 4,153.28 |
| Rheem Manufacturing | R96TA0702317MSA | 96% 2-Stage 70K Input Furnace Up to 3 Ton Constant Torque Multi-Position 17.5W | 4,277.86 |
| Rheem Manufacturing | R96TA0852521MSA | 96% 2-Stage 84K Input Furnace Up to 5 Ton Constant Torque Multi-Position 21W; | 4,671.80 |
| Rheem Manufacturing | R96TA1002521MSA | 96% 2-Stage 98K Input Furnace Up to 5 Ton Constant Torque Multi-Position 21W; | 4,811.92 |
| Rheem Manufacturing | R96TA1152524MSA | 96% 2-Stage 112K Input Furnace Up to 5 Ton Constant Torque Multi-Position 24.5 | 5,438.58 |
| Rheem Manufacturing | RA1324BJ1NA | 2 Ton 13 Seer R410A Single Stage Air Conditioner 208/230-1; | 2,613.86 |
| Rheem Manufacturing | RA1330AJ1NA | 2-1/2 Ton 13 Seer R410A Single Stage Air Conditioner 208/230-1; | 2,913.80 |
| Rheem Manufacturing | RA1336AJ1NA | 3 Ton 13 Seer R410A Single Stage Air Conditioner 208/230-1; | 3,301.70 |

| | | | |
|---------------------|-----------------|--|----------|
| Rheem Manufacturing | RA1342AJ1NA | 3-1/2 Ton 13 Seer R410A Single Stage Air Conditioner 208/230-1; | 3,611.96 |
| Rheem Manufacturing | RA1348AJ1NA | 4 Ton 13 Seer R410A Single Stage Air Conditioner 208/230-1; | 4,028.32 |
| Rheem Manufacturing | RA1360AJ1NA | 5 Ton 13 Seer R410A Single Stage Air Conditioner 208/230-1; | 4,886.92 |
| Rheem Manufacturing | RA1430AJ1NA | 2-1/2 Ton 14 Seer R410A Single Stage Air Conditioner 208/230-1; | 3,420.56 |
| Rheem Manufacturing | RA1436AJ1NA | 3 Ton 14 Seer R410A Single Stage Air Conditioner 208/230-1; | 3,877.18 |
| Rheem Manufacturing | RA1448AJ1NA | 4 Ton 14 Seer R410A Single Stage Air Conditioner 208/230-1; | 4,732.34 |
| Rheem Manufacturing | RA1460CJ1NA | 5 Ton 14 Seer R410A Single Stage Air Conditioner 208/230-1; | 5,580.14 |
| Rheem Manufacturing | RA1636AJ1NA | 3 Ton 16 Seer R410A Single Stage Air Conditioner 208/230-1; | 4,318.30 |
| Rheem Manufacturing | RA1648AJ1NA | 4 Ton 16 Seer R410A Single Stage Air Conditioner 208/230-1; | 5,357.80 |
| Rheem Manufacturing | RCF2414STAMCA | 2 Ton R410A Multi-Position Cased Coil 14" Wide;" | 994.94 |
| Rheem Manufacturing | RCF2417STAMCA | 2 Ton R410A Multi-Position Cased Coil 17" Wide;" | 1,060.90 |
| Rheem Manufacturing | RCF3617STAMCA | 3 Ton R410A Multi-Position Cased Coil 17" Wide;" | 1,143.36 |
| Rheem Manufacturing | RCF3621STAMCA | 3 Ton R410A Multi-Position Cased Coil 21" Wide;" | 1,205.06 |
| Rheem Manufacturing | RCF4821STAMCA | 4 Ton R410A Multi-Position Cased Coil 21" Wide;" | 1,477.90 |
| Rheem Manufacturing | RCF4824STAMCA | 4 Ton R410A Multi-Position Cased Coil 24" Wide;" | 1,642.78 |
| Rheem Manufacturing | RCF6021STAMCA | 5 Ton R410a Multi-Position Cased Coil 21" Wide;" | 1,711.42 |
| Rheem Manufacturing | RCF6024STAMCA | 5 Ton R410A Multi-Position Cased Coil 24" Wide;" | 2,013.48 |
| Rheem Manufacturing | RH1T2417STANJA | Air Handler 2 Ton Constant Torque Multi-Position R410a 208/230-1 17-1/2" Wide; | 2,550.74 |
| Rheem Manufacturing | RH1T3617STANJA | Air Handler 3 Ton Constant Torque Multi-Position R410a 208/230-1 17-1/2" Wide; | 2,680.74 |
| Rheem Manufacturing | RH1T4821STANJA | Air Handler 4 Ton Constant Torque Multi-Position R410a 208/230-1 21" Wide;" | 3,164.30 |
| Rheem Manufacturing | RH1T6024STANJA | Air Handler 5 Ton Constant Torque Multi-Position R410a 208/230-1 24" Wide;" | 3,629.70 |
| Rheem Manufacturing | RP1424AJ1NA | 2 Ton 14 Seer Single Stage Heat Pump 208/230-1; | 3,535.94 |
| Rheem Manufacturing | RP1430AJ1NA | 2-1/2 Ton 14 Seer Single Stage Heat Pump 208/230-1; | 4,003.22 |
| Rheem Manufacturing | RP1436AJ1NA | 3 Ton 14 Seer Single Stage Heat Pump 208/230-1; | 4,207.52 |
| Rheem Manufacturing | RP1442CJ1NA | 3-1/2 Ton 14 Seer Single Stage Heat Pump 208/230-1; | 4,723.94 |
| Rheem Manufacturing | RP1448AJ1NA | 4 Ton 14 Seer Single Stage Heat Pump 208/230-1; | 5,516.82 |
| Rheem Manufacturing | RP1460BJ1NA | 5 Ton 14 Seer Single Stage Heat Pump 208/230-1; | 6,321.38 |
| Rheem Manufacturing | U96VA0402317MSA | 96% 42K Input 2-Stage Variable Speed Multi-Position Furnace EcoNet Enabled; | 4,158.26 |
| Rheem Manufacturing | U96VA0602317MSA | 96% 56K Input 2-Stage Variable Speed Multi-Position Gas Furnace EcoNet Enabled | 4,491.68 |
| Rheem Manufacturing | U96VA0702317MSA | 96% 70K Input 2-Stage Variable Speed Multi-Position Gas Furnace EcoNet Enabled | 4,650.16 |
| Rheem Manufacturing | U96VA0852521MSB | 96% 84K Input 2-Stage Variable Speed Multi-Position Gas Furnace EcoNet Enabled | 5,150.32 |
| Rheem Manufacturing | U96VA1002521MSA | 96% 98K Input 2-Stage Variable Speed Multi-Position Gas Furnace EcoNet Enabled | 5,402.86 |
| Rheem Manufacturing | U96VA1152524MSA | 96% 112K Input 2-Stage Variable Spd Multi-Position Gas Furnace EcoNet Enabled; | 5,866.18 |
| Sealed Unit Parts | 30-OS | Cast Condensate Pan 38 Oz 115 VAC; | 81.50 |
| Sealed Unit Parts | 70 | Cast Condensate Pan 50 Oz 115 VAC; | 173.40 |
| Sealed Unit Parts | 75 | Cast Condensate Pan 75 Oz 115 VAC; | 228.72 |
| Sealed Unit Parts | BPV21 | Bullet Piercing Valve 1/2, 5/8 500PSI; | 9.74 |

| | | | |
|-------------------|------------|---|--------|
| Sealed Unit Parts | BPV31 | Bullet Piercing Valve 1/4, 5/16, 3/8 500psi; | 6.88 |
| Sealed Unit Parts | BRK3 | 3 Amp Circuit Breaker 250V; | 25.44 |
| Sealed Unit Parts | BRK5 | 5 Amp Circuit Breaker 250V; | 25.44 |
| Sealed Unit Parts | CP802 | Condensate Pan 120V 800W Single Bend Element DM08S-1S; | 242.18 |
| Sealed Unit Parts | CP804HD | Condensate Pan 120V 1000W Double Bend Element DM10W-1D; | 278.06 |
| Sealed Unit Parts | CP821 | Condensate Pan 208V 1500W Double Bend Element DM15WW-2D; | 358.76 |
| Sealed Unit Parts | ECMPRO | Universal ECM Motor Tester; | 116.62 |
| Sealed Unit Parts | EDT-11 | Electronic Defrost Timer 115 VAC; | 55.34 |
| Sealed Unit Parts | EDT21 | Adjustable Electronic Interval Timer 208/240 VAC; | 59.80 |
| Sealed Unit Parts | GFK1 | Grease Fitting Kit; | 56.06 |
| Sealed Unit Parts | HS12001 | Red Epoxy 2 1/2 Oz. Tube; | 39.64 |
| Sealed Unit Parts | LIT11TC | Laser Infrared Thermometer; | 162.96 |
| Sealed Unit Parts | M500 | Insulation Tester / Megohmmeter; | 248.16 |
| Sealed Unit Parts | MO44 | Rust Buster 4OZ; | 10.32 |
| Sealed Unit Parts | MO98 | Zoom Spout Oiler 4OZ; | 9.88 |
| Sealed Unit Parts | MPR1 | Ultra Start For 3.5 - 5 Ton Compressors; | 78.48 |
| Sealed Unit Parts | MPR5 | Ultra Start For 1 - 3 Ton Compressors; | 70.26 |
| Sealed Unit Parts | NS2000031 | Air Pressure Switch; | 53.82 |
| Sealed Unit Parts | RCO210 | 3 n 1 Solid State Relay, Overload, Start Capacitor 1/2 HP 115 VAC; | 26.90 |
| Sealed Unit Parts | RCO220 | 3 n 1 Solid State Relay, Overload, State Capacitor 1/2 HP 230V; | 26.90 |
| Sealed Unit Parts | RCO410 | 3 n 1 Solid State Relay, Overload, Start Capacitor 1/4-1/3 HP 115 VAC; | 22.42 |
| Sealed Unit Parts | RCO810 | 3 n 1 Solid State Relay, Overload, Start Capacitor 1/12-1/5 HP 115 VAC; | 22.42 |
| Sealed Unit Parts | S8 (88) | Oil Additive 88, 8 Oz.; | 19.74 |
| Sealed Unit Parts | SPP5 | PCT/Capacitor Combination, 1/2-10 HP, 90-277 VAC, Low Torque; | 13.48 |
| Sealed Unit Parts | SPP6 | PCT/Capacitor Combination, 1/2-10 HP, 90-277 VAC, Hi Torque; | 19.46 |
| Sealed Unit Parts | SPP8E | Electronic Potential Relay/ Capacitor Combination, 1 HP and Up, 90-277 VAC; | 70.74 |
| Sealed Unit Parts | SR6N1 | Ratcheting Screw Driver 6 In 1; | 15.72 |
| Sealed Unit Parts | TA2 | Single Temperature Alarm, 115 VAC; | 188.36 |
| Sealed Unit Parts | URSC10 | Universal Hard Start Relay 1/20-1/2 115v; | 24.68 |
| Diversitech | 111112 | ClipStrip Pocket Light LED 140 Lumens; | 30.86 |
| Diversitech | 981 | Super Change R22 System Retrofit Up to 6 Tons; | 123.46 |
| Shurtape | AF-975CT | 2" X 50 YD Cold Temp Acrylic Adhesive Aluminum Foil Tape UL 723;" | 22.70 |
| Shurtape | DC-181 | 2" UL PRINTED SILVER;" | 19.78 |
| Shurtape | EV-57 | 3/4"X 66FT BL ELECT TAPE;" | 3.16 |
| Shurtape | PC-621 | 2" X 60 YD HEAVY DUTY CLOTH DUCT TAPE SILVER NON-PRINTED;" | 25.44 |
| Shurtape | PC-621P | 2" X 60 YD HEAVY DUTY CLOTH DUCT TAPE SILVER PRINTED;" | 24.00 |
| Shurtape | PC-622 BLK | 2" X 60 YD BLK DUCT TAPE;" | 29.26 |

| | | | |
|--------------------|---------------|--|----------|
| Shurtape | PC-622 WHT | 2" X 60 YD White Duct Tape;" | 29.26 |
| Browning | VP 2.50X1/2 | Sheave VP 2.5 D X 1/2; | 127.38 |
| Browning | VP 3.15X1/2 | Sheave VP 3.15 D X 1/2; | 93.72 |
| Browning | VP 3.15X5/8 | Sheave VP 3.15 D X 5/8; | 93.72 |
| Browning | VP 3.75X1/2 | Sheave VP 3.75 D X 1/2; | 115.10 |
| Browning | VP 3.75X5/8 | Sheave VP 3.75 D X 5/8; | 115.10 |
| Browning | VP 3.75X7/8 | Sheave VP 3.75 D X 7/8; | 168.70 |
| Browning | VP 4.15X1-1/8 | Sheave VP 4.15 D X 1 1/8; | 186.02 |
| Browning | VP 4.15X1/2 | Sheave VP 4.15 D X 1/2; | 128.56 |
| Browning | VP 4.15X5/8 | Sheave VP 4.15 D X 5/8; | 128.56 |
| Browning | VP 4.15X7/8 | Sheave VP 4.15 D X 7/8; | 153.04 |
| Browning | VP 4.75X1-1/8 | Sheave VP 4.75 D X 1 1/8; | 142.02 |
| Browning | VP 4.75X3/4 | Sheave VP 4.75 D X 3/4; | 99.26 |
| Browning | VP 4.75X5/8 | Sheave VP 4.75 D X 5/8; | 99.26 |
| Browning | VP 4.75X7/8 | Sheave VP 4.75 D X 7/8; | 142.00 |
| Browning | VP 5.35X1-1/8 | Sheave VP 5.35 D X 1 1/8; | 191.30 |
| Browning | VP 5.35X5/8 | Sheave VP 5.35 D X 5/8; | 148.22 |
| Browning | VP 5.35X7/8 | Sheave VP 5.35 D X 7/8; | 191.30 |
| Browning | VP 5.95X1-1/8 | Sheave VP 5.95 D X 1 1/8; | 276.08 |
| Browning | VP 5.95X7/8 | Sheave VP 5.95 D X 7/8; | 276.08 |
| Browning | VP 6.0X1-1/8 | Sheave VP 6 D X 1 1/8; | 273.48 |
| Browning | VP 6.0X7/8 | Sheave VP 6 D X 7/8; | 273.48 |
| Browning | VP 6.55X1-1/8 | Sheave VP 6.55 D X 1 1/8; | 287.34 |
| Browning | VP 6.55X1-3/8 | Sheave VP 6.55 D X 1 3/8; | 287.34 |
| Schnieder Electric | 2803-100 | Pneumatic Polyurethane Tubing 9/32" OD X 100' Roll;" | 297.06 |
| Schnieder Electric | K-335 | Pneumatic 1/4" Barbed In line Filter with Oil Indicator;" | 38.80 |
| Schnieder Electric | M-622 | Pneumatic Fitting 1/4" Single Tube Clamp;" | 0.40 |
| Schnieder Electric | M-623 | Pneumatic Fitting 3/8" Single Tube Clamp;" | 2.02 |
| Schnieder Electric | M-655 | Pneumatic Fitting 7/8" Snap Bushing;" | 0.28 |
| Schnieder Electric | MA-418 | Electric Two Position Spring Return 120Vac 60 -In.-lb.; | 1,153.26 |
| Spectronics Corp | EZ100E-CS | EZ-Ject Dye Injection Kit; | 232.58 |
| Spectronics Corp | EZ5E-CS | Flourescent Dye Cartridge, A/C,POE Treats up to 25lbs of Refrig or 2 Gal Oil;E | 33.66 |
| Spectronics Corp | GS1E-CS | GLO-STICK 1E Flourescent Dye Capsule Treats up to 1.6qts Oil or 4.9lbs Refrig; | 24.06 |
| Spectronics Corp | GS2E-CS | GLO-STICK 2E Flourescent Dye Capsule Treats up to 3.2qt Oil or 9.9 Gal Refrig; | 30.50 |
| Spectronics Corp | GS3E-CS | GLO-STICK 3E Flourescent Dye Capsule Treats up to 2Gal Oil or 25lbs Refrig; | 41.36 |
| Spectronics Corp | HVLEZE | EZ-Ject Complete Dye Injection Kit; | 383.00 |
| Sporlan | 310250 | Solenoid Magnet Tool; | 114.84 |

| | | | |
|---------|----------------------|---|----------|
| Sporlan | A-685 | Mounting Bracket w/Bolt/Nut/Washer Fits C-480 thru C-40000; | 67.94 |
| Sporlan | ADRHE-6-0/80 7/8 ODF | Discharge Bypass Valve; | 1,149.60 |
| Sporlan | ADRPE-3-0/80 5/8 ODF | Discharge Bypass Valve; | 569.20 |
| Sporlan | ADRSE-2-0/80 1/2 ODF | Discharge Bypass Valve; | 501.58 |
| Sporlan | BFJ-AA-C 2x4 SAE 30 | 1/4 thru 1/3 Ton R12 Expansion Valve; | 326.32 |
| Sporlan | BFSE-A-C 3x4 SAE 30 | 1/2 thru 1 Ton R404a/R502 Expansion Valve; | 327.72 |
| Sporlan | BFVE-A-C 3x4 SAE 30 | 3/4 thru 1 1/2 Ton R22 Expansion Valve; | 327.72 |
| Sporlan | BQ BODY 2x4 SAE | Balanced Port Internal Equalized Expansion Valve Body Only; | 119.84 |
| Sporlan | BQ BODY 3x4 SAE | Balanced Port Internal Equalized Expansion Valve Body Only; | 119.84 |
| Sporlan | BQC-A BLUE | Blue Balanced Port Valve Cartridge w/ I.D. Tag; | 54.02 |
| Sporlan | BQC-AA YELLOW | Yellow Balanced Port Valve Cartridge w/ I.D. Tag; | 54.02 |
| Sporlan | BQC-AAA RED | Red Balanced Port Valve Cartridge w/ I.D. Tag; | 54.02 |
| Sporlan | BQC-B PINK | Pink Balanced Port Valve Cartridge w/ I.D. Tag; | 54.02 |
| Sporlan | BQC-C WHITE | White Balanced Port Valve Cartridge w/ I.D. Tag; | 54.02 |
| Sporlan | BQE BODY 3x4 SAE | Balanced Port External Equalized Expansion Valve Body Only; | 137.90 |
| Sporlan | C-032 | 1/4 SAE 3 Cubic In Liquid Line Filter Drier; | 28.46 |
| Sporlan | C-032-CAP-T | 1/4 ODF Liquid Line Filter Drier For Cap Tube System W/Press Tap; | 45.26 |
| Sporlan | C-032-S | 1/4 ODF 3 Cubic In Liquid Line Filter Drier; | 28.46 |
| Sporlan | C-033-S | 3/8 ODF 3 Cubic In Liquid Line Filter Drier; | 29.42 |
| Sporlan | C-052 | 1/4 SAE 5 Cubic In Liquid Line Filter Drier; | 33.52 |
| Sporlan | C-052-CAP-TT-HH | 1/4 ODF Filter Drier For Cap Tube System w/ HH Core; | 72.02 |
| Sporlan | C-052-S | 1/4 ODF 5 Cubic In Liquid Line Filter Drier; | 33.22 |
| Sporlan | C-052-S-HH | 1/4 ODF 5 Cubic In Liquid Line Filter Drier w/HH Core; | 44.68 |
| Sporlan | C-053 | 3/8 SAE 5 Cubic In Liquid Line Filter Drier; | 34.12 |
| Sporlan | C-053-S | 3/8 ODF 5 Cubic In Liquid Line Filter Drier; | 33.22 |
| Sporlan | C-082 | 1/4 SAE 8 Cubic In Liquid Line Filter Drier; | 41.92 |
| Sporlan | C-082-S | 1/4 ODF 8 Cubic In Liquid Line Filter Drier; | 43.22 |
| Sporlan | C-083 | 3/8 SAE 8 Cubic In Liquid Line Filter Drier; | 40.86 |
| Sporlan | C-083-HH | 3/8 SAE 8 Cubic In Liquid Line Filter Drier w/HH Core; | 53.28 |
| Sporlan | C-083-S | 3/8 ODF 8 Cubic In Liquid Line Filter Drier; | 40.86 |
| Sporlan | C-083-S-T-HH | 3/8 ODF 8 Cubic In Suction Line Filter Drier w/HH Core; | 64.66 |
| Sporlan | C-084-S | 1/2 ODF 8 Cubic In Liquid Line Filter Drier; | 43.76 |
| Sporlan | C-084-S-T-HH | 1/2 ODF 8 Cubic In Suction Line Filter Drier w/HH Core; | 64.66 |
| Sporlan | C-147-S-TT-HH | 7/8 ODF 14 Cubic In Suction Line Filter Drier w/HH Core; | 110.90 |
| Sporlan | C-162 | 1/4 SAE 16 Cubic In Liquid Line Filter Drier; | 54.54 |
| Sporlan | C-163 | 3/8 SAE 16 Cubic In Liquid Line Filter Drier; | 52.42 |
| Sporlan | C-163-S | 3/8 ODF 16 Cubic In Liquid Line Filter Drier; | 52.42 |

| | | | |
|---------|---------------------|--|--------|
| Sporlan | C-163-S-HH | 3/8 ODF 16 Cubic In Liquid Line Filter Drier w/HH Core; | 60.78 |
| Sporlan | C-164 | 1/2 SAE 16 Cubic In Liquid Line Filter Drier; | 57.20 |
| Sporlan | C-164-S | 1/2 ODF 16 Cubic In Liquid Line Filter Drier; | 57.20 |
| Sporlan | C-164-S-HH | 1/2 ODF 16 Cubic In Liquid Line Filter Drier w/HH Core; | 69.00 |
| Sporlan | C-164-S-T-HH | 1/2 ODF 16 Cubic In Suction Line Filter Drier w/HH Core; | 87.04 |
| Sporlan | C-165 | 5/8 SAE 16 Cubic In Liquid Line Filter Drier; | 61.26 |
| Sporlan | C-165-S | 5/8 ODF 16 Cubic In Liquid Line Filter Drier; | 60.66 |
| Sporlan | C-165-S-T-HH | 5/8 ODF 16 Cubic In Suction Line Filter Drier w/HH Core; | 88.82 |
| Sporlan | C-167-S-T-HH | 7/8 ODF 16 Cubic In Suction Line Filter Drier w/HH Core; | 93.08 |
| Sporlan | C-304 | 1/2 SAE 30 Cubic In Liquid Line Filter Drier; | 93.62 |
| Sporlan | C-304-S | 1/2 ODF 30 Cubic In Liquid Line Filter Drier; | 93.62 |
| Sporlan | C-305 | 5/8 SAE 30 Cubic In Liquid Line Filter Drier; | 93.62 |
| Sporlan | C-305-S | 5/8 ODF 30 Cubic In Liquid Line Filter Drier; | 93.62 |
| Sporlan | C-306-S-T-HH | 3/4 ODF 30 Cubic In Suction Line Filter Drier w/HH Core; | 147.44 |
| Sporlan | C-307-S | 7/8 ODF 30 Cubic In Liquid Line Filter Drier; | 104.88 |
| Sporlan | C-307-S-T-HH | 7/8 ODF 30 Cubic In Suction Line Filter Drier w/HH Core; | 143.82 |
| Sporlan | C-309-S-T-HH | 1 1/8 ODF 30 Cubic In Suction Line Filter Drier w/HH Core; | 157.60 |
| Sporlan | C-415 | 5/8 SAE 41 Cubic In Liquid Line Filter Drier; | 138.00 |
| Sporlan | C-415-S | 5/8 ODF 41 Cubic In Liquid Line Filter Drier; | 138.00 |
| Sporlan | C-4311-S-T-HH | 1 3/8 ODF 43 Cubic In Suction Line Filter Drier w/HH Core; | 353.34 |
| Sporlan | C-487-G | 7/8 ODF 48 Cubic In Drier Shell Replaceable Single Core; | 611.44 |
| Sporlan | C-609-S | 1 1/8 ODF 60 Cubic In Liquid Line Filter Drier; | 215.02 |
| Sporlan | C-967-G | 7/8 ODF 96 Cubic In Drier Shell Replaceable Two Core; | 691.88 |
| Sporlan | C-969-G | 1 1/8 ODF 96 Cubic In Drier Shell Replaceable Two Core; | 691.88 |
| Sporlan | CROT-10-0/60 1 1/8 | Crankcase Pressure Regulating Valve; | 719.56 |
| Sporlan | CROT-6-0/60 1/2 ODF | Crankcase Pressure Regulating Valve; | 512.96 |
| Sporlan | CROT-6-0/60 5/8 ODF | Crankcase Pressure Regulating Valve; | 512.96 |
| Sporlan | CSG-083-S | C-083-S And SA-13S Drier And Sight Glass Assembly; | 106.44 |
| Sporlan | CSG-163-S | C-163-S And SA-13S Drier and Sight Glass Assembly; | 118.60 |
| Sporlan | E10S250-HP 5/8 ODF | R410a Solenoid Valve Extended Ends; | 301.96 |
| Sporlan | E3S120 1/4 ODF | Solenoid Valve Extended Ends; | 148.28 |
| Sporlan | E3S130 3/8 ODF | Solenoid Valve Extended Ends; | 148.28 |
| Sporlan | E5S120-HP 1/4 ODF | R410a Solenoid Valve Extended Ends; | 149.46 |
| Sporlan | E5S130-HP 3/8 ODF | R410a Solenoid Valve Extended Ends; | 149.46 |
| Sporlan | E6S130-HP 3/8 ODF | R410a Solenoid Valve Extended Ends; | 177.24 |
| Sporlan | E6S140-HP 1/2 ODF | R410a Solenoid Valve Extended Ends; | 177.24 |
| Sporlan | E9S240-HP 1/2 ODF | R410a Solenoid Valve Extended Ends; | 257.52 |

| | | | |
|---------|----------------------|--|--------|
| Sporlan | EBQ BODY 3x4 ODF | Balanced Port Internal Equalized Expansion Valve Body Only; | 142.02 |
| Sporlan | EBQE BODY 3x4 ODF | Balanced Port External Equalized Expansion Valve Body Only; | 163.28 |
| Sporlan | EFJ-1/4-C 2x4 ODF 30 | 1/4 Ton R134a/R12 Expansion Valve;109702 | 252.32 |
| Sporlan | EFS-1/4-C 2x3 ODF 30 | 1/4 Ton R404a Expansion Valve; | 277.52 |
| Sporlan | EFS-1/4-C 2x4 ODF 30 | 1/4 Ton R404a Expansion Valve; | 252.32 |
| Sporlan | EQ BODY 3x4 ODF | Internal Equalized Expansion Valve Body Only; | 146.30 |
| Sporlan | EQE BODY 3x4 ODF | External Equalized Expansion Valve Body Only; | 168.18 |
| Sporlan | ERZE-15-GA 5X9 ODF | 15 Ton R410A Expansion Valve; | 491.42 |
| Sporlan | ERZE-8-GA 4X7 ODF 5 | 8 Ton R410A Expansion Valve; | 491.42 |
| Sporlan | FJ-1/2-C 3x4 SAE 30 | 1/2 Ton R134a/R12 Expansion Valve; | 246.90 |
| Sporlan | FJ-1/4-C 2x3 SAE 30 | 1/4 Ton R134a/R12 Expansion Valve; | 246.90 |
| Sporlan | FJ-1/4-C 2x4 SAE 30 | 1/4 Ton R134a/R12 Expansion Valve; | 246.90 |
| Sporlan | HPC-103-S | 3/8 ODF 10 Cubic In Reversible Heat Pump Filter Drier; | 69.36 |
| Sporlan | HPC-104-S | 1/2 ODF 10 Cubic In Reversible Heat Pump Filter Drier; | 76.36 |
| Sporlan | HPC-163-S-HH | 3/8 ODF 16 Cubic In Reversible Heat Pump Filter Drier w/HH Core; | 106.98 |
| Sporlan | HPC-164-S-HH | 1/2 ODF 16 Cubic In Reversible Heat Pump Filter Drier w/HH Core; | 108.74 |
| Sporlan | K-SA-4 | Replacement Sight Glass Indicator Paper Kit fits SA-12 thru SA-19; | 12.90 |
| Sporlan | KS-B19/E19-HP | R410a Solenoid Valve Repair Kit; | 334.96 |
| Sporlan | KS-B25/E25-HP | R410a Solenoid Valve Repair Kit; | 479.72 |
| Sporlan | KT-43-JC 30 | Commercial Temp Element R134a/R12; | 104.94 |
| Sporlan | KT-43-JC 5 | Commercial Temp Element R12/R134a; | 112.14 |
| Sporlan | KT-43-SC/PC 30 | R404a/ R502/ R507 Commercial Temp Element 30 Inch; | 104.94 |
| Sporlan | KT-43-SC/PC 5 | R404a/ R502/ R507 Commercial Temp Element 5 Ft; | 112.14 |
| Sporlan | KT-43-SZ 30 | R404a/R502 Low Temp Element; | 104.94 |
| Sporlan | KT-43-SZ 5 | R404a/R502 Low Temp Element; | 112.14 |
| Sporlan | KT-43-SZP 30 | R404a/R502 Low Temp Pressure Limiting Element; | 104.94 |
| Sporlan | KT-43-VC 30 | R22 Commercial Temp Element; | 104.94 |
| Sporlan | KT-43-VC 5 | R22 Commercial Temp Element; | 112.14 |
| Sporlan | KT-43-VCP100 30 | R22 A/C Temp Pressure Limiting Element; | 104.94 |
| Sporlan | KT-43-VZ 30 | R22, R407A, R407F, R448A Low Temp Element; | 104.94 |
| Sporlan | KT-45-ZGA 5 | R410a A/C Temp Element; | 234.16 |
| Sporlan | KT-53-VC 5 | R22 Commercial Temp Element; | 158.76 |
| Sporlan | KT-83-SC/PC 5 | R404a/ R502/ R507 Commercial Temp Element 5 Ft; | 172.82 |
| Sporlan | KT-83-VC 5 | R22 Commercial Temp Element; | 172.82 |
| Sporlan | KT-83-VCP100 5 | R22 A/C Temp Pressure Limiting Element; | 172.82 |
| Sporlan | LAC-4-180 1/2 ODF | Head Pressure Control Valve; | 354.42 |
| Sporlan | LAC-4-180 3/8 ODF | Head Pressure Control Valve; | 354.42 |

| | | | |
|---------|----------------------|---|--------|
| Sporlan | ME10S250-HP 5/8 ODF | R410a Solenoid Valve Manual Lift Stem Extended Ends; | 365.12 |
| Sporlan | ME14S250-HP 5/8 ODF | R410a Solenoid Valve Manual Lift Stem Extended Ends; | 368.96 |
| Sporlan | ME19S270-HP 7/8 ODF | R410a Solenoid Valve Manual Lift Stem Extended Ends; | 561.06 |
| Sporlan | ME25S270-HP 7/8 ODF | R410a Solenoid Valve Manual Lift Stem Extended Ends; | 786.24 |
| Sporlan | ME25S290-HP 1-1/8 O | R410a Solenoid Valve Manual Lift Stem Extended Ends; | 786.24 |
| Sporlan | ME6S130-HP 3/8 ODF | R410a Solenoid Valve Manual Lift Stem Extended Ends; | 235.72 |
| Sporlan | ME6S140-HP 1/2 ODF | R410a Solenoid Valve Manual Lift Stem Extended Ends; | 235.72 |
| Sporlan | ME9S240-HP 1/2 ODF | R410a Solenoid Valve Manual Lift Stem Extended Ends; | 323.82 |
| Sporlan | MKC-1 120 JAM | Solenoid Valve Coil Junction Box; | 116.08 |
| Sporlan | MKC-1 208/240 JAN | Solenoid Valve Coil Junction Box; | 116.08 |
| Sporlan | MKC-1 24 JAQ | Solenoid Valve Coil Junction Box; | 116.08 |
| Sporlan | MKC-1 DUAL JAU | Solenoid Valve Coil Junction Box Dual Voltage; | 151.76 |
| Sporlan | MKC-2 120 JAM | Solenoid Valve Coil Junction Box; | 142.14 |
| Sporlan | MKC-2 208/240 JAN | Solenoid Valve Coil Junction Box; | 142.14 |
| Sporlan | MKC-2 24 JAQ | Solenoid Valve Coil Junction Box; | 142.14 |
| Sporlan | MKC-2 DUAL JAU | Solenoid Valve Coil Junction Box Dual Voltage; | 182.04 |
| Sporlan | OF-303 3/8 SAE | Oil Filter; | 323.20 |
| Sporlan | OF-303-BP 3/8 SAE | Oil Filter w/Bypass; | 350.68 |
| Sporlan | OFE-1 | Oil Filter Cartridge w/Gasket for ROF-413-T; | 205.62 |
| Sporlan | OL-60CH | 5/90 PSI Diferential Oil Level Control; | 652.74 |
| Sporlan | OMKC-1 120 JAM | Solenoid Valve Coil for Normally Open Valve Junction Box; | 134.50 |
| Sporlan | ORD-4-20 5/8 ODF | Pressure Differential Valve; | 203.80 |
| Sporlan | ORI-6-65/225H 7/8 OD | Head Pressure Control Valve; | 554.74 |
| Sporlan | ORIT-6-30/100 5/8 OD | Evaporator Pressure Regulating Valve; | 566.26 |
| Sporlan | ORIT-6-30/100 7/8 OD | Evaporator Pressure Regulating Valve; | 566.26 |
| Sporlan | OROA-5-180 5x5 | 180 PSI Non Adj Head Pressure Control Valve; | 591.92 |
| Sporlan | OROA-5-180 5x7 | 180 PSI Non Adj Head Pressure Control Valve; | 591.92 |
| Sporlan | OVE-10-CP100 5x7 ODF | 10 Ton R22 Expansion Valve; | 748.72 |
| Sporlan | OVE-15-CP100 7x9 ODF | 15 Ton R22 Expansion Valve; | 568.36 |
| Sporlan | OVE-20-CP100 7x11 OD | 20 Ton R22 Expansion Valve; | 568.36 |
| Sporlan | OVE-30-CP100 9x11 OD | 30 Ton R22 Expansion Valve; | 568.36 |
| Sporlan | Q BODY 2x3 SAE | Internal Equalized Expansion Valve Body Only; | 123.44 |
| Sporlan | Q BODY 2x4 SAE | Internal Equalized Expansion Valve Body Only; | 123.44 |
| Sporlan | QC-0 RED | Cartridge w/ I.D. Tag; | 22.76 |
| Sporlan | QC-1 YELLOW | Cartridge w/ I.D. Tag; | 22.76 |
| Sporlan | QC-2 GREEN | Cartridge w/ I.D. Tag; | 22.76 |
| Sporlan | QC-3 BLUE | Cartridge w/ I.D. Tag; | 22.76 |

| | | | |
|---------|----------------------|--|--------|
| Sporlan | QC-6 WHITE | Cartridge w/ I.D. Tag; | 22.76 |
| Sporlan | QE BODY 3x4 SAE | External Equalized Expansion Valve Body Only; | 142.04 |
| Sporlan | RC-4864-HH | Replaceable Clean Up Core fits C-480 thru C-19200 Series Shell; | 94.32 |
| Sporlan | RCA-100 | Replaceable Activated Core fits C-30000 thru C-40000 Series Shell; | 168.04 |
| Sporlan | RCA-48 | Replaceable Activated Core fits C-480 thru C-19200 Series Shell; | 60.14 |
| Sporlan | RCVE-4-GA 4x4 ODF 30 | 4 Ton R22 Internal Check Expansion Valve; | 317.60 |
| Sporlan | RCVE-5-GA 4x4 ODF 30 | 5 Ton R22 Internal Check Expansion Valve; | 317.60 |
| Sporlan | RCW-48 | Replaceable High Water Capacity Core fits C-480 thru C-19200 Series; | 107.22 |
| Sporlan | RCZE-3-GA 3x4 ODF 30 | 3 Ton R410a Internal Check Expansion Valve; | 388.56 |
| Sporlan | RCZE-4-GA 4x4 ODF 30 | 4 Ton R410a Internal Check Expansion Valve; | 388.56 |
| Sporlan | RCZE-5-GA 4x5 ODF 30 | 5 Ton R410a Internal Check Expansion Valve; | 388.56 |
| Sporlan | RPE-48-BD | Replaceable Suction Filter Element fits C-480 thru C-19200 Series; | 75.60 |
| Sporlan | SA-12S | 1/4 ODF Sight Glass; | 44.36 |
| Sporlan | SA-13 | 3/8 SAE Sight Glass; | 45.58 |
| Sporlan | SA-13S | 3/8 ODF Sight Glass; | 45.12 |
| Sporlan | SA-14S | 1/2 ODF Sight Glass; | 55.16 |
| Sporlan | SA-15S | 5/8 ODF Sight Glass; | 57.02 |
| Sporlan | SA-17S | 7/8 ODF Sight Glass; | 84.18 |
| Sporlan | SA-19S | 1 1/8 ODF Sight Glass; | 91.44 |
| Sporlan | SBFJE-A-C 3x4 ODF 30 | 1/2 thru 1 Ton R134a/R12 Expansion Valve; | 356.10 |
| Sporlan | SBFS-AA-C 3x4 ODF 30 | 1/4 thru 1/3 Ton R404a/R502 Expansion Valve; | 338.60 |
| Sporlan | SBFSE-A-C 3x4 ODF 30 | 1/2 thru 1 Ton R404a/R502 Expansion Valve; | 356.10 |
| Sporlan | SBFSE-A-Z 3x4 ODF 30 | 1/2 thru 1 Ton R404a/R502 Expansion Valve; | 356.10 |
| Sporlan | SBFSE-A-ZP 3x4 ODF30 | 1/2 thru 1 Ton R404a/R502 Expansion Valve; | 356.10 |
| Sporlan | SBFSE-AA-C 3x4 ODF30 | 1/4 thru 1/3 Ton R404a/R502 Expansion Valve; | 356.10 |
| Sporlan | SBFSE-B-C 3x4 ODF 30 | 1 1/4 thru 2 Ton R404a/R502 Expansion Valve; | 356.10 |
| Sporlan | SBFSE-B-Z 3x4 ODF 30 | 1 1/4 thru 2 Ton R404a/R502 Expansion Valve; | 356.10 |
| Sporlan | SBFV-AAA-C 3x4 ODF30 | 1/8 thru 1/3 Ton R22 Expansion Valve; | 338.60 |
| Sporlan | SBFVE-A-C 3x4 ODF 30 | 3/4 thru 1 1/2 Ton R22 Expansion Valve; | 356.10 |
| Sporlan | SBFVE-AA-C 3x4 ODF30 | 1/2 thru 2/3 Ton R22 Expansion Valve; | 356.10 |
| Sporlan | SBQ BODY 3x4 ODF | Balanced Port Internal Equalized Expansion Valve Body Only; | 143.60 |
| Sporlan | SBQE BODY 3x4 ODF | Balanced Port External Equalized Expansion Valve Body Only; | 165.18 |
| Sporlan | SF-283-F | 3/8 SAE 28 Cubic In Suction Filter; | 100.66 |
| Sporlan | SF-287-T | 7/8 ODF 28 Cubic In Suction Filter w/Pressure Tap; | 122.26 |
| Sporlan | SQ BODY 3x4 ODF | Internal Equalized Expansion Valve Body Only; | 147.94 |
| Sporlan | SQE BODY 3x4 ODF | External Equalized Expansion Valve Body Only; | 170.10 |
| Sporlan | SVE-5-CP100 4x7 ODF | 5 Ton R22 Expansion Valve; | 396.14 |

| | | | |
|---------------|---------------------|--|----------|
| Sporlan | SVE-5-GA 4x7 ODF 5 | 5 Ton R22 Expansion Valve; | 537.26 |
| Sporlan | TA-1 | One Time Acid Test Kit; | 40.96 |
| Sporlan | XUP 3/8 ODF | Solenoid Valve Rapid Cycle Extended Ends; | 385.44 |
| System Sensor | D4120W | NEMA 4 Watertight 4-Wire Photoelectric Low-Flow Duct Smoke Detector New; | 387.74 |
| System Sensor | DST1.5 | 1.5 Ft Steel Sampling Tube (Duct Width 1-2 Ft) New Style; | 16.74 |
| System Sensor | DST3 | 3 Ft Steel Sampling Tube (Duct Widths 2-4 Ft) New Style; | 22.06 |
| System Sensor | DST5 | 5 Ft Steel Sampling Tube (Duct Width 4-8 Ft) New Style; | 30.72 |
| System Sensor | DUCTSD | 4-Wire Photoelectric Low-Flow Duct Smoke Detector New Style; | 263.68 |
| Tecumseh | 51563 | Fan Blade; | 6.80 |
| Tecumseh | AE2410Z-AA1A | AE1126E-106-J7 LT R404A 1/4 HP 115-1 Compressor; | 811.60 |
| Tecumseh | AE2413Y-AA1B | AE1240E-679-J7 LT R134A 1/3HP 115-1 Compressor; | 924.92 |
| Tecumseh | AE2415Z-AA1A | AE1157E-679-J7 LT R404A 1/3HP 115-1 Compressor; | 857.32 |
| Tecumseh | AE3425Y-AA1A | AE1004E-212-J7 HT R134A 1/5 HP 115-1 Compressor; | 651.76 |
| Tecumseh | AE3430Y-AA1A | AE1153E-212-J7 HT R134A 1/4 HP 115-1 Compressor; | 652.42 |
| Tecumseh | AE3440Y-AA1A | AE1155E-212-J7 HT R134A 1/3 HP 115-1 Compressor; | 757.20 |
| Tecumseh | AE4430Y-AA1A | AE1199E-215-J7 HT R134A 1/4 HP 115-1 Compressor; | 722.38 |
| Tecumseh | AE4440A-AA1A-1-STUB | AE1250E-212-J7 HT R12 1/3 HP 115-1 Stub Tube Compressor; | 620.04 |
| Tecumseh | AE4440E-DS1A | AE1483E-209-J7 HT/CT R22 115-1 Compressor; | 1,061.06 |
| Tecumseh | AE4440Y-AA1A | AE1200E-215-J7 HT R134A 1/3 HP 115-1 Compressor; | 599.70 |
| Tecumseh | AE4440Y-AA1A-1-STUB | AE1022E-212-J7 HT R134A 1/3 HP 115-1 Stub Tube Compressor; | 534.72 |
| Tecumseh | AE4440Z-AA1A | AE1168E-209-J7 R404A 1/3 HP 115-1 HBP High Torque Compressor; | 764.38 |
| Tecumseh | AE4450Y-AA1A | AE1154E-209-J7 HT R134A 1/3 HP 115-1 Compressor; | 584.08 |
| Tecumseh | AJA2419ZXA-1 | AJ303AT-336-J7 LT R404A 1/2 HP 115-1 Compressor; | 1,628.48 |
| Tecumseh | AJA2425ZXA-1 | AJ532AT-336-J7 LT R404A 1/2 HP 115-1 Compressor; | 1,359.84 |
| Tecumseh | AJA4461AXA-1 | AJ311AT-141-J7 HT R12 1/2 HP 115-1 Compressor; | 1,247.64 |
| Tecumseh | AJA4512YXD-2 | AJ137ET-193-J7 HT R134A 1 HP 208/230-1 Compressor; | 1,391.38 |
| Tecumseh | AJA7441AXA-1 | AJ530AT-336-J7 MT R12 1/2 HP 115-1 Compressor; | 1,066.90 |
| Tecumseh | AJA7465AXA-1 | AJ201AT-188-J7 MT R12 3/4 HP 115-1 Compressor; | 1,289.16 |
| Tecumseh | AJA7494ZXD-2 | AJ202ET-188-J7 MT R404A 1 HP 208/230-1 Compressor; | 1,497.56 |
| Tecumseh | AJA9484EXD-2 | AJ801ET-418-J7 CT R22 1 HP 208/230-1 Compressor; | 1,410.00 |
| Tecumseh | AJB7465AXD-2 | AJ201GT-188-J7 MT R12 3/4 HP 208/230-1 Compressor; | 1,237.96 |
| Tecumseh | AKA4460YXA-1 | AK168AT-038-J7 HT R134A 1/2 HP 115-1 Compressor; | 1,400.62 |
| Tecumseh | AKA4476YXA-1 | AK169AT-038-J7 HT R134A 1/2 HP 115-1 Compressor; | 1,508.28 |
| Tecumseh | AKA5512EXD-2 | AK111ET-004-J7 AC R22 1 HP 208/230-1 Compressor; | 1,136.98 |
| Tecumseh | AKA9428EXA-1 | AK164AT-038-J7 CT R22 1/3 HP 115-1 Compressor; | 1,692.12 |
| Tecumseh | AKA9462EXD-2 | AK166ET-038-J7 CT R22 3/4 HP 208/230-1 Compressor; | 1,896.62 |
| Tecumseh | AKA9462ZXD-2 | AK172ET-038-J7 CT R404A 3/4 HP 208/230-1 Compress; | 1,383.34 |

| | | | |
|------------|--------------|--|----------|
| Tecumseh | AVA2490ZXN-2 | AV195ET-037-J7 LT R404A 2 HP 208/230-1 Compressor; | 1,974.78 |
| Tecumseh | AVB5558EXT-3 | AV190RT-045-J7 AC R22 5 HP 208/230-3 Compressor; | 1,306.96 |
| Tecumseh | AWA2460ZXD-2 | AW613ET-111-J7 LT R404A 1 1/2 HP 208/230-1 Compre; | 2,376.80 |
| Tecumseh | K146-55 | Start Capacitor Kit 324-389 MFD 165 Volt w/Resistor & Bracket; | 46.30 |
| Tecumseh | K32-1 | RotoLock Valve 1/2 Flare; | 85.96 |
| Tecumseh | K32-4 | RotoLock Valve 7/8 Sweat; | 146.04 |
| Tecumseh | K32-5 | RotoLock Valve 3/8 Flare; | 96.72 |
| Tecumseh | K71-01 | Relay Kit; | 45.28 |
| Tecumseh | K71-02 | Relay Kit; | 45.28 |
| Tecumseh | K71-06 | Relay Kit; | 47.86 |
| Tecumseh | K71-09 | Relay Kit; | 45.28 |
| Tecumseh | K71-10 | Relay Kit; | 45.28 |
| Tecumseh | K71-11 | Relay Kit; | 47.86 |
| Tecumseh | K71-12 | Relay Kit; | 45.28 |
| Tecumseh | K71-14 | Relay Kit; | 99.64 |
| Tecumseh | K71-16 | Relay Kit; | 99.64 |
| Tecumseh | K71-17 | Relay Kit; | 99.64 |
| Tecumseh | K71-19 | Relay Kit; | 99.64 |
| Tecumseh | K71-20 | Relay Kit; | 99.64 |
| Tecumseh | K71-35 | Relay Kit; | 48.66 |
| Tecumseh | K71-36 | Relay Kit; | 48.38 |
| Tecumseh | K71-41 | Relay Kit; | 47.46 |
| Tecumseh | K90-11 | Overload Kit; | 41.40 |
| Tecumseh | K90-12 | Overload Kit; | 37.60 |
| Tecumseh | K90-14 | Overload Kit; | 37.60 |
| Tecumseh | K90-15 | Overload Kit; | 37.60 |
| Tecumseh | K90-16 | Overload Kit; | 37.60 |
| Tecumseh | K90-17 | Overload Kit; | 37.60 |
| Tecumseh | K90-20 | Overload Kit; | 37.60 |
| Tecumseh | K90-21 | Overload Kit; | 41.40 |
| Tecumseh | K90-27 | Overload Kit; | 37.60 |
| Tecumseh | K90-35 | Overload Kit; | 83.10 |
| Tecumseh | K90-55 | Overload Kit; | 44.12 |
| Tecumseh | K90-56 | Overload Kit; | 42.46 |
| Tecumseh | K90-61 | Overload Kit; | 42.32 |
| Misc Tools | 132ME-4 | 4" Stainless Steel Pocket Caliper;" | 17.76 |
| Misc Tools | 147-6 | 6" Digital Fractional Caliper;" | 84.58 |

| | | | |
|-------------|---------------------|---|--------|
| Misc Tools | 3 IN 1 LEVER BENDER | 3 in 1 Heavy Duty Lever Bender 1/4" to 3/8";" | 108.48 |
| Misc Tools | 5 GAL BUCKET | 5 Gallon Bucket; | 19.72 |
| Misc Tools | 810-C NOZZLE | Bulls-Eye Hose Nozzle; | 16.22 |
| Misc Tools | BLADE DEBURRING | Replacement Blade for Deburring Tool; | 19.60 |
| Misc Tools | BRZ1000 | Braze Rite Adaptor; | 96.94 |
| Misc Tools | CUTTER 1/4 to 1-5/8 | Premium Tube Cutter 1/4 to 1 5/8; | 118.50 |
| Misc Tools | CUTTER 1/4 to 2-5/8 | Tube Cutter 1/4 to 2 5/8; | 266.48 |
| Misc Tools | CUTTER 1/8 to 1-1/8 | Premium Tube Cutter 1/8 to 1 1/8; | 93.34 |
| Misc Tools | CUTTER WHEEL LARGE | Replacement Cutter Wheel Fits 1/4 to 2-5/8 Size 2 Pk; | 34.02 |
| Misc Tools | CUTTER WHEEL SMALL | Replacement Cutter Wheel Fits 1/8 to 1-5/8 Size 2 Pk; | 33.00 |
| Misc Tools | DEBURRING | Deburring Tool; | 38.14 |
| Misc Tools | DEBURRING PENCIL | Deburring Pencil; | 34.80 |
| Misc Tools | EJMP | Magnetic Jumper; | 21.70 |
| Misc Tools | FLARE/SWAGE KIT | 45° Flaring/Swaging Complete Kit 3/16" to 3/4";" | 277.86 |
| Misc Tools | FLARING 3/16 to 5/8 | Heavy Duty Flaring Tool 3/16" to 5/8";" | 88.70 |
| Misc Tools | FRMT8-2 | Filter Puller 8' Telescopic w/Magnets; | 58.78 |
| Misc Tools | INNER OUTER REAMER | Inner/Outer Reamer 1/16 to 1 3/8; | 45.24 |
| Misc Tools | JL1 | Juglugger Cylinder Carrying Device; | 65.54 |
| Misc Tools | MAGRING | Magnetic Mount Ring MagRing 1.5 Inch;MBR1 | 35.82 |
| Misc Tools | MCB TANK HANDLE | MC & B Acetylene Tank Magnetic Valve Handle; | 27.46 |
| Misc Tools | MINI CUTTER 1-1/8 | Big Mini Tubing Cutter 1/8 to 1-1/8; | 65.42 |
| Misc Tools | MINI CUTTER 5/8 | Small Mini Tubing Cutter 1/8 to 5/8; | 41.30 |
| Misc Tools | MINI CUTTER 7/8 | Mini Tubing Cutter 1/8 to 7/8; | 50.56 |
| Misc Tools | MUKIT | Complete Magnetic Umbrella Kit; | 146.50 |
| Misc Tools | MULTI SWAGE PUNCH | Multi Swaging Punch 1/4" to 5/8";" | 55.30 |
| Misc Tools | NEBO 6783 | SLYDE+ Worklight and Flashlight; | 55.94 |
| Misc Tools | SGRT | Copeland Sight Glass Removal Tool; | 37.48 |
| Misc Tools | SPARK KEY | TORCH IGNITER; | 35.56 |
| Misc Tools | SWAGE PUNCH SET | Swaging Punch Set 4/pc 1/4" to 5/8";" | 84.32 |
| Turbo Torch | 0387-0040 | W-J Nozzle Tip Size 0 0-W-J-CS Fits Handle 103-01FP; | 76.00 |
| Turbo Torch | 0387-0041 | W-J Nozzle Tip Size 1 1-W-J-CS Fits Handle 103-01FP; | 76.00 |
| Turbo Torch | 0387-0042 | W-J Nozzle Tip Size 2 2-W-J-CS Fits Handle 103-01FP; | 76.00 |
| Turbo Torch | 1421-0084 | Plastic Tote MC/R; | 122.92 |
| Turbo Torch | 1424-0017 | Replacement Gauge 2 In 400# LP; | 84.12 |
| Turbo Torch | 1424-0019 | Replacement Gauge 2 In 4000# HP; | 84.12 |
| Turbo Torch | 1435-0090RP | Replacement Gauge 1 1/2 In 30# Acet 0386-1196; | 84.12 |
| Turbo Torch | 1435-0092RP | Replacement Gauge 1 1/2 In 100# Oxy 0386-1198; | 84.12 |

| | | | |
|------------------|---------------|--|----------|
| Turbo Torch | 1435-0095RP | Replacement Gauge 1 1/2 In 400# Acet 0386-1197; | 84.12 |
| Turbo Torch | 1435-0097RP | Replacement Gauge 1 1/2 In 4000# Oxy 0386-1199; | 84.12 |
| Turbo Torch | 195-02P | Brazing Nozzle Light Duty 3-W-J-CS 0387-0043; | 76.00 |
| Turbo Torch | 252-03P | Oxy/Acetylene Twin Hose 12 1/2 Ft x 3/16 In 0386-1094; | 149.20 |
| Turbo Torch | 255-01P | Tip Cleaner 0386-1213; | 42.74 |
| Turbo Torch | DP250-800-580 | Nitrogen Pressure Regulator 800 PSI Delivery Pressure 0386-0857; | 313.06 |
| Turbo Torch | ESS32-PFH-580 | Pressure/Flow Hybrid Nitrogen Regulator 800 PSI 0781-3652; | 432.64 |
| Turbo Torch | F-1 | Replacement Flints 5 Pack 1423-0024; | 13.00 |
| Turbo Torch | G150-15-200R | Acetylene Regulator 0781-4240 0386-0784; | 219.72 |
| Turbo Torch | G150-60-540R | Oxygen Regulator 0781-4241 0386-0786; | 219.72 |
| Turbo Torch | G150-J-C | Acet & Oxy Welding Kit w/o Tanks CST-150 0384-0980; | 537.58 |
| Turbo Torch | G150-J-CPT | Acet & Oxy Welding / Cutting Kit w/Tanks CST-CPT 0384-0948; | 1,075.08 |
| Turbo Torch | G150-J-PT | Acet & Oxy Welding Kit w/Tanks CST-PT 0384-0946; | 1,004.40 |
| Turbo Torch | GP250-500-580 | Nitrogen Regulator 500 Psi Output 0386-0875; | 253.88 |
| Turbo Torch | L-1 | Striker 1423-0023; | 14.56 |
| Turbo Torch | MT-1 | Mapp Gas Tank 16oz Disposable; | 32.12 |
| Turbo Torch | NPK-TT | Nitrogen Purge Kit w/ CO2 adapter, 1/2 & 3/4 Cone Plug, Blow Gun, and Hoses; | 594.66 |
| Turbo Torch | PT-1 | Propane Tank 14.1 Oz Disposable; | 27.62 |
| Turbo Torch | TK | Tank Key 0386-1226; | 14.58 |
| Turbo Torch | TX-504 | Self Lighting Torch Propane/Mapp 0386-1293; | 259.42 |
| Turbo Torch | VMA-J-15 | Multi Flame Rosebud Kit 0325-0109; | 173.10 |
| Uniweld Products | 17 #30 | Rosebud Welding Tip; | 134.86 |
| Uniweld Products | GS111 | 0-30 PSI 1/8 Bottom Mount; | 11.82 |
| Uniweld Products | GS161 | 0-30 PSI 1/8 Center Back Mount; | 11.82 |
| US Motors | 1775P | 1/20 HP-230 1500 RPM CCWSE MOTOR 42Y; | 386.84 |
| US Motors | 1779P | 1/15 HP-230 Motor; | 403.44 |
| US Motors | 1861H | Condenser Fan Motor 1/3 HP 208/230 Volt 1075 RPM Rev 5.5" Dia 70C Deg;" | 299.16 |
| US Motors | 1862H | Condenser Fan Motor 1/2 HP 208/230 Volt 1075 RPM Rev 5.5" Dia 70C Deg;" | 336.18 |
| US Motors | 1868H | Condenser Fan Motor 3/4 HP 208/230 Volt 1075 RPM Rev 5.6" Dia 70C D933 D931;" | 296.98 |
| US Motors | 1874H | Condenser Fan Motor 1/4 HP 208/230 Volt 825 RPM Rev 5.6" Dia 70C;" | 331.90 |
| US Motors | 1880 | 1/4 HP 825 1SP 460/60/1PH REPL Lennox 51H75; | 684.74 |
| US Motors | 1972 | Indoor Blower Motor 1/3 HP 208/230 Volt 1075 RPM 3 Spd Rev 5.6" Dia;" | 262.30 |
| US Motors | 1973 | Indoor Blower Motor 1/2 HP 208/230 Volt 1075 RPM 3 Spd Rev 5.6" Dia;" | 309.58 |
| US Motors | 3742 | Condenser Fan Motor 3/4 HP 460 Volt 1075 RPM Rev 5.6" Dia Ball Brg D910 FH1076 | 860.00 |
| US Motors | 5460 | Indoor Blower Motor 1/6 to 1/2 HP 115 Volt 1075 RPM Rev 5.6" Dia Rescue;" | 307.04 |
| US Motors | 5462H | Condenser Fan Motor 1/6 to 1/3 HP 208/230 Volt 1075 RPM Rev 5.6" Dia Rescue;" | 309.38 |
| US Motors | 5464H | Condenser Fan Motor 1/6 to 1/3 HP 208/230 Volt 825 RPM Rev 5.6" Dia Rescue;" | 376.08 |

| | | | |
|-------------|------------|---|----------|
| US Motors | 5465H | Con Fan Motor 1/6 to 1/2 HP 208/230V 1075 RPM Rev 5.6" Dia Rescue High Temp;" | 384.14 |
| US Motors | 5470 | Indoor Blower Motor 1/5 to 3/4 HP 115 Volt 1075 RPM Rev 5.6" Dia Rescue;" | 367.22 |
| US Motors | 5471 | Indoor Blower Motor 1/5 to 3/4 HP 208/230 Volt 1075 RPM Rev 5.6" Dia Rescue;" | 375.52 |
| US Motors | 8000 | Blower Motor 1/4 HP 115 Volt 1725 RPM Rev 48 Frame w/Base 4701; | 330.08 |
| US Motors | 8100 | Blower Motor 1/3 HP 115 Volt 1725 RPM Rev 48 Frame w/Base 4706; | 343.04 |
| US Motors | 8200 | Blower Motor 1/2 HP 115 Volt 1725 RPM Rev 48 Frame w/Base 4708; | 410.64 |
| US Motors | 8330 | Condenser Fan Motor 1/4 HP 230 Volt 1625 RPM CW 5.6" Dia Tecumseh TFM1862;" | 543.00 |
| US Motors | 9662 | Evap Coil Motor 1/20 HP PSC 115V 1550 RPM CCW/ REV 3.3" Dia Bohn Oem;" | 206.48 |
| US Motors | D12CPA2PH9 | Motor 1/2 HP 1800 115/208-230 56H ODP Resilient Base Cap Start; | 741.76 |
| US Motors | D12P2AH | Motor 1/2 HP 1800 208-230/460 3PH 56 ODP Rigid Base; | 520.34 |
| US Motors | D12P2AH9 | Motor 1/2 HP 1800 208-230/460 3PH 56 ODP Prem Eff Resilient Base; | 731.94 |
| US Motors | D1CPA2PH | Motor 1 HP 1800 115/208-230 56H ODP Rigid Base Cap Start; | 1,316.74 |
| US Motors | D1CPA2PH9 | Motor 1 HP 1725 115/230 56H ODP Resilient Base Cap Start; | 961.98 |
| US Motors | D1P2AH | Motor 1 HP 1800 208-230/460 3PH 56H ODP Rigid Base; | 654.44 |
| US Motors | D1P2D | Motor 1 HP 1800 208-230/460-3 143T ODP Prem Eff Rigid Base; | 715.86 |
| US Motors | D2P2D | Motor 2 HP 1800 208-230/460-3 145T ODP Prem Eff Rigid Base; | 827.34 |
| US Motors | D2P2DHZ | Motor 2 HP 1800 208-230/460-3 56HZ ODP Prem Eff Rigid Base; | 717.48 |
| US Motors | D32CPA2PH9 | Motor 1-1/2 HP 1800 115/208-230 56H ODP Resilient Base Cap Start; | 1,048.94 |
| US Motors | D32P2AH9 | Motor 1-1/2 HP 1800 208-230/460 3PH 56H ODP Prem Eff Resilient Base; | 928.16 |
| US Motors | D34CPA2PH9 | Motor 3/4 HP 1725 115/230 56H ODP Resilient Base Cap Start; | 851.64 |
| US Motors | D3P2D | Motor 3 HP 1800 208-230/460-3 182T ODP Prem Eff; | 879.08 |
| US Motors | D5P2D | Motor 5 HP 1800 208-230/460-3 184T ODP Prem Eff; | 946.94 |
| US Motors | EC5411E | Rescue ECM Watt Motor 4-25W 115/230-1 1550-1725 RPM CWOSE; | 198.86 |
| US Motors | EC5412E | Rescue ECM Watt Motor 4-25W 115/230-1 1550-1725 RPM CCWOSE; | 198.86 |
| US Motors | U2P2D | Motor 2 HP 1800 208-230/460-3 145T TEFC Prem Eff Unimount; | 863.80 |
| Veris | H608 | Mini Split Core, Adjustable, Range 0.5-175 AAC, N/O, 1 A; | 80.00 |
| Veris | H900 | Split Core, Fixed, Range 1.5-200 AAC, N/O, 1 A; | 111.44 |
| Veris | PX3ULX05 | Pressure Transducer, Dry, Universal, LCD, Differential; | 362.46 |
| Diversitech | 14175 | 75 Second Smoke Cartridge 10 Pack; | 52.38 |
| Diversitech | ACT-6 | Compressor Tote; | 121.04 |
| Diversitech | B-27 | Refrigerator Coil Brush; | 18.84 |
| Diversitech | B-924 | 1/4" OD Fitting Brush;" | 14.76 |
| Diversitech | B-925 | 3/8" OD Fitting Brush;" | 14.08 |
| Diversitech | B-926 | 1/2" OD Fitting Brush;" | 14.76 |
| Diversitech | B-927 | 5/8" OD Fitting Brush;" | 14.08 |
| Diversitech | B-928 | 3/4" OD Fitting Brush;" | 15.08 |
| Diversitech | B-929 | 7/8" OD Fitting Brush;" | 14.34 |

| | | | |
|-------------|-----------|--|--------|
| Diversitech | B-931 | 1 1/8" OD Fitting Brush;" | 15.72 |
| Diversitech | BS-32 | Quart Plastic Spray Bottle; | 10.42 |
| Diversitech | ET33 | Super 33 3M Electrical Tape; | 24.06 |
| Diversitech | HCO-15 | Fast Orange 15 oz Smooth; | 14.88 |
| Diversitech | HCP-15 | Fast Orange 15oz w/Pumice; | 13.84 |
| Diversitech | HS-144 | Lash-N-Strap 12'; | 89.02 |
| Diversitech | HS-30 | 31" Hang-N-Strap Blue;" | 8.50 |
| Diversitech | HS-60 | 60" Hang-N-Strap Black;" | 11.94 |
| Diversitech | ISO-18 | Iso-Cubes Waffle Style Vibration Pad 18";" | 117.42 |
| Diversitech | ISO-2 | Iso-Cubes Waffle Style Vibration Pad 2";" | 3.28 |
| Diversitech | ISO-4 | Iso-Cubes Waffle Style Vibration Pad 4";" | 10.98 |
| Diversitech | M-1 | 1-1/4" Inspection Mirror;" | 18.30 |
| Diversitech | M-2 | 2-1/4" Inspection Mirror;" | 21.16 |
| Diversitech | M-2R | M-2 2-1/4" Replacement Head;" | 7.90 |
| Diversitech | M-3 | 2-1/8" Rectangular Inspection Mirror;" | 21.16 |
| Diversitech | M-3R | M-3 2-1/8 Rectangular Replacement Head; | 7.90 |
| Diversitech | M-5 | Oval Inspection Mirror; | 14.28 |
| Diversitech | MP-18 | 18" All Rubber Mounting Pad;" | 46.04 |
| Diversitech | MP-4 | 4" All Rubber Mounting Pad;" | 2.18 |
| Diversitech | MP-4C | 4" Rubber/Cork Mounting Pad;" | 3.88 |
| Diversitech | RS-15 | Rubber Tie Down Strap 15";" | 4.82 |
| Diversitech | RS-20 | Rubber Tie Down Strap 20";" | 4.84 |
| Diversitech | RS-31 | Rubber Tie Down Strap 31";" | 6.16 |
| Diversitech | RS-41 | Rubber Tie Down Strap 41";" | 7.66 |
| Diversitech | RS-9 | Rubber Tie Down Strap 9";" | 5.84 |
| Diversitech | T-100 | Fin Tool Nylon Kit 8-14 fpi; | 21.88 |
| Diversitech | TC-007 | Control Checker Reuseable; | 211.54 |
| Diversitech | TS-1 | Toggle Switch SPST; | 19.16 |
| Diversitech | VCR-1 | Valve Core Tool w/Core Storage; | 22.12 |
| Diversitech | WS-1 | Wet Switch Flood Detector; | 128.26 |
| Weiss | 25SD-160 | Remote Digital Thermometer -40 Deg to 160 Deg 1 In x 4 In Horz Wall Mount; | 61.30 |
| Weiss | 9VU35-240 | Industrial Glass Thermometer 30 Deg to 240 Deg 9 In Vari-Angle; | 86.72 |
| Weiss | E35-75BS | Brass Well 3/4 NPT Fits DVU35 3 1/2 In Stem; | 19.46 |
| Weiss | LFM502H | Liquid Filled High Side Gauge 2 1/2 0 to 500 PSI R12/R22/R502 (9632R); | 47.40 |
| Weiss | TL25-030 | Gauge 2 1/2 In 0 to 30 PSI 1/4 In Bottom Connection; | 24.68 |
| Weiss | TL25-060 | Gauge 2 1/2 In 0 to 60 PSI 1/4 In Bottom Connection; | 24.68 |
| Weiss | TL25-100 | Gauge 2 1/2 In 0 to 100 PSI 1/4 In Bottom Connection; | 24.68 |

| | | | |
|---------|-------------|--|--------|
| Weiss | TL25-160 | Gauge 2 1/2 In 0 to 160 PSI 1/4 In Bottom Connection; | 24.68 |
| Weiss | TL25-200 | Gauge 2 1/2 In 0 to 200 PSI 1/4 In Bottom Connection; | 24.68 |
| Wesanco | W-2-4 | 1/4 In Channel Nut w/Spring for Deep Channel P1006-1420; | 1.54 |
| Wesanco | W-2-6 | 3/8 In Channel Nut w/Spring for Deep Channel P1008; | 1.86 |
| Wesanco | W-200SS P/G | Deep Channel 1 5/8 X 1 5/8 12 Gauge w/Short Slots Pre-Galvanized; | 116.26 |
| Wesanco | W-5-6 | 3/8 In Channel Nut w/Spring for Shallow Channel; | 1.76 |
| Wesanco | W-5003 | 3/8 In Square Strut Flat Plate Washer w/Channel Guide; | 1.46 |
| Wesanco | W-500SS P/G | Shallow Channel 13/16 X 1 5/8 14 Gauge w/Short Slots Pre-Galvanized; | 64.90 |
| Wesanco | W-5022 | 4 Hole Tee Plate; | 8.22 |
| Wesanco | W-5103 | 2 Hole End Connector 2 In X 1 7/8 In 90 Deg Angle; | 3.86 |
| Wesanco | W-5113 | 3 Hole End Connector 1 7/8 In X 3 7/8 In 90 Deg Angle; | 3.96 |
| Wesanco | W-5425 | 2 Hole Open Angle 2 15/16 In X 3 In 45 Deg Angle; | 5.04 |
| Wesanco | W-5741 | 3/8 In Beam Clamp; | 11.46 |
| Wesanco | W-6224 | 1/4 In OD Tubing Clamp; | 1.64 |
| Wesanco | W-6226 | 1/2 In OD Tubing Clamp; | 1.66 |
| Wesanco | W-6228 | 3/4 In OD Tubing Clamp; | 1.78 |
| Wesanco | W-6229 | 7/8 In OD Tubing Clamp; | 1.80 |
| Wesanco | W-6231 | 1 1/8 In OD Tubing Clamp; | 2.24 |
| Wesanco | W-6233 | 1 3/8 In OD Tubing Clamp; | 2.30 |
| Wesanco | W-6235 | 1 5/8 In OD Tubing Clamp; | 2.46 |
| Wesanco | W-6239 | 2 1/8 In OD Tubing Clamp; | 3.18 |
| Wesanco | W-6243 | 2 5/8 In OD Tubing Clamp; | 3.76 |
| Wesanco | W-6261 | 4 7/8 In OD Tubing Clamp; | 6.18 |
| Wesanco | W-7125 | 3/8 In X 10 Ft All Thread; | 23.62 |
| Wesanco | W-7135 | 3/8 In Rod Coupler; | 2.04 |
| Wesanco | W-7136 | 1/2 In Rod Coupler; | 2.64 |
| Wesanco | W-7403 | 3/8 In X 3/4 In Hex Head Cap Screw; | 0.58 |
| Wesanco | W-7404 | 3/8 In X 1 In Hex Head Cap Screw; | 0.58 |
| Wesanco | W-7405 | 3/8 In X 1 1/4 In Hex Head Cap Screw; | 0.94 |
| Wesanco | W-7411 | 1/2 In X 1 1/2 In Hex Head Cap Screw; | 1.02 |
| Wesanco | W-7431 | 3/8 In Lock Washer; | 0.24 |
| Wesanco | W-7441 | 3/8 In Flat Washer; | 0.78 |
| Wesanco | W-7442 | 1/2 In Flat Washer; | 0.32 |
| Wesanco | W-7450 | 1/4 In Fender Washer; | 0.38 |
| Wesanco | W-7451 | 3/8 In Fender Washer; | 0.62 |
| Wesanco | W-7462 | 3/8 In Hex Nut; | 0.92 |
| Wesanco | W-7463 | 1/2 In Hex Nut; | 0.64 |

| | | | |
|---------------|--------------------|---|--------|
| Wesanco | W-7492 | 3/8 In Kep Nut; | 1.02 |
| Wesanco | WSF-10093 E/G | 3/8 In X 2 In Hex Lag Screw; | 0.38 |
| White Rodgers | 1609-101 | Temperature Control Remote Bulb, 5' Cap. -30-90F SPST Adj. Differential; | 136.84 |
| White Rodgers | 16E09-101 | Electronic Temp Cntrl SPDT -40 to 220 deg F 24/120/208/240V w/Alarm Output; | 180.38 |
| White Rodgers | 24A34-14 | Electric Fan / Heat Sequencer 5 Switches 4 Min. Timing; | 64.90 |
| White Rodgers | 24A34-3 | Electric Fan / Heat Sequencer 2 Switches 1 Min. Timing; | 27.74 |
| White Rodgers | 24A34-4 | Electric Fan / Heat Sequencer 2 Switches 1 Min. Timing; | 27.74 |
| White Rodgers | 24a34-6 | Electric Fan / Heat Sequencer 4 Switches 2 Min. Timing; | 53.40 |
| White Rodgers | 770-1 | Differential Air Pressure Switch Operating Range .07 To 12" WC SPDT;" | 104.20 |
| Honeywell | 10 GA BLK 100 FT | THHN Stranded #10 100 ft Black Wire; | 167.00 |
| Honeywell | 10 GA BLK 25 FT | THHN Stranded #10 25 ft Black Wire; | 41.72 |
| Honeywell | 10 GA RED 25 FT | THHN Stranded #10 25 ft Red Wire; | 41.72 |
| Honeywell | 12 GA BLK 100 FT | THHN Stranded #12 100 ft Black Wire; | 112.52 |
| Honeywell | 12 GA RED 100 FT | THHN Stranded #12 100 ft Red Wire; | 112.52 |
| Honeywell | 12 GA RED 25 FT | THHN Stranded #12 25 ft Red Wire; | 33.46 |
| Honeywell | 12 GA WHT 100 FT | THHN Stranded #12 100 ft White Wire; | 112.52 |
| Honeywell | 12 GA WHT 25 FT | THHN Stranded #12 25 ft White Wire; | 33.46 |
| Honeywell | 14 GA BLK 100 FT | THHN Stranded #14 100 ft Black Wire; | 82.88 |
| Honeywell | 14 GA BLK 25 FT | THHN Stranded #14 25 ft Black Wire; | 22.64 |
| Honeywell | 14 GA RED 100 FT | THHN Stranded #14 100 ft Red Wire; | 82.88 |
| Honeywell | 14 GA RED 25 FT | THHN Stranded #14 25 ft Red Wire; | 22.64 |
| Honeywell | 14 GA WHT 25 FT | THHN Stranded #14 25 ft White Wire; | 22.64 |
| Honeywell | 14/4 CONDUIT-MS 50 | 14/4 Stranded THHN 600V Conduit 50' Roll; | 174.36 |
| Honeywell | 14/4 MINI SPLIT | 14/4 Stranded THHN 600V Per Foot; | 2.12 |
| Honeywell | 18/10 | 250 Ft/Roll UL Thermostat Wire; | 304.50 |
| Honeywell | 18/2 | 500 Ft/Roll UL Thermostat Wire; | 136.32 |
| Honeywell | 18/2 CLP-S | Per Foot Shielded Plenum Stranded; | 0.44 |
| Honeywell | 18/2 PLENUM | 500 Ft/Roll Plenum Rated; | 187.80 |
| Honeywell | 18/2 SHIELDED 500 | 500 Ft/Roll Shielded Cable; | 208.86 |
| Honeywell | 18/3 | 500 Ft/Roll UL Thermostat Wire; | 202.40 |
| Honeywell | 18/3 CLP-S | Per Foot Shielded Plenum Stranded; | 0.60 |
| Honeywell | 18/3 PLENUM | 500 Ft/Roll Plenum Rated; | 215.14 |
| Honeywell | 18/4 | 250 Ft/Roll UL Thermostat Wire; | 136.68 |
| Honeywell | 18/4 PLENUM | 250 Ft/Roll Plenum Rated; | 152.78 |
| Honeywell | 18/5 | 250 Ft/Roll UL Thermostat Wire; | 137.96 |
| Honeywell | 18/6 | 250 Ft/Roll UL Thermostat Wire; | 194.58 |
| Honeywell | 18/6 CLP-S | Per Foot Shielded Plenum Stranded; | 1.02 |

| | | | |
|-------------|------------------|--|----------|
| Honeywell | 18/6 PLENUM | 250 Ft/Roll Plenum Rated; | 208.06 |
| Honeywell | 18/7 | 250 Ft/Roll UL Thermostat Wire; | 216.46 |
| Honeywell | 18/8 | 250 Ft/Roll UL Thermostat Wire; | 208.22 |
| Honeywell | 18/8 CLP-S | Per Foot Shielded Plenum Stranded; | 1.26 |
| Honeywell | 18/8 PLENUM | 250 Ft/Roll Plenum Rated; | 277.76 |
| Westermeyer | 90-058K | Standard Filter Kit For 926,927,926R & 927R Oil Separators; | 321.84 |
| Westermeyer | C-6601-01 | 1/2 Ton Coaxial Coil Refrigerant Connection 3/8 Inch OD Water 5/8 Inch OD; | 493.88 |
| Westermeyer | ST-03F | Oil Strainer 3/8 Flare; | 62.80 |
| Yaskawa | HV60U2017CFA-059 | 5HP, 208/230V VFD 16.7A Nema 1 Drive Only RSD/TC Software; | 1,413.62 |
| Yaskawa | HV60U2024CFA-059 | 7.5HP, 208/230V VFD 24.2A Nema 1 Drive Only RSD/TC Software; | 1,675.32 |
| Yaskawa | HV60U4005CFA-059 | 3HP, 480V VFD 4.8A Nema 1 Drive Only RSD/TC Software; | 1,177.74 |
| Yaskawa | HV60U4011CFA-059 | 7.5HP, 480V VFD 11A Nema 1 Drive Only RSD/TC Software; | 1,510.52 |
| Yaskawa | HV60U4014CFA-059 | 10HP, 480V VFD 14A Nema 1 Drive Only RSD/TC Software; | 1,752.86 |
| Yaskawa | HV60U4021CFA-059 | 15HP, 480V VFD 21A Nema 1 Drive Only RSD/TC Software; | 2,276.30 |
| Yaskawa | VU4A0002FAA | 1HP 460V 2.1AMP NEMA 1 VFD V1000 Micro Drive; | 706.00 |
| Yaskawa | VU4A0005FAA | 3HP 460V 5.4AMP NEMA 1 VFD V1000 Micro Drive; | 911.76 |